

South Carolina Communities That Care (SC CTC) Survey



South Carolina

2016 Results

Table of Contents

INTRODUCTION	iii
DEMOGRAPHICS	1
SUBSTANCE USE	14
ALCOHOL	14
TOBACCO	21
MARIJUANA	33
OTHER DRUGS	36
ACCESS	43
ALCOHOL	43
TOBACCO	48
MARIJUANA	52
OTHER DRUGS	53
DISAPPROVAL OF USE	56
ALCOHOL	56
TOBACCO	57
MARIJUANA	58
OTHER DRUGS	59
RISK OF HARM	61
ALCOHOL	61
TOBACCO	62
MARIJUANA	63
OTHER DRUGS	64
RISK BEHAVIORS	65
PARENTAL DISAPPROVAL	78
ALCOHOL	78
TOBACCO	79
MARIJUANA	80
OTHER DRUGS	81
PEER DISAPPROVAL	82
ALCOHOL	82
TOBACCO	83
MARIJUANA	84
OTHER DRUGS	85
APPENDIX A – SURVEY INSTRUMENT	86

INTRODUCTION

This report presents statewide results of the South Carolina Communities That Care (SC CTC) Survey. The SC CTC Survey was sponsored by the South Carolina Department of Alcohol and Other Drug Abuse Services (DAODAS). The survey was managed, distributed, and processed by System Wide Solutions, Inc. (SWS). SWS collaborated with DAODAS, the county prevention agencies, and school districts, to administer the survey in 23 counties in South Carolina in February and March 2016. This report was prepared by the Pacific Institute for Research and Evaluation (PIRE).

Survey Content

The 2016 CTC survey contains 72 items which comprise a number of domains, including student demographics, current and lifetime use of various substances, access to and sources of substances, disapproval of use, risk perceptions, risk behaviors, and perceived peer and parental attitudes. Most domains include multiple items that measure different aspects of the domain. The focus of most of the substance use-related items is on tobacco, alcohol, and marijuana, although items about other drugs and risk behaviors are included as well. This report provides frequencies and prevalence estimates for each item in the survey.

Notes about Data Included in This Report

The results contained in this report are based on weighted data. The purpose of weighting the data was to better represent the larger student population in each county from which the student survey samples were drawn. We weighted the data according to characteristics that are known to be associated with substance use. For example, substance use is known to vary by grade and race/ethnicity. For this reason, we weighted the survey data by grade level and race/ethnicity (white, non-white) so that the students who were surveyed would better reflect the county's student population and the survey results would be more accurate. Students' self-reported race/ethnicity was coded into two categories, white and "other." The "other" category includes students who self-identified as something other than white, as well as those who indicated multiple races/ethnicities. The number of race/ethnicity categories was limited to two because the number of surveys was not sufficient for examining a larger number of categories.

Although the weighting methods were designed to help improve the accuracy of the results, they nonetheless have some limitations. To preserve as much survey data as possible, we used a liberal threshold for acceptable weights. As such, the resulting estimates may be, in some cases, heavily influenced by the responses of a small number of students. This may be particularly true with respect to the results that are broken out by grade level. This should be kept in mind when interpreting these results. The table below indicates the number of students surveyed in each grade-race/ethnicity category.

Data used in analysis:

9 th / white	9 th / other	10 th / white	10 th / other	11 th / white	11 th / other	12 th / white	12 th / other	Total*
2252	2472	904	966	1311	1552	1288	1075	11864

*Note that the total number of students may exceed the sum of the grade-race/ethnicity cells. This is due to students who did not report a grade and/or race/ethnicity.

Because the results in this report are based on weighted data, they may differ somewhat from results that are obtained from the raw data file which was distributed by DAODAS. An additional reason there may be differences between these results and those obtained from the raw data file is due to cleaning procedures (e.g., omission of surveys that had multiple instances of logically inconsistent answers, such as reporting no lifetime alcohol use but at the same time reporting past 30 day alcohol use) that were applied to the data to help enhance the validity of the data included in the report.

Presenting Results by Grade and Overall

In the report, the results are displayed by grade and for all grades combined. For each survey item, these are shown as separate tables. For each set of tables in the report, reference is made to the associated survey item number in the table header.

Coding of Response Categories

The items in the survey offered multiple response options to respondents. To allow for ease of interpretation, we recoded most items. Most often, items were coded into two response categories. For example, in the case of substance use questions, frequency-of-use response options were collapsed into use vs. no use. For each item, the categories that were used in the analysis are noted in the tables in the report.

Empty Cells in the Tables

Note that some tables may contain empty cells. These instances can be interpreted as 0%. The computer program used to analyze the data generates an empty cell by default whenever the estimate is 0%. Estimates of 0% are most likely to be generated when the number of students surveyed is small and/or when the question pertains to a rare behavior such as lifetime heroin use.

Comparing County Results to the Combined Results for the 23 Counties

Interpretation of county results may be enhanced by comparing them to the combined results for the 23 counties that took part in the SC CTC survey (and which are presented in a separate report). The combined results for the 23 counties should not be interpreted as estimates for the entire state population but rather as estimates for only the counties that participated in the survey.

Inclusion of Confidence Intervals in the Tables

The percentages presented in the tables in the report are accompanied by 95% confidence intervals (referred to in the tables as Lower and Upper 95% CL). In comparing the county's results to the combined results for the 23 counties, differences in behaviors (attitudes, etc.) between the two can be considered statistically significant if the confidence intervals for the county and the 23 counties combined (as represented in the tables) do not overlap.

Confidence intervals are taken into account because the survey results are drawn from a sample of students in the county and, as such, they can be interpreted as estimates of the true values (of the behaviors, attitudes, etc.) in the population. The 95% confidence interval indicates that the true prevalence of the behavior is 95% likely to fall within the stated confidence limits presented in the table. As noted, confidence intervals help in assessing whether results are statistically significantly different from each other (e.g., whether the county's prevalence of alcohol use is statistically significantly higher or lower than the prevalence of alcohol use for all 23 counties combined).

DEMOGRAPHICS
Age (Q1)

Grade	Age	Unweighted		Lower 95%CL	Upper 95%CL
		N	Percent		
9th	11	2	0.0	0.0	0.1
	12	2	0.0	0.0	0.0
	13	8	0.1	0.0	0.1
	14	1740	31.6	26.7	36.6
	15	2594	62.2	56.8	67.6
	16	345	5.4	3.6	7.2
	17	32	0.6	0.2	1.0
	18	4	0.0	0.0	0.1
	19 or older	2	0.0	0.0	0.1
	Total		4729	100.0	.
10th	11	0	.	.	.
	12	1	0.0	0.0	0.1
	13	0	.	.	.
	14	4	0.1	0.0	0.2
	15	687	35.4	28.8	41.9
	16	1064	58.3	51.5	65.1
	17	101	5.2	3.1	7.3
	18	15	1.0	0.1	1.9
	19 or older	2	0.1	0.0	0.1
	Total		1874	100.0	.
11th	11	5	0.1	0.0	0.1
	12	0	.	.	.
	13	0	.	.	.
	14	1	0.0	0.0	0.0
	15	9	0.2	0.0	0.3
	16	1136	31.1	23.9	38.3
	17	1558	59.2	50.5	67.8
	18	152	7.8	3.8	11.9
	19 or older	10	1.6	0.0	4.3
	Total		2871	100.0	.
12th	11	3	0.8	0.0	2.4
	12	0	.	.	.
	13	1	0.1	0.0	0.4
	14	1	0.1	0.0	0.2
	15	1	8.5	0.0	23.8
	16	23	0.8	0.2	1.4
	17	995	30.9	19.9	41.8
	18	1203	42.6	27.2	58.0

DEMOGRAPHICS
Age (Q1)

<i>Grade</i>	<i>Age</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	19 or older	138	16.2	0.6	31.9
	Total	2365	100.0	.	.
Total	11	10	0.2	0.0	0.5
	12	3	0.0	0.0	0.0
	13	9	0.0	0.0	0.1
	14	1746	9.6	8.0	11.2
	15	3291	29.5	25.2	33.9
	16	2568	24.2	20.8	27.6
	17	2686	22.0	17.9	26.0
	18	1374	10.8	7.1	14.4
	19 or older	152	3.7	0.1	7.3
	Total	11839	100.0	.	.

DEMOGRAPHICS
Gender (Q3)

<i>Grade</i>	<i>Gender</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Female	2387	58.3	52.4	64.2
	Male	2222	41.7	35.8	47.6
	Total	4609	100.0	.	.
10th	Female	953	59.8	52.8	66.9
	Male	842	40.2	33.1	47.2
	Total	1795	100.0	.	.
11th	Female	1461	53.7	43.2	64.2
	Male	1294	46.3	35.8	56.8
	Total	2755	100.0	.	.
12th	Female	1234	44.5	28.8	60.2
	Male	1073	55.5	39.8	71.2
	Total	2307	100.0	.	.
Total	Female	6035	54.8	49.8	59.8
	Male	5431	45.2	40.2	50.2
	Total	11466	100.0	.	.

DEMOGRAPHICS
Race (Q5)

<i>Grade</i>	<i>Race</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	White	2252	55.4	49.4	61.3
	Other	2472	44.6	38.7	50.6
	Total	4724	100.0	.	.
10th	White	904	58.3	51.7	64.9
	Other	966	41.7	35.1	48.3
	Total	1870	100.0	.	.
11th	White	1311	57.1	48.2	66.0
	Other	1552	42.9	34.0	51.8
	Total	2863	100.0	.	.
12th	White	1288	58.9	45.0	72.9
	Other	1075	41.1	27.1	55.0
	Total	2363	100.0	.	.
Total	White	5755	57.3	52.9	61.6
	Other	6065	42.7	38.4	47.1
	Total	11820	100.0	.	.

DEMOGRAPHICS
Language used most often at home (Q4)

<i>Grade</i>	<i>Language at home</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	English	4452	92.6	89.5	95.7
	Spanish	210	6.9	3.8	10.0
	Other	40	0.5	0.3	0.7
	Total	4702	100.0	.	.
10th	English	1809	94.7	92.1	97.3
	Spanish	51	4.7	2.2	7.2
	Other	11	0.6	0.1	1.1
	Total	1871	100.0	.	.
11th	English	2736	92.2	87.7	96.7
	Spanish	72	6.8	2.3	11.3
	Other	48	0.9	0.6	1.3
	Total	2856	100.0	.	.
12th	English	2261	89.7	82.5	96.8
	Spanish	60	8.9	2.0	15.8
	Other	37	1.4	0.0	3.1
	Total	2358	100.0	.	.
Total	English	11258	92.5	90.3	94.6
	Spanish	393	6.7	4.6	8.8
	Other	136	0.8	0.4	1.2
	Total	11787	100.0	.	.

DEMOGRAPHICS
School grades in past year (Q6)

<i>Grade</i>	<i>School grades</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Mostly As	1361	30.6	25.2	35.9
	Mostly Bs	1936	44.6	38.0	51.2
	Mostly Cs	1053	18.9	14.1	23.8
	Mostly Ds	240	5.2	2.8	7.6
	Mostly Fs	62	0.7	0.5	0.9
	Total	4652	100.0	.	.
10th	Mostly As	556	41.1	33.8	48.5
	Mostly Bs	734	34.3	27.2	41.4
	Mostly Cs	440	18.9	14.5	23.3
	Mostly Ds	87	5.2	2.6	7.9
	Mostly Fs	15	0.4	0.1	0.7
	Total	1832	100.0	.	.
11th	Mostly As	879	23.6	17.7	29.5
	Mostly Bs	1242	45.1	35.7	54.4
	Mostly Cs	605	26.3	13.7	39.0
	Mostly Ds	82	4.2	1.2	7.2
	Mostly Fs	18	0.8	0.0	1.9
	Total	2826	100.0	.	.
12th	Mostly As	750	22.6	14.2	31.1
	Mostly Bs	998	52.8	37.5	68.1
	Mostly Cs	498	18.8	10.6	27.1
	Mostly Ds	78	4.6	0.0	9.8
	Mostly Fs	11	1.2	0.0	2.8
	Total	2335	100.0	.	.
Total	Mostly As	3546	30.0	26.3	33.6
	Mostly Bs	4910	43.8	38.8	48.8
	Mostly Cs	2596	20.7	16.6	24.8
	Mostly Ds	487	4.9	3.2	6.5
	Mostly Fs	106	0.7	0.3	1.2
	Total	11645	100.0	.	.

DEMOGRAPHICS
Current school program (Q7)

<i>Grade</i>	<i>School program</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Advanced placement or honors	1717	36.7	31.0	42.4
	College prep	1221	23.2	19.2	27.3
	General	863	14.5	11.2	17.9
	Vocational, technical, or commercial	76	0.9	0.6	1.1
	Other or don't know	767	24.7	16.8	32.5
	Total	4644	100.0	.	.
10th	Advanced placement or honors	689	47.0	39.6	54.4
	College prep	525	26.9	20.9	33.0
	General	340	14.1	10.3	17.8
	Vocational, technical, or commercial	36	1.4	0.3	2.5
	Other or don't know	250	10.6	6.4	14.9
	Total	1840	100.0	.	.
11th	Advanced placement or honors	1009	36.6	28.4	44.8
	College prep	970	27.9	21.1	34.7
	General	497	24.6	11.7	37.5
	Vocational, technical, or commercial	88	3.5	0.2	6.9
	Other or don't know	251	7.3	4.0	10.7
	Total	2815	100.0	.	.
12th	Advanced placement or honors	861	30.8	16.1	45.6
	College prep	714	37.7	22.3	53.1
	General	504	14.2	8.5	19.9
	Vocational, technical, or commercial	76	1.3	0.7	1.8
	Other or don't know	182	16.0	0.3	31.6
	Total	2337	100.0	.	.
Total	Advanced placement or honors	4276	38.1	33.6	42.6
	College prep	3430	28.3	24.1	32.4
	General	2204	16.7	12.9	20.6
	Vocational, technical, or commercial	276	1.7	0.9	2.6
	Other or don't know	1450	15.2	10.8	19.6
	Total	11636	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Technical or vocational school (Q8)

<i>Grade</i>	<i>Tech or vocational school</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	4306	94.5	92.6	96.4
	Yes	336	5.5	3.6	7.4
	Total	4642	100.0	.	.
10th	No	1651	90.9	87.5	94.2
	Yes	186	9.1	5.8	12.5
	Total	1837	100.0	.	.
11th	No	2409	87.1	82.5	91.7
	Yes	405	12.9	8.3	17.5
	Total	2814	100.0	.	.
12th	No	1777	61.9	44.3	79.6
	Yes	553	38.1	20.4	55.7
	Total	2330	100.0	.	.
Total	No	10143	85.1	80.2	89.9
	Yes	1480	14.9	10.1	19.8
	Total	11623	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Armed forces (Q8)

<i>Grade</i>	<i>Armed forces</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	4031	87.7	84.2	91.1
	Yes	611	12.3	8.9	15.8
	Total	4642	100.0	.	.
10th	No	1580	87.5	82.8	92.1
	Yes	257	12.5	7.9	17.2
	Total	1837	100.0	.	.
11th	No	2428	89.6	86.0	93.2
	Yes	386	10.4	6.8	14.0
	Total	2814	100.0	.	.
12th	No	2035	90.1	84.1	96.0
	Yes	295	9.9	4.0	15.9
	Total	2330	100.0	.	.
Total	No	10074	88.6	86.4	90.8
	Yes	1549	11.4	9.2	13.6
	Total	11623	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Two-year college (Q8)

<i>Grade</i>	<i>Two-year college</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	3900	87.1	84.2	90.0
	Yes	742	12.9	10.0	15.8
	Total	4642	100.0	.	.
10th	No	1528	83.8	79.5	88.1
	Yes	309	16.2	11.9	20.5
	Total	1837	100.0	.	.
11th	No	2342	80.9	74.7	87.2
	Yes	472	19.1	12.8	25.3
	Total	2814	100.0	.	.
12th	No	1875	77.2	62.1	92.3
	Yes	455	22.8	7.7	37.9
	Total	2330	100.0	.	.
Total	No	9645	82.7	78.9	86.5
	Yes	1978	17.3	13.5	21.1
	Total	11623	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Four-year college (Q8)

<i>Grade</i>	<i>Four-year college</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	1443	27.7	23.1	32.3
	Yes	3199	72.3	67.7	76.9
	Total	4642	100.0	.	.
10th	No	563	29.7	23.2	36.1
	Yes	1274	70.3	63.9	76.8
	Total	1837	100.0	.	.
11th	No	922	33.7	25.6	41.8
	Yes	1892	66.3	58.2	74.4
	Total	2814	100.0	.	.
12th	No	981	56.1	40.6	71.6
	Yes	1349	43.9	28.4	59.4
	Total	2330	100.0	.	.
Total	No	3909	35.5	30.7	40.3
	Yes	7714	64.5	59.7	69.3
	Total	11623	100.0	.	.

DEMOGRAPHICS**Post-graduation plans: Graduate or professional school (Q8)**

<i>Grade</i>	<i>Graduate school</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	3938	81.4	76.0	86.8
	Yes	704	18.6	13.2	24.0
	Total	4642	100.0	.	.
10th	No	1593	80.1	73.6	86.6
	Yes	244	19.9	13.4	26.4
	Total	1837	100.0	.	.
11th	No	2396	85.0	79.8	90.1
	Yes	418	15.0	9.9	20.2
	Total	2814	100.0	.	.
12th	No	1934	89.9	86.2	93.6
	Yes	396	10.1	6.4	13.8
	Total	2330	100.0	.	.
Total	No	9861	83.7	80.8	86.6
	Yes	1762	16.3	13.4	19.2
	Total	11623	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: No plans (Q8)

<i>Grade</i>	<i>No plans</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	4455	96.3	94.5	98.1
	Yes	187	3.7	1.9	5.5
	Total	4642	100.0	.	.
10th	No	1784	97.7	96.4	99.0
	Yes	53	2.3	1.0	3.6
	Total	1837	100.0	.	.
11th	No	2721	98.0	96.9	99.1
	Yes	93	2.0	0.9	3.1
	Total	2814	100.0	.	.
12th	No	2249	96.7	94.7	98.8
	Yes	81	3.3	1.2	5.3
	Total	2330	100.0	.	.
Total	No	11209	97.1	96.3	97.9
	Yes	414	2.9	2.1	3.7
	Total	11623	100.0	.	.

ALCOHOL USE
Lifetime alcohol use (Q20)

<i>Grade</i>	<i>Lifetime alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	1911	38.1	32.3	43.9
	No	2776	61.9	56.1	67.7
	Total	4687	100.0	.	.
10th	Yes	851	45.2	37.9	52.4
	No	1007	54.8	47.6	62.1
	Total	1858	100.0	.	.
11th	Yes	1440	48.3	38.6	57.9
	No	1393	51.7	42.1	61.4
	Total	2833	100.0	.	.
12th	Yes	1340	66.8	52.0	81.5
	No	997	33.2	18.5	48.0
	Total	2337	100.0	.	.
Total	Yes	5542	48.1	43.3	53.0
	No	6173	51.9	47.0	56.7
	Total	11715	100.0	.	.

ALCOHOL USE
Age of first alcohol use (Q21)

<i>Grade</i>	<i>Age of first alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	12 or younger	828	14.3	11.0	17.6
	Never have OR 13 or older	3859	85.7	82.4	89.0
	Total	4687	100.0	.	.
10th	12 or younger	288	13.8	9.9	17.7
	Never have OR 13 or older	1581	86.2	82.3	90.1
	Total	1869	100.0	.	.
11th	12 or younger	368	12.5	7.6	17.3
	Never have OR 13 or older	2472	87.5	82.7	92.4
	Total	2840	100.0	.	.
12th	12 or younger	268	19.9	4.3	35.4
	Never have OR 13 or older	2080	80.1	64.6	95.7
	Total	2348	100.0	.	.
Total	12 or younger	1752	14.9	11.1	18.6
	Never have OR 13 or older	9992	85.1	81.4	88.9
	Total	11744	100.0	.	.

ALCOHOL USE
Age of first regular alcohol use (Q23)

<i>Grade</i>	<i>Age of first regular alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	12 or younger	226	2.7	2.1	3.2
	Never have OR 13 or older	4454	97.3	96.8	97.9
	Total	4680	100.0	.	.
10th	12 or younger	78	4.2	0.6	7.8
	Never have OR 13 or older	1790	95.8	92.2	99.4
	Total	1868	100.0	.	.
11th	12 or younger	99	1.9	0.8	2.9
	Never have OR 13 or older	2734	98.1	97.1	99.2
	Total	2833	100.0	.	.
12th	12 or younger	54	1.5	0.5	2.4
	Never have OR 13 or older	2284	98.5	97.6	99.5
	Total	2338	100.0	.	.
Total	12 or younger	457	2.6	1.6	3.6
	Never have OR 13 or older	11262	97.4	96.4	98.4
	Total	11719	100.0	.	.

ALCOHOL USE
Current alcohol use (Q24)

<i>Demographic characteristic</i>	<i>Current alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	1263	20.7	16.3	25.1
	No	4722	79.3	74.9	83.7
Male	Yes	1127	20.0	15.4	24.6
	No	4233	80.0	75.4	84.6
White	Yes	1367	21.3	16.5	26.0
	No	4357	78.7	74.0	83.5
Other	Yes	1108	19.4	15.7	23.1
	No	4861	80.6	76.9	84.3
9th	Yes	782	12.9	9.9	16.0
	No	3915	87.1	84.0	90.1
10th	Yes	387	22.0	15.2	28.7
	No	1471	78.0	71.3	84.8
11th	Yes	656	25.9	18.9	33.0
	No	2185	74.1	67.0	81.1
12th	Yes	656	23.2	14.2	32.3
	No	1685	76.8	67.7	85.8
Total	Yes	2481	20.4	17.3	23.6
	No	9256	79.6	76.4	82.7

ALCOHOL USE
Current binge alcohol use (Q22)

<i>Demographic characteristic</i>	<i>Current binge alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	731	13.3	9.3	17.2
	No	5269	86.7	82.8	90.7
Male	Yes	774	12.5	9.0	16.1
	No	4615	87.5	83.9	91.0
White	Yes	825	11.5	8.0	14.9
	No	4904	88.5	85.1	92.0
Other	Yes	736	14.8	10.8	18.7
	No	5276	85.2	81.3	89.2
9th	Yes	491	6.7	5.1	8.3
	No	4218	93.3	91.7	94.9
10th	Yes	240	14.4	8.1	20.7
	No	1630	85.6	79.3	91.9
11th	Yes	424	15.1	9.7	20.5
	No	2424	84.9	79.5	90.3
12th	Yes	412	17.5	9.5	25.5
	No	1945	82.5	74.5	90.5
Total	Yes	1567	12.9	10.3	15.5
	No	10217	87.1	84.5	89.7

ALCOHOL USE
Usual type of alcohol in past 30 days (Q25)

<i>Grade</i>	<i>Usual type of alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No usual type	87	7.4	5.0	9.9
	Beer	184	23.7	13.4	33.9
	Malt beverages	88	7.7	5.0	10.4
	Energy drinks with alcohol	36	4.4	1.8	6.9
	Wine coolers	56	5.2	3.1	7.2
	Wine	51	9.3	1.4	17.3
	Liquor	285	35.5	23.6	47.4
	Other	75	6.9	4.0	9.7
	Total	862	100.0	.	.
10th	No usual type	45	30.4	9.2	51.5
	Beer	61	15.7	5.7	25.7
	Malt beverages	43	8.7	0.6	16.8
	Energy drinks with alcohol	14	1.8	0.5	3.1
	Wine coolers	26	4.6	0.0	9.6
	Wine	25	3.1	1.2	5.0
	Liquor	143	32.6	15.9	49.4
	Other	27	3.1	1.1	5.0
	Total	384	100.0	.	.
11th	No usual type	73	11.9	1.7	22.1
	Beer	174	27.1	16.0	38.2
	Malt beverages	99	22.0	10.5	33.6
	Energy drinks with alcohol	26	1.6	0.7	2.4
	Wine coolers	26	3.1	0.0	6.5
	Wine	43	2.9	1.7	4.0
	Liquor	214	22.1	12.6	31.6
	Other	42	9.3	1.3	17.3
	Total	697	100.0	.	.
12th	No usual type	71	14.3	1.9	26.7
	Beer	157	22.7	12.8	32.7
	Malt beverages	116	8.0	5.2	10.9
	Energy drinks with alcohol	14	1.6	0.2	3.1
	Wine coolers	42	5.7	2.4	9.0
	Wine	56	5.0	2.2	7.9
	Liquor	228	39.1	23.3	55.0
	Other	23	3.4	0.9	6.0
	Total	707	100.0	.	.
Total	No usual type	276	16.1	8.7	23.6
	Beer	576	22.5	17.1	27.9

ALCOHOL USE
Usual type of alcohol in past 30 days (Q25)

<i>Grade</i>	<i>Usual type of alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Malt beverages	346	12.4	8.0	16.9
	Energy drinks with alcohol	90	2.2	1.5	3.0
	Wine coolers	150	4.5	2.7	6.4
	Wine	175	4.8	2.8	6.7
	Liquor	870	31.5	24.5	38.6
	Other	167	5.8	3.1	8.6
	Total	2650	100.0	.	.

TOBACCO USE
Lifetime cigarette use (Q14)

<i>Grade</i>	<i>Lifetime cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	897	13.8	10.8	16.7
	No	3793	86.2	83.3	89.2
	Total	4690	100.0	.	.
10th	Yes	410	21.3	15.5	27.2
	No	1452	78.7	72.8	84.5
	Total	1862	100.0	.	.
11th	Yes	709	26.2	19.3	33.1
	No	2134	73.8	66.9	80.7
	Total	2843	100.0	.	.
12th	Yes	756	44.6	27.9	61.3
	No	1593	55.4	38.7	72.1
	Total	2349	100.0	.	.
Total	Yes	2772	24.9	20.2	29.6
	No	8972	75.1	70.4	79.8
	Total	11744	100.0	.	.

TOBACCO USE
Lifetime smokeless tobacco use (Q9)

<i>Grade</i>	<i>Lifetime smokeless tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	513	7.7	5.5	9.9
	No	4177	92.3	90.1	94.5
	Total	4690	100.0	.	.
10th	Yes	236	10.1	7.0	13.2
	No	1636	89.9	86.8	93.0
	Total	1872	100.0	.	.
11th	Yes	408	13.4	8.5	18.3
	No	2443	86.6	81.7	91.5
	Total	2851	100.0	.	.
12th	Yes	354	17.9	9.0	26.8
	No	1997	82.1	73.2	91.0
	Total	2351	100.0	.	.
Total	Yes	1511	11.8	9.5	14.1
	No	10253	88.2	85.9	90.5
	Total	11764	100.0	.	.

TOBACCO USE
Lifetime vaping use (Q11)

<i>Grade</i>	<i>Lifetime vaping use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	1191	24.2	18.6	29.7
	No	3518	75.8	70.3	81.4
	Total	4709	100.0	.	.
10th	Yes	521	31.7	24.7	38.7
	No	1349	68.3	61.3	75.3
	Total	1870	100.0	.	.
11th	Yes	910	32.7	24.9	40.5
	No	1950	67.3	59.5	75.1
	Total	2860	100.0	.	.
12th	Yes	800	51.3	35.5	67.1
	No	1558	48.7	32.9	64.5
	Total	2358	100.0	.	.
Total	Yes	3422	33.6	28.8	38.5
	No	8375	66.4	61.5	71.2
	Total	11797	100.0	.	.

TOBACCO USE
Lifetime bidis use (Q19)

<i>Grade</i>	<i>Lifetime bidis use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	29	0.4	0.2	0.6
	No	4598	99.6	99.4	99.8
	Total	4627	100.0	.	.
10th	Yes	18	0.6	0.2	1.0
	No	1814	99.4	99.0	99.8
	Total	1832	100.0	.	.
11th	Yes	39	0.6	0.3	0.8
	No	2774	99.4	99.2	99.7
	Total	2813	100.0	.	.
12th	Yes	12	0.3	0.1	0.5
	No	2327	99.7	99.5	99.9
	Total	2339	100.0	.	.
Total	Yes	98	0.5	0.3	0.6
	No	11513	99.5	99.4	99.7
	Total	11611	100.0	.	.

TOBACCO USE
Lifetime kreteks use (Q19)

<i>Grade</i>	<i>Lifetime kreteks use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	21	0.9	0.0	2.1
	No	4606	99.1	97.9	100.0
	Total	4627	100.0	.	.
10th	Yes	8	0.2	0.0	0.3
	No	1824	99.8	99.7	100.0
	Total	1832	100.0	.	.
11th	Yes	17	0.3	0.1	0.4
	No	2796	99.7	99.6	99.9
	Total	2813	100.0	.	.
12th	Yes	12	0.8	0.0	1.7
	No	2327	99.2	98.3	100.0
	Total	2339	100.0	.	.
Total	Yes	58	0.6	0.1	1.0
	No	11553	99.4	99.0	99.9
	Total	11611	100.0	.	.

TOBACCO USE
Lifetime hookah use (Q19)

<i>Grade</i>	<i>Lifetime hookah use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	435	6.9	4.9	8.8
	No	4192	93.1	91.2	95.1
	Total	4627	100.0	.	.
10th	Yes	186	15.3	9.2	21.4
	No	1646	84.7	78.6	90.8
	Total	1832	100.0	.	.
11th	Yes	310	12.3	7.4	17.1
	No	2503	87.7	82.9	92.6
	Total	2813	100.0	.	.
12th	Yes	340	39.2	21.6	56.7
	No	1999	60.8	43.3	78.4
	Total	2339	100.0	.	.
Total	Yes	1271	16.9	11.9	21.9
	No	10340	83.1	78.1	88.1
	Total	11611	100.0	.	.

TOBACCO USE
Lifetime snus use (Q19)

<i>Grade</i>	<i>Lifetime snus use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	83	1.1	0.8	1.4
	No	4544	98.9	98.6	99.2
	Total	4627	100.0	.	.
10th	Yes	45	1.2	0.7	1.6
	No	1787	98.8	98.4	99.3
	Total	1832	100.0	.	.
11th	Yes	92	1.7	1.1	2.2
	No	2721	98.3	97.8	98.9
	Total	2813	100.0	.	.
12th	Yes	84	2.1	1.2	3.1
	No	2255	97.9	96.9	98.8
	Total	2339	100.0	.	.
Total	Yes	304	1.5	1.2	1.7
	No	11307	98.5	98.3	98.8
	Total	11611	100.0	.	.

TOBACCO USE
Lifetime dissolvable tobacco use (Q19)

<i>Grade</i>	<i>Lifetime dissolvable tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	53	0.7	0.4	0.9
	No	4574	99.3	99.1	99.6
	Total	4627	100.0	.	.
10th	Yes	23	0.7	0.3	1.0
	No	1809	99.3	99.0	99.7
	Total	1832	100.0	.	.
11th	Yes	38	2.0	0.0	4.7
	No	2775	98.0	95.3	100.0
	Total	2813	100.0	.	.
12th	Yes	30	6.9	0.0	14.2
	No	2309	93.1	85.8	100.0
	Total	2339	100.0	.	.
Total	Yes	144	2.3	0.6	3.9
	No	11467	97.7	96.1	99.4
	Total	11611	100.0	.	.

TOBACCO USE
Age of first cigarette use (Q15)

<i>Grade</i>	<i>Age of first cigarette use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	12 or younger	425	6.7	4.5	8.9
	Never have OR 13 or older	4282	93.3	91.1	95.5
	Total	4707	100.0	.	.
10th	12 or younger	175	6.4	4.2	8.7
	Never have OR 13 or older	1693	93.6	91.3	95.8
	Total	1868	100.0	.	.
11th	12 or younger	246	9.1	4.8	13.4
	Never have OR 13 or older	2609	90.9	86.6	95.2
	Total	2855	100.0	.	.
12th	12 or younger	217	17.9	2.7	33.1
	Never have OR 13 or older	2134	82.1	66.9	97.3
	Total	2351	100.0	.	.
Total	12 or younger	1063	9.5	5.9	13.0
	Never have OR 13 or older	10718	90.5	87.0	94.1
	Total	11781	100.0	.	.

TOBACCO USE
Current cigarette use (Q16)

<i>Demographic characteristic</i>	<i>Current cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	379	5.6	3.0	8.1
	No	5606	94.4	91.9	97.0
Male	Yes	465	6.9	5.0	8.8
	No	4911	93.1	91.2	95.0
White	Yes	601	7.5	5.0	10.0
	No	5118	92.5	90.0	95.0
Other	Yes	278	4.4	2.7	6.2
	No	5713	95.6	93.8	97.3
9th	Yes	245	3.0	2.4	3.7
	No	4453	97.0	96.3	97.6
10th	Yes	127	6.1	2.0	10.2
	No	1736	93.9	89.8	98.0
11th	Yes	225	9.2	4.9	13.5
	No	2622	90.8	86.5	95.1
12th	Yes	284	7.4	4.6	10.2
	No	2061	92.6	89.8	95.4
Total	Yes	881	6.2	4.6	7.8
	No	10872	93.8	92.2	95.4

TOBACCO USE
Current smokeless tobacco use (Q10)

<i>Grade</i>	<i>Current smokeless tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	265	4.3	2.6	6.0
	No	4431	95.7	94.0	97.4
	Total	4696	100.0	.	.
10th	Yes	133	5.7	3.1	8.2
	No	1734	94.3	91.8	96.9
	Total	1867	100.0	.	.
11th	Yes	213	6.3	2.9	9.7
	No	2644	93.7	90.3	97.1
	Total	2857	100.0	.	.
12th	Yes	185	7.1	3.1	11.1
	No	2168	92.9	88.9	96.9
	Total	2353	100.0	.	.
Total	Yes	796	5.7	4.3	7.1
	No	10977	94.3	92.9	95.7
	Total	11773	100.0	.	.

TOBACCO USE
Current vaping use (Q12)

<i>Grade</i>	<i>Current vaping use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	522	8.7	6.1	11.2
	No	4193	91.3	88.8	93.9
	Total	4715	100.0	.	.
10th	Yes	221	12.6	6.9	18.4
	No	1652	87.4	81.6	93.1
	Total	1873	100.0	.	.
11th	Yes	396	14.0	9.3	18.7
	No	2468	86.0	81.3	90.7
	Total	2864	100.0	.	.
12th	Yes	344	22.7	7.3	38.1
	No	2011	77.3	61.9	92.7
	Total	2355	100.0	.	.
Total	Yes	1483	13.8	9.9	17.7
	No	10324	86.2	82.3	90.1
	Total	11807	100.0	.	.

MARIJUANA USE
Lifetime marijuana use (Q30)

<i>Grade</i>	<i>Lifetime marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	989	17.0	13.4	20.6
	No	3684	83.0	79.4	86.6
	Total	4673	100.0	.	.
10th	Yes	512	26.2	20.3	32.1
	No	1336	73.8	67.9	79.7
	Total	1848	100.0	.	.
11th	Yes	889	29.5	22.1	36.8
	No	1942	70.5	63.2	77.9
	Total	2831	100.0	.	.
12th	Yes	883	52.9	37.2	68.7
	No	1450	47.1	31.3	62.8
	Total	2333	100.0	.	.
Total	Yes	3273	29.6	24.8	34.4
	No	8412	70.4	65.6	75.2
	Total	11685	100.0	.	.

MARIJUANA USE
Age of first marijuana use (Q31)

<i>Grade</i>	<i>Age of first marijuana use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	12 or younger	267	3.5	2.8	4.3
	Never have OR 13 or older	4406	96.5	95.7	97.2
	Total	4673	100.0	.	.
10th	12 or younger	110	4.2	2.4	6.1
	Never have OR 13 or older	1744	95.8	93.9	97.6
	Total	1854	100.0	.	.
11th	12 or younger	144	4.6	1.4	7.9
	Never have OR 13 or older	2692	95.4	92.1	98.6
	Total	2836	100.0	.	.
12th	12 or younger	126	8.4	1.9	14.9
	Never have OR 13 or older	2228	91.6	85.1	98.1
	Total	2354	100.0	.	.
Total	12 or younger	647	5.0	3.4	6.6
	Never have OR 13 or older	11070	95.0	93.4	96.6
	Total	11717	100.0	.	.

MARIJUANA USE
Current marijuana use (Q32)

<i>Demographic characteristic</i>	<i>Current marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	805	17.9	11.3	24.5
	No	5162	82.1	75.5	88.7
Male	Yes	910	17.6	10.4	24.7
	No	4413	82.4	75.3	89.6
White	Yes	743	17.0	9.2	24.7
	No	4954	83.0	75.3	90.8
Other	Yes	1033	18.5	14.8	22.3
	No	4911	81.5	77.7	85.2
9th	Yes	546	9.4	6.9	12.0
	No	4126	90.6	88.0	93.1
10th	Yes	292	14.5	9.5	19.6
	No	1557	85.5	80.4	90.5
11th	Yes	456	17.0	11.3	22.6
	No	2370	83.0	77.4	88.7
12th	Yes	487	34.2	16.5	52.0
	No	1849	65.8	48.0	83.5
Total	Yes	1781	17.6	12.9	22.3
	No	9902	82.4	77.7	87.1

OTHER DRUG USE
Lifetime synthetic drug use (Q35)

<i>Grade</i>	<i>Lifetime synthetic drug use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	146	2.4	1.2	3.7
	No	4551	97.6	96.3	98.8
	Total	4697	100.0	.	.
10th	Yes	73	2.7	1.3	4.1
	No	1790	97.3	95.9	98.7
	Total	1863	100.0	.	.
11th	Yes	91	4.2	0.8	7.5
	No	2760	95.8	92.5	99.2
	Total	2851	100.0	.	.
12th	Yes	95	13.7	0.0	29.2
	No	2270	86.3	70.8	100.0
	Total	2365	100.0	.	.
Total	Yes	405	5.2	1.7	8.7
	No	11371	94.8	91.3	98.3
	Total	11776	100.0	.	.

OTHER DRUG USE
Current synthetic drug use (Q36)

<i>Grade</i>	<i>Current synthetic drug use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	100	1.2	0.9	1.6
	No	4588	98.8	98.4	99.1
	Total	4688	100.0	.	.
10th	Yes	38	1.2	0.3	2.1
	No	1824	98.8	97.9	99.7
	Total	1862	100.0	.	.
11th	Yes	51	0.7	0.5	1.0
	No	2790	99.3	99.0	99.5
	Total	2841	100.0	.	.
12th	Yes	48	10.9	0.0	26.5
	No	2309	89.1	73.5	100.0
	Total	2357	100.0	.	.
Total	Yes	237	3.1	0.0	6.5
	No	11511	96.9	93.5	100.0
	Total	11748	100.0	.	.

OTHER DRUG USE
Current prescription drug misuse (Q37)

<i>Grade</i>	<i>Current prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	230	3.5	2.1	4.8
	No	4479	96.5	95.2	97.9
	Total	4709	100.0	.	.
10th	Yes	117	7.6	4.2	11.1
	No	1751	92.4	88.9	95.8
	Total	1868	100.0	.	.
11th	Yes	186	8.4	4.0	12.8
	No	2674	91.6	87.2	96.0
	Total	2860	100.0	.	.
12th	Yes	180	13.6	0.0	28.8
	No	2182	86.4	71.2	100.0
	Total	2362	100.0	.	.
Total	Yes	713	7.8	4.2	11.3
	No	11086	92.2	88.7	95.8
	Total	11799	100.0	.	.

OTHER DRUG USE
Source of prescription drugs (Q38)

Grade	Source of prescription drugs	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
9th	I took them from a friend without asking	4	1.6	0.0	3.3
	I took them from a family member without asking	19	5.7	2.3	9.2
	I bought them from a friend	35	11.7	5.7	17.6
	I bought them from a family member	2	0.4	0.0	1.0
	I got them from a friend for free (they gave them to me)	49	17.1	9.1	25.1
	I got them from a family member for free (they gave them to me)	31	10.8	5.1	16.5
	I bought them from someone else	13	3.5	1.1	5.9
	I got them from more than one doctor and used them for non-medical reasons	5	1.3	0.0	2.6
	I got them from just one doctor and used them for non-medical reasons	14	24.2	0.0	51.9
	I wrote fake prescriptions	3	0.9	0.0	2.0
	I stole them from a doctor's office, clinic, hospital, or pharmacy	3	1.2	0.0	3.1
	I bought them on the Internet	4	1.0	0.0	2.0
	I got them some other way	48	20.8	9.3	32.3
	Total	230	100.0	.	.
10th	I took them from a friend without asking	6	2.2	0.0	4.5
	I took them from a family member without asking	11	6.4	0.9	11.9
	I bought them from a friend	13	4.7	0.7	8.7
	I bought them from a family member	2	0.7	0.0	2.1
	I got them from a friend for free (they gave them to me)	17	52.4	29.0	75.8
	I got them from a family member for free (they gave them to me)	13	5.9	1.1	10.7
	I bought them from someone else	14	5.2	1.0	9.4
	I got them from more than one doctor and used them for non-medical reasons	2	1.6	0.0	4.5
	I got them from just one doctor and used them for non-medical reasons	5	1.4	0.0	2.9
	I wrote fake prescriptions	4	2.2	0.0	5.0
	I stole them from a doctor's office, clinic, hospital, or pharmacy	1	0.4	0.0	1.1
	I bought them on the Internet	2	0.6	0.0	1.6
	I got them some other way	26	16.3	1.7	30.9
	Total	116	100.0	.	.
11th	I took them from a friend without asking	2	0.4	0.0	1.2
	I took them from a family member without asking	12	3.2	0.4	6.0
	I bought them from a friend	21	25.1	0.0	50.8
	I bought them from a family member	10	1.8	0.2	3.4
	I got them from a friend for free (they gave them to me)	39	19.3	0.0	39.5
	I got them from a family member for free (they gave them to me)	21	14.6	0.0	34.5
	I bought them from someone else	21	5.4	1.3	9.5
	I got them from more than one doctor and used them for non-medical reasons	2	0.2	0.0	0.4
	I got them from just one doctor and used them for non-medical reasons	9	1.7	0.2	3.3
	I wrote fake prescriptions	5	0.6	0.0	1.3

OTHER DRUG USE
Source of prescription drugs (Q38)

<i>Grade</i>	<i>Source of prescription drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	I stole them from a doctor's office, clinic, hospital, or pharmacy	1	0.3	0.0	0.8
	I bought them on the Internet	0	.	.	.
	I got them some other way	48	27.3	0.0	55.3
	Total	191	100.0	.	.
12th	I took them from a friend without asking	9	3.4	0.0	9.6
	I took them from a family member without asking	13	58.9	10.4	100.0
	I bought them from a friend	27	3.8	0.0	8.4
	I bought them from a family member	5	0.9	0.0	2.2
	I got them from a friend for free (they gave them to me)	38	4.9	0.0	10.9
	I got them from a family member for free (they gave them to me)	22	13.5	0.0	37.7
	I bought them from someone else	13	1.3	0.0	2.9
	I got them from more than one doctor and used them for non-medical reasons	2	0.3	0.0	0.9
	I got them from just one doctor and used them for non-medical reasons	7	1.5	0.0	3.7
	I wrote fake prescriptions	2	0.2	0.0	0.7
	I stole them from a doctor's office, clinic, hospital, or pharmacy	3	0.5	0.0	1.5
	I bought them on the Internet	3	0.7	0.0	2.0
	I got them some other way	30	10.1	0.0	25.2
	Total	174	100.0	.	.
Total	I took them from a friend without asking	21	2.2	0.0	4.4
	I took them from a family member without asking	55	26.4	0.0	59.9
	I bought them from a friend	96	10.2	1.8	18.7
	I bought them from a family member	19	1.0	0.2	1.8
	I got them from a friend for free (they gave them to me)	143	20.8	7.2	34.4
	I got them from a family member for free (they gave them to me)	87	11.7	1.0	22.3
	I bought them from someone else	61	3.5	1.4	5.5
	I got them from more than one doctor and used them for non-medical reasons	11	0.7	0.0	1.5
	I got them from just one doctor and used them for non-medical reasons	35	4.5	0.0	9.5
	I wrote fake prescriptions	14	0.9	0.1	1.7
	I stole them from a doctor's office, clinic, hospital, or pharmacy	8	0.5	0.0	1.0
	I bought them on the Internet	9	0.6	0.0	1.1
	I got them some other way	152	17.1	5.2	29.0
	Total	711	100.0	.	.

OTHER DRUG USE
Lifetime cocaine use (Q39)

<i>Grade</i>	<i>Lifetime cocaine use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	98	1.1	0.8	1.4
	No	4602	98.9	98.6	99.2
	Total	4700	100.0	.	.
10th	Yes	54	2.6	0.6	4.6
	No	1814	97.4	95.4	99.4
	Total	1868	100.0	.	.
11th	Yes	101	5.3	1.6	9.0
	No	2745	94.7	91.0	98.4
	Total	2846	100.0	.	.
12th	Yes	121	5.7	1.6	9.7
	No	2234	94.3	90.3	98.4
	Total	2355	100.0	.	.
Total	Yes	374	3.4	2.1	4.7
	No	11395	96.6	95.3	97.9
	Total	11769	100.0	.	.

OTHER DRUG USE
Lifetime heroin use (Q40)

<i>Grade</i>	<i>Lifetime heroin use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	68	0.9	0.6	1.2
	No	4633	99.1	98.8	99.4
	Total	4701	100.0	.	.
10th	Yes	44	2.0	0.6	3.3
	No	1822	98.0	96.7	99.4
	Total	1866	100.0	.	.
11th	Yes	55	2.5	0.0	5.4
	No	2790	97.5	94.6	100.0
	Total	2845	100.0	.	.
12th	Yes	44	3.9	0.1	7.7
	No	2310	96.1	92.3	99.9
	Total	2354	100.0	.	.
Total	Yes	211	2.2	1.1	3.3
	No	11555	97.8	96.7	98.9
	Total	11766	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining alcohol (Q60)

<i>Grade</i>	<i>Ease of obtaining alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Very easy OR Sort of easy	2261	47.1	40.7	53.4
	Sort of hard OR Very hard	2295	52.9	46.6	59.3
	Total	4556	100.0	.	.
10th	Very easy OR Sort of easy	1016	57.8	50.9	64.8
	Sort of hard OR Very hard	778	42.2	35.2	49.1
	Total	1794	100.0	.	.
11th	Very easy OR Sort of easy	1699	57.0	46.2	67.9
	Sort of hard OR Very hard	1060	43.0	32.1	53.8
	Total	2759	100.0	.	.
12th	Very easy OR Sort of easy	1508	65.5	50.2	80.8
	Sort of hard OR Very hard	804	34.5	19.2	49.8
	Total	2312	100.0	.	.
Total	Very easy OR Sort of easy	6484	56.0	51.0	60.9
	Sort of hard OR Very hard	4937	44.0	39.1	49.0
	Total	11421	100.0	.	.

ACCESS TO SUBSTANCES
Source of alcohol (Q26)

<i>Grade</i>	<i>Source of alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	I bought it in a store, restaurant, bar, etc	27	2.0	1.0	3.0
	I gave someone money to buy for me	69	5.6	3.5	7.6
	Someone gave it to me at a party	308	40.2	27.7	52.7
	Someone gave it to me someplace else	111	15.7	5.4	26.0
	I took it from a store or family member	93	13.7	5.5	22.0
	A stranger bought it for me	6	0.5	0.1	0.9
	I got it some other way	205	22.3	12.0	32.6
	Total	819	100.0	.	.
10th	I bought it in a store, restaurant, bar, etc	7	0.9	0.0	1.8
	I gave someone money to buy for me	56	6.6	3.3	9.9
	Someone gave it to me at a party	118	28.3	14.1	42.6
	Someone gave it to me someplace else	47	39.7	17.9	61.5
	I took it from a store or family member	37	5.0	2.2	7.8
	A stranger bought it for me	13	1.5	0.4	2.6
	I got it some other way	94	17.9	8.4	27.4
	Total	372	100.0	.	.
11th	I bought it in a store, restaurant, bar, etc	32	2.0	1.0	3.0
	I gave someone money to buy for me	124	27.9	15.1	40.6
	Someone gave it to me at a party	209	26.7	16.0	37.3
	Someone gave it to me someplace else	79	12.5	3.3	21.7
	I took it from a store or family member	49	15.2	3.6	26.8
	A stranger bought it for me	16	0.6	0.2	1.1
	I got it some other way	151	15.1	7.4	22.9
	Total	660	100.0	.	.
12th	I bought it in a store, restaurant, bar, etc	51	7.1	2.7	11.6
	I gave someone money to buy for me	161	18.8	10.5	27.1
	Someone gave it to me at a party	225	30.4	14.3	46.5
	Someone gave it to me someplace else	61	8.0	1.8	14.2
	I took it from a store or family member	44	3.9	1.4	6.3
	A stranger bought it for me	12	7.5	0.0	18.9
	I got it some other way	138	24.3	7.8	40.7
	Total	692	100.0	.	.
Total	I bought it in a store, restaurant, bar, etc	117	3.0	1.8	4.2
	I gave someone money to buy for me	410	16.0	11.1	20.9
	Someone gave it to me at a party	860	30.8	23.9	37.6
	Someone gave it to me someplace else	298	18.4	10.6	26.3
	I took it from a store or family member	223	9.6	5.4	13.8
	A stranger bought it for me	47	2.6	0.0	5.6

ACCESS TO SUBSTANCES
Source of alcohol (Q26)

<i>Grade</i>	<i>Source of alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	I got it some other way	588	19.6	13.7	25.5
	Total	2543	100.0	.	.

ACCESS TO SUBSTANCES
Who provided alcohol (Q27)

<i>Grade</i>	<i>Who provided alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Nobody got it for me	201	22.9	12.4	33.4
	My parent	63	12.1	1.4	22.7
	Parent of friend	40	4.7	2.1	7.4
	Friend or family member older than 25	116	15.4	7.1	23.7
	Friend or family member age 21-25	135	24.4	12.2	36.6
	Friend or family member under age 21	118	10.8	7.4	14.2
	Some other adult	114	9.7	6.6	12.7
	Total	787	100.0	.	.
10th	Nobody got it for me	70	13.2	5.3	21.1
	My parent	32	7.3	1.0	13.6
	Parent of friend	23	17.3	0.0	36.1
	Friend or family member older than 25	46	8.8	2.8	14.9
	Friend or family member age 21-25	79	25.0	7.3	42.7
	Friend or family member under age 21	30	8.3	0.0	16.7
	Some other adult	66	20.1	2.5	37.6
	Total	346	100.0	.	.
11th	Nobody got it for me	149	19.3	9.9	28.7
	My parent	40	2.1	1.1	3.1
	Parent of friend	26	4.1	0.0	9.0
	Friend or family member older than 25	75	18.5	5.8	31.3
	Friend or family member age 21-25	139	25.7	13.4	37.9
	Friend or family member under age 21	87	10.9	3.5	18.3
	Some other adult	111	19.4	8.2	30.6
	Total	627	100.0	.	.
12th	Nobody got it for me	143	36.1	17.8	54.4
	My parent	51	8.1	1.5	14.6
	Parent of friend	40	2.5	1.2	3.7
	Friend or family member older than 25	86	7.4	4.2	10.7
	Friend or family member age 21-25	176	26.5	9.7	43.4
	Friend or family member under age 21	62	5.1	2.7	7.6
	Some other adult	105	14.2	6.4	22.1
	Total	663	100.0	.	.
Total	Nobody got it for me	563	22.7	16.0	29.5
	My parent	186	6.9	3.7	10.2
	Parent of friend	129	7.1	1.7	12.4
	Friend or family member older than 25	323	12.7	8.0	17.5
	Friend or family member age 21-25	529	25.5	17.9	33.0
	Friend or family member under age 21	297	8.8	5.6	12.0

ACCESS TO SUBSTANCES
Who provided alcohol (Q27)

<i>Grade</i>	<i>Who provided alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Some other adult	396	16.3	10.3	22.3
	Total	2423	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining cigarettes (Q59)

<i>Grade</i>	<i>Ease of obtaining cigarettes</i>	<i>Unweighted</i>		<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
		<i>N</i>	<i>Percent</i>		
9th	Very easy OR Sort of easy	2257	54.0	47.9	60.1
	Sort of hard OR Very hard	2298	46.0	39.9	52.1
	Total	4555	100.0	.	.
10th	Very easy OR Sort of easy	1020	61.2	54.4	68.0
	Sort of hard OR Very hard	777	38.8	32.0	45.6
	Total	1797	100.0	.	.
11th	Very easy OR Sort of easy	1732	59.7	48.5	70.8
	Sort of hard OR Very hard	1024	40.3	29.2	51.5
	Total	2756	100.0	.	.
12th	Very easy OR Sort of easy	1748	84.0	77.4	90.6
	Sort of hard OR Very hard	568	16.0	9.4	22.6
	Total	2316	100.0	.	.
Total	Very easy OR Sort of easy	6757	63.4	58.9	67.9
	Sort of hard OR Very hard	4667	36.6	32.1	41.1
	Total	11424	100.0	.	.

ACCESS TO SUBSTANCES
Source of cigarettes (Q17)

<i>Grade</i>	<i>Source of cigarettes</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	I bought them in a store	25	7.5	3.1	11.9
	I bought them from a vending machine	1	0.2	0.0	0.5
	I gave someone money to buy for me	52	11.9	7.3	16.5
	I borrowed them	83	21.7	14.2	29.1
	An adult gave them to me	56	15.6	8.2	22.9
	I took them from a store or family member	50	24.5	5.7	43.4
	Other	75	18.6	12.0	25.2
	Total	342	100.0	.	.
10th	I bought them in a store	20	13.3	0.5	26.0
	I bought them from a vending machine	6	1.5	0.0	2.9
	I gave someone money to buy for me	28	8.3	2.5	14.1
	I borrowed them	41	53.2	27.4	79.0
	An adult gave them to me	19	5.8	1.6	10.1
	I took them from a store or family member	19	7.4	1.7	13.2
	Other	32	10.5	3.1	17.8
	Total	165	100.0	.	.
11th	I bought them in a store	65	9.9	4.8	15.0
	I bought them from a vending machine	7	0.8	0.0	1.5
	I gave someone money to buy for me	48	8.4	3.8	13.0
	I borrowed them	78	19.9	4.5	35.3
	An adult gave them to me	42	39.1	15.2	62.9
	I took them from a store or family member	21	16.6	0.0	33.3
	Other	41	5.4	2.3	8.5
	Total	302	100.0	.	.
12th	I bought them in a store	182	39.6	25.2	54.1
	I bought them from a vending machine	4	1.5	0.0	3.1
	I gave someone money to buy for me	33	19.7	0.0	42.6
	I borrowed them	69	23.7	9.9	37.5
	An adult gave them to me	29	4.2	1.9	6.4
	I took them from a store or family member	8	2.4	0.0	5.2
	Other	27	9.0	2.8	15.2
	Total	352	100.0	.	.
Total	I bought them in a store	292	18.6	13.2	23.9
	I bought them from a vending machine	18	1.0	0.4	1.7
	I gave someone money to buy for me	161	12.1	4.7	19.5
	I borrowed them	271	29.8	18.3	41.3
	An adult gave them to me	146	16.8	7.5	26.2
	I took them from a store or family member	98	11.7	5.0	18.3

ACCESS TO SUBSTANCES
Source of cigarettes (Q17)

<i>Grade</i>	<i>Source of cigarettes</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Other	175	10.0	6.9	13.0
	Total	1161	100.0	.	.

ACCESS TO SUBSTANCES
Source of vaping (Q13)

<i>Grade</i>	<i>Source of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Store	42	5.6	3.1	8.0
	Someone bought them for me	92	10.2	6.5	14.0
	Borrowed them	176	28.7	17.0	40.3
	Someone 18 years or older gave them to me	92	19.2	7.8	30.5
	Took them from store or family member	27	10.1	0.0	21.4
	Got them some other way	150	26.2	12.5	40.0
	Total	579	100.0	.	.
10th	Store	25	9.3	1.0	17.6
	Someone bought them for me	42	13.3	3.9	22.7
	Borrowed them	83	60.2	41.2	79.3
	Someone 18 years or older gave them to me	25	5.0	1.5	8.5
	Took them from store or family member	9	2.1	0.0	4.5
	Got them some other way	60	10.0	4.7	15.4
	Total	244	100.0	.	.
11th	Store	67	11.2	2.4	19.9
	Someone bought them for me	61	16.2	0.0	32.8
	Borrowed them	135	35.5	18.4	52.6
	Someone 18 years or older gave them to me	58	22.2	6.7	37.6
	Took them from store or family member	9	1.1	0.0	2.1
	Got them some other way	76	13.8	4.7	22.9
	Total	406	100.0	.	.
12th	Store	152	39.7	6.7	72.7
	Someone bought them for me	22	1.9	0.1	3.6
	Borrowed them	111	12.5	2.3	22.7
	Someone 18 years or older gave them to me	35	3.7	0.4	7.0
	Took them from store or family member	7	0.8	0.0	1.8
	Got them some other way	33	41.4	0.0	85.1
	Total	360	100.0	.	.
Total	Store	286	18.9	9.7	28.1
	Someone bought them for me	217	9.7	4.4	14.9
	Borrowed them	505	32.4	20.7	44.2
	Someone 18 years or older gave them to me	210	11.5	6.0	17.0
	Took them from store or family member	52	3.1	0.4	5.7
	Got them some other way	319	24.4	6.0	42.9
	Total	1589	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining marijuana (Q62)

<i>Grade</i>	<i>Ease of obtaining marijuana</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Very easy OR Sort of easy	2160	46.1	39.7	52.5
	Sort of hard OR Very hard	2395	53.9	47.5	60.3
	Total	4555	100.0	.	.
10th	Very easy OR Sort of easy	1042	61.3	54.5	68.1
	Sort of hard OR Very hard	746	38.7	31.9	45.5
	Total	1788	100.0	.	.
11th	Very easy OR Sort of easy	1716	60.1	48.9	71.4
	Sort of hard OR Very hard	1033	39.9	28.6	51.1
	Total	2749	100.0	.	.
12th	Very easy OR Sort of easy	1615	70.8	55.8	85.7
	Sort of hard OR Very hard	698	29.2	14.3	44.2
	Total	2313	100.0	.	.
Total	Very easy OR Sort of easy	6533	58.4	53.4	63.3
	Sort of hard OR Very hard	4872	41.6	36.7	46.6
	Total	11405	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining heroin (Q63)

<i>Grade</i>	<i>Ease of obtaining heroin</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Very easy OR Sort of easy	605	13.8	8.6	19.0
	Sort of hard OR Very hard	3937	86.2	81.0	91.4
	Total	4542	100.0	.	.
10th	Very easy OR Sort of easy	323	19.9	13.6	26.1
	Sort of hard OR Very hard	1452	80.1	73.9	86.4
	Total	1775	100.0	.	.
11th	Very easy OR Sort of easy	509	10.5	7.6	13.4
	Sort of hard OR Very hard	2244	89.5	86.6	92.4
	Total	2753	100.0	.	.
12th	Very easy OR Sort of easy	455	21.0	11.5	30.5
	Sort of hard OR Very hard	1846	79.0	69.5	88.5
	Total	2301	100.0	.	.
Total	Very easy OR Sort of easy	1892	16.0	13.0	19.0
	Sort of hard OR Very hard	9479	84.0	81.0	87.0
	Total	11371	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining synthetic drugs (Q64)

<i>Grade</i>	<i>Ease of obtaining synthetic drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Very easy OR Sort of easy	812	16.5	11.3	21.7
	Sort of hard OR Very hard	3725	83.5	78.3	88.7
	Total	4537	100.0	.	.
10th	Very easy OR Sort of easy	403	23.4	17.1	29.8
	Sort of hard OR Very hard	1381	76.6	70.2	82.9
	Total	1784	100.0	.	.
11th	Very easy OR Sort of easy	625	20.0	14.1	26.0
	Sort of hard OR Very hard	2137	80.0	74.0	85.9
	Total	2762	100.0	.	.
12th	Very easy OR Sort of easy	548	36.9	19.4	54.4
	Sort of hard OR Very hard	1761	63.1	45.6	80.6
	Total	2309	100.0	.	.
Total	Very easy OR Sort of easy	2388	23.3	18.4	28.2
	Sort of hard OR Very hard	9004	76.7	71.8	81.6
	Total	11392	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining other illicit drugs (Q61)

<i>Grade</i>	<i>Ease of obtaining other illicit drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Very easy OR Sort of easy	847	17.9	12.6	23.1
	Sort of hard OR Very hard	3702	82.1	76.9	87.4
	Total	4549	100.0	.	.
10th	Very easy OR Sort of easy	435	25.4	18.9	31.9
	Sort of hard OR Very hard	1353	74.6	68.1	81.1
	Total	1788	100.0	.	.
11th	Very easy OR Sort of easy	717	25.0	18.1	31.9
	Sort of hard OR Very hard	2041	75.0	68.1	81.9
	Total	2758	100.0	.	.
12th	Very easy OR Sort of easy	667	44.3	27.6	61.1
	Sort of hard OR Very hard	1640	55.7	38.9	72.4
	Total	2307	100.0	.	.
Total	Very easy OR Sort of easy	2666	26.9	22.0	31.9
	Sort of hard OR Very hard	8736	73.1	68.1	78.0
	Total	11402	100.0	.	.

DISAPPROVAL OF USE
Disapproval of regular alcohol use (Q50)

<i>Grade</i>	<i>Disapproval of regular alcohol use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Not wrong at all OR A little bit wrong	1755	30.4	24.9	35.9
	Wrong OR Very wrong	2912	69.6	64.1	75.1
	Total	4667	100.0	.	.
10th	Not wrong at all OR A little bit wrong	785	40.4	33.3	47.5
	Wrong OR Very wrong	1063	59.6	52.5	66.7
	Total	1848	100.0	.	.
11th	Not wrong at all OR A little bit wrong	1452	44.8	35.5	54.1
	Wrong OR Very wrong	1342	55.2	45.9	64.5
	Total	2794	100.0	.	.
12th	Not wrong at all OR A little bit wrong	1290	58.9	43.6	74.3
	Wrong OR Very wrong	1046	41.1	25.7	56.4
	Total	2336	100.0	.	.
Total	Not wrong at all OR A little bit wrong	5282	42.2	37.4	47.0
	Wrong OR Very wrong	6363	57.8	53.0	62.6
	Total	11645	100.0	.	.

DISAPPROVAL OF USE
Disapproval of cigarette use or vaping (Q51)

<i>Grade</i>	<i>Disapproval of cigarette use or vaping</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Not wrong at all OR A little bit wrong	1599	28.3	22.9	33.7
	Wrong OR Very wrong	3049	71.7	66.3	77.1
	Total	4648	100.0	.	.
10th	Not wrong at all OR A little bit wrong	670	34.3	27.6	41.0
	Wrong OR Very wrong	1178	65.7	59.0	72.4
	Total	1848	100.0	.	.
11th	Not wrong at all OR A little bit wrong	1213	34.2	26.4	42.0
	Wrong OR Very wrong	1585	65.8	58.0	73.6
	Total	2798	100.0	.	.
12th	Not wrong at all OR A little bit wrong	1176	56.7	41.3	72.1
	Wrong OR Very wrong	1153	43.3	27.9	58.7
	Total	2329	100.0	.	.
Total	Not wrong at all OR A little bit wrong	4658	37.0	32.2	41.8
	Wrong OR Very wrong	6965	63.0	58.2	67.8
	Total	11623	100.0	.	.

DISAPPROVAL OF USE
Disapproval of marijuana use (Q52)

<i>Grade</i>	<i>Disapproval of marijuana use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Not wrong at all OR A little bit wrong	1561	29.5	23.9	35.1
	Wrong OR Very wrong	3079	70.5	64.9	76.1
	Total	4640	100.0	.	.
10th	Not wrong at all OR A little bit wrong	735	40.4	33.2	47.5
	Wrong OR Very wrong	1112	59.6	52.5	66.8
	Total	1847	100.0	.	.
11th	Not wrong at all OR A little bit wrong	1301	42.8	33.8	51.8
	Wrong OR Very wrong	1498	57.2	48.2	66.2
	Total	2799	100.0	.	.
12th	Not wrong at all OR A little bit wrong	1267	58.3	43.1	73.6
	Wrong OR Very wrong	1070	41.7	26.4	56.9
	Total	2337	100.0	.	.
Total	Not wrong at all OR A little bit wrong	4864	41.3	36.5	46.2
	Wrong OR Very wrong	6759	58.7	53.8	63.5
	Total	11623	100.0	.	.

DISAPPROVAL OF USE
Disapproval of prescription drug misuse (Q53)

<i>Grade</i>	<i>Disapproval of prescription drug misuse</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
			<i>95%CL</i>	<i>95%CL</i>
9th	Not wrong at all OR A little bit wrong	812	14.5	9.8 19.3
	Wrong OR Very wrong	3817	85.5	80.7 90.2
	Total	4629	100.0	. .
10th	Not wrong at all OR A little bit wrong	357	16.9	11.9 21.9
	Wrong OR Very wrong	1477	83.1	78.1 88.1
	Total	1834	100.0	. .
11th	Not wrong at all OR A little bit wrong	597	16.7	11.7 21.7
	Wrong OR Very wrong	2193	83.3	78.3 88.3
	Total	2790	100.0	. .
12th	Not wrong at all OR A little bit wrong	504	22.0	7.3 36.7
	Wrong OR Very wrong	1825	78.0	63.3 92.7
	Total	2329	100.0	. .
Total	Not wrong at all OR A little bit wrong	2270	17.2	13.4 21.0
	Wrong OR Very wrong	9312	82.8	79.0 86.6
	Total	11582	100.0	. .

DISAPPROVAL OF USE
Disapproval of other illicit drug use (Q54)

<i>Grade</i>	<i>Disapproval of other illicit drug use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Not wrong at all OR A little bit wrong	543	10.1	5.5	14.8
	Wrong OR Very wrong	4093	89.9	85.2	94.5
	Total	4636	100.0	.	.
10th	Not wrong at all OR A little bit wrong	244	12.3	7.7	17.0
	Wrong OR Very wrong	1604	87.7	83.0	92.3
	Total	1848	100.0	.	.
11th	Not wrong at all OR A little bit wrong	452	13.0	8.4	17.6
	Wrong OR Very wrong	2348	87.0	82.4	91.6
	Total	2800	100.0	.	.
12th	Not wrong at all OR A little bit wrong	353	18.2	3.3	33.0
	Wrong OR Very wrong	1970	81.8	67.0	96.7
	Total	2323	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1592	13.0	9.3	16.8
	Wrong OR Very wrong	10015	87.0	83.2	90.7
	Total	11607	100.0	.	.

RISK OF HARM
Risk of harm from binge use (Q57)

<i>Grade</i>	<i>Risk of harm from binge use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	No risk OR Slight risk	1175	26.5	19.4	33.5
	Moderate risk OR Great risk	3421	73.5	66.5	80.6
	Total	4596	100.0	.	.
10th	No risk OR Slight risk	499	22.9	17.2	28.5
	Moderate risk OR Great risk	1314	77.1	71.5	82.8
	Total	1813	100.0	.	.
11th	No risk OR Slight risk	857	31.2	23.4	38.9
	Moderate risk OR Great risk	1920	68.8	61.1	76.6
	Total	2777	100.0	.	.
12th	No risk OR Slight risk	712	32.1	17.1	47.1
	Moderate risk OR Great risk	1604	67.9	52.9	82.9
	Total	2316	100.0	.	.
Total	No risk OR Slight risk	3243	27.8	23.5	32.2
	Moderate risk OR Great risk	8259	72.2	67.8	76.5
	Total	11502	100.0	.	.

RISK OF HARM
Risk of harm from cigarette use (Q55)

<i>Grade</i>	<i>Risk of harm from cigarette use</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
9th	No risk OR Slight risk	768	18.3	11.1 25.4
	Moderate risk OR Great risk	3855	81.7	74.6 88.9
	Total	4623	100.0	. .
10th	No risk OR Slight risk	316	14.1	9.6 18.6
	Moderate risk OR Great risk	1506	85.9	81.4 90.4
	Total	1822	100.0	. .
11th	No risk OR Slight risk	510	13.4	8.8 18.0
	Moderate risk OR Great risk	2279	86.6	82.0 91.2
	Total	2789	100.0	. .
12th	No risk OR Slight risk	395	11.6	7.0 16.3
	Moderate risk OR Great risk	1924	88.4	83.7 93.0
	Total	2319	100.0	. .
Total	No risk OR Slight risk	1989	14.7	11.7 17.6
	Moderate risk OR Great risk	9564	85.3	82.4 88.3
	Total	11553	100.0	. .

RISK OF HARM
Risk of harm from marijuana use (Q56)

<i>Grade</i>	<i>Risk of harm from marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No risk OR Slight risk	1663	36.6	29.8	43.4
	Moderate risk OR Great risk	2946	63.4	56.6	70.2
	Total	4609	100.0	.	.
10th	No risk OR Slight risk	761	47.7	40.4	54.9
	Moderate risk OR Great risk	1062	52.3	45.1	59.6
	Total	1823	100.0	.	.
11th	No risk OR Slight risk	1305	49.7	39.8	59.6
	Moderate risk OR Great risk	1483	50.3	40.4	60.2
	Total	2788	100.0	.	.
12th	No risk OR Slight risk	1263	66.4	54.7	78.0
	Moderate risk OR Great risk	1062	33.6	22.0	45.3
	Total	2325	100.0	.	.
Total	No risk OR Slight risk	4992	48.6	43.7	53.5
	Moderate risk OR Great risk	6553	51.4	46.5	56.3
	Total	11545	100.0	.	.

RISK OF HARM
Risk of harm from prescription drug misuse (Q58)

<i>Grade</i>	<i>Risk of harm from prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No risk OR Slight risk	863	16.1	10.2	22.1
	Moderate risk OR Great risk	3742	83.9	77.9	89.8
	Total	4605	100.0	.	.
10th	No risk OR Slight risk	360	14.1	10.7	17.5
	Moderate risk OR Great risk	1453	85.9	82.5	89.3
	Total	1813	100.0	.	.
11th	No risk OR Slight risk	577	17.8	12.2	23.5
	Moderate risk OR Great risk	2202	82.2	76.5	87.8
	Total	2779	100.0	.	.
12th	No risk OR Slight risk	435	21.4	6.5	36.2
	Moderate risk OR Great risk	1883	78.6	63.8	93.5
	Total	2318	100.0	.	.
Total	No risk OR Slight risk	2235	17.1	13.2	21.0
	Moderate risk OR Great risk	9280	82.9	79.0	86.8
	Total	11515	100.0	.	.

RISK BEHAVIORS
Suspended for substance use in past year (Q41)

<i>Grade</i>	<i>Suspended for substance use in past year</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	146	1.8	1.3	2.2
	No	4535	98.2	97.8	98.7
	Total	4681	100.0	.	.
10th	Yes	64	2.2	1.1	3.2
	No	1800	97.8	96.8	98.9
	Total	1864	100.0	.	.
11th	Yes	89	5.2	1.4	9.0
	No	2757	94.8	91.0	98.6
	Total	2846	100.0	.	.
12th	Yes	68	4.4	0.5	8.3
	No	2287	95.6	91.7	99.5
	Total	2355	100.0	.	.
Total	Yes	367	3.2	2.0	4.5
	No	11379	96.8	95.5	98.0
	Total	11746	100.0	.	.

RISK BEHAVIORS
Sold drugs in past year (Q42)

<i>Grade</i>	<i>Sold drugs in past year</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	233	3.5	2.1	4.8
	No	4449	96.5	95.2	97.9
	Total	4682	100.0	.	.
10th	Yes	119	5.2	3.1	7.4
	No	1741	94.8	92.6	96.9
	Total	1860	100.0	.	.
11th	Yes	190	7.8	3.6	12.1
	No	2653	92.2	87.9	96.4
	Total	2843	100.0	.	.
12th	Yes	160	18.9	3.5	34.3
	No	2189	81.1	65.7	96.5
	Total	2349	100.0	.	.
Total	Yes	702	8.1	4.5	11.7
	No	11032	91.9	88.3	95.5
	Total	11734	100.0	.	.

RISK BEHAVIORS
Arrested for drugs in past year (Q43)

<i>Grade</i>	<i>Arrested for drugs in past year</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	104	1.3	0.9	1.6
	No	4574	98.7	98.4	99.1
	Total	4678	100.0	.	.
10th	Yes	43	1.5	0.5	2.5
	No	1808	98.5	97.5	99.5
	Total	1851	100.0	.	.
11th	Yes	67	4.1	0.5	7.7
	No	2775	95.9	92.3	99.5
	Total	2842	100.0	.	.
12th	Yes	55	2.7	0.6	4.8
	No	2289	97.3	95.2	99.4
	Total	2344	100.0	.	.
Total	Yes	269	2.3	1.3	3.3
	No	11446	97.7	96.7	98.7
	Total	11715	100.0	.	.

RISK BEHAVIORS
Attacked someone related to drugs in past year (Q44)

Grade	Attacked someone related to drugs in past year	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
9th	Yes	110	1.5	1.1	1.8
	No	4581	98.5	98.2	98.9
	Total	4691	100.0	.	.
10th	Yes	54	2.2	0.9	3.5
	No	1800	97.8	96.5	99.1
	Total	1854	100.0	.	.
11th	Yes	75	2.6	0.0	5.3
	No	2775	97.4	94.7	100.0
	Total	2850	100.0	.	.
12th	Yes	65	4.3	0.4	8.1
	No	2281	95.7	91.9	99.6
	Total	2346	100.0	.	.
Total	Yes	304	2.5	1.4	3.5
	No	11437	97.5	96.5	98.6
	Total	11741	100.0	.	.

RISK BEHAVIORS
Drunk or high at school in past year (Q45)

<i>Grade</i>	<i>Drunk/high at school in past year</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	428	7.0	5.0	8.9
	No	4247	93.0	91.1	95.0
	Total	4675	100.0	.	.
10th	Yes	220	10.7	6.3	15.2
	No	1635	89.3	84.8	93.7
	Total	1855	100.0	.	.
11th	Yes	339	13.1	8.2	18.0
	No	2500	86.9	82.0	91.8
	Total	2839	100.0	.	.
12th	Yes	332	21.6	6.0	37.2
	No	2007	78.4	62.8	94.0
	Total	2339	100.0	.	.
Total	Yes	1319	12.2	8.6	15.8
	No	10389	87.8	84.2	91.4
	Total	11708	100.0	.	.

RISK BEHAVIORS
Rode with drinking driver in past month (Q29)

<i>Grade</i>	<i>Rode with drinking driver in past month</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	708	16.6	11.2	22.1
	No	3982	83.4	77.9	88.8
	Total	4690	100.0	.	.
10th	Yes	270	10.7	7.3	14.2
	No	1587	89.3	85.8	92.7
	Total	1857	100.0	.	.
11th	Yes	352	13.8	8.4	19.2
	No	2490	86.2	80.8	91.6
	Total	2842	100.0	.	.
12th	Yes	280	17.2	2.4	31.9
	No	2064	82.8	68.1	97.6
	Total	2344	100.0	.	.
Total	Yes	1610	14.5	10.7	18.4
	No	10123	85.5	81.6	89.3
	Total	11733	100.0	.	.

RISK BEHAVIORS
Drove after drinking in past month (Q28)

<i>Grade</i>	<i>Drove after drinking in past month</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	149	1.9	1.5	2.3
	No	4545	98.1	97.7	98.5
	Total	4694	100.0	.	.
10th	Yes	86	2.5	1.4	3.6
	No	1774	97.5	96.4	98.6
	Total	1860	100.0	.	.
11th	Yes	139	5.2	1.6	8.9
	No	2705	94.8	91.1	98.4
	Total	2844	100.0	.	.
12th	Yes	150	8.2	3.4	13.1
	No	2200	91.8	86.9	96.6
	Total	2350	100.0	.	.
Total	Yes	524	4.2	2.8	5.5
	No	11224	95.8	94.5	97.2
	Total	11748	100.0	.	.

RISK BEHAVIORS
Rode with driver using marijuana in past month (Q34)

Grade	Rode with driver using marijuana in past month	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
9th	Yes	611	11.7	7.0	16.4
	No	4092	88.3	83.6	93.0
	Total	4703	100.0	.	.
10th	Yes	299	14.0	9.0	19.1
	No	1563	86.0	80.9	91.0
	Total	1862	100.0	.	.
11th	Yes	440	15.6	10.2	20.9
	No	2402	84.4	79.1	89.8
	Total	2842	100.0	.	.
12th	Yes	433	34.5	16.9	52.2
	No	1917	65.5	47.8	83.1
	Total	2350	100.0	.	.
Total	Yes	1783	17.9	13.1	22.7
	No	9974	82.1	77.3	86.9
	Total	11757	100.0	.	.

RISK BEHAVIORS
Drove after using marijuana in past month (Q33)

<i>Grade</i>	<i>Drove after using marijuana in past month</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	260	4.2	2.8	5.6
	No	4431	95.8	94.4	97.2
	Total	4691	100.0	.	.
10th	Yes	152	4.9	3.2	6.5
	No	1704	95.1	93.5	96.8
	Total	1856	100.0	.	.
11th	Yes	282	8.8	5.0	12.6
	No	2565	91.2	87.4	95.0
	Total	2847	100.0	.	.
12th	Yes	308	30.9	12.7	49.0
	No	2043	69.1	51.0	87.3
	Total	2351	100.0	.	.
Total	Yes	1002	10.9	6.2	15.5
	No	10743	89.1	84.5	93.8
	Total	11745	100.0	.	.

RISK BEHAVIORS
Drinking is central part of school social life (Q46)

<i>Grade</i>	<i>Drinking is central part of school social life</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>		<i>95%CL</i>	<i>95%CL</i>
9th	Quite a lot OR A great deal	808	20.0	15.4	24.6
	Very little or none OR Some	2502	80.0	75.4	84.6
	Total	3310	100.0	.	.
10th	Quite a lot OR A great deal	441	43.0	34.5	51.4
	Very little or none OR Some	944	57.0	48.6	65.5
	Total	1385	100.0	.	.
11th	Quite a lot OR A great deal	730	37.0	29.8	44.1
	Very little or none OR Some	1470	63.0	55.9	70.2
	Total	2200	100.0	.	.
12th	Quite a lot OR A great deal	717	33.8	20.1	47.5
	Very little or none OR Some	1205	66.2	52.5	79.9
	Total	1922	100.0	.	.
Total	Quite a lot OR A great deal	2696	33.0	28.4	37.6
	Very little or none OR Some	6121	67.0	62.4	71.6
	Total	8817	100.0	.	.

RISK BEHAVIORS
Students use alcohol at school sporting events (Q47)

<i>Grade</i>	<i>Students use alcohol at school sporting events</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Quite a lot OR A great deal	570	17.7	13.3	22.1
	Very little or none OR Some	2354	82.3	77.9	86.7
	Total	2924	100.0	.	.
10th	Quite a lot OR A great deal	311	24.4	16.4	32.3
	Very little or none OR Some	942	75.6	67.7	83.6
	Total	1253	100.0	.	.
11th	Quite a lot OR A great deal	467	26.1	19.1	33.2
	Very little or none OR Some	1522	73.9	66.8	80.9
	Total	1989	100.0	.	.
12th	Quite a lot OR A great deal	439	31.6	14.0	49.2
	Very little or none OR Some	1298	68.4	50.8	86.0
	Total	1737	100.0	.	.
Total	Quite a lot OR A great deal	1787	25.0	19.5	30.5
	Very little or none OR Some	6116	75.0	69.5	80.5
	Total	7903	100.0	.	.

RISK BEHAVIORS
Students use alcohol on school property (Q48)

Grade	Students use alcohol on school property	Unweighted		Lower 95%CL	Upper 95%CL
		N	Percent		
9th	Quite a lot OR A great deal	473	10.4	8.3	12.6
	Very little or none OR Some	2426	89.6	87.4	91.7
	Total	2899	100.0	.	.
10th	Quite a lot OR A great deal	234	16.4	11.3	21.5
	Very little or none OR Some	985	83.6	78.5	88.7
	Total	1219	100.0	.	.
11th	Quite a lot OR A great deal	280	13.7	8.0	19.4
	Very little or none OR Some	1628	86.3	80.6	92.0
	Total	1908	100.0	.	.
12th	Quite a lot OR A great deal	208	15.0	4.8	25.2
	Very little or none OR Some	1480	85.0	74.8	95.2
	Total	1688	100.0	.	.
Total	Quite a lot OR A great deal	1195	13.8	10.7	16.9
	Very little or none OR Some	6519	86.2	83.1	89.3
	Total	7714	100.0	.	.

RISK BEHAVIORS
Lifetime gang membership (Q49)

<i>Grade</i>	<i>Lifetime gang membership</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	346	4.5	3.7	5.4
	No	4268	95.5	94.6	96.3
	Total	4614	100.0	.	.
10th	Yes	178	9.3	4.8	13.8
	No	1652	90.7	86.2	95.2
	Total	1830	100.0	.	.
11th	Yes	213	5.9	2.7	9.0
	No	2593	94.1	91.0	97.3
	Total	2806	100.0	.	.
12th	Yes	130	6.1	1.9	10.2
	No	2183	93.9	89.8	98.1
	Total	2313	100.0	.	.
Total	Yes	867	6.4	4.7	8.0
	No	10696	93.6	92.0	95.3
	Total	11563	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of alcohol use (Q65)

<i>Grade</i>	<i>Parental disapproval of alcohol use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Not wrong at all OR A little bit wrong	512	8.8	5.9	11.8
	Wrong OR Very wrong	4086	91.2	88.2	94.1
	Total	4598	100.0	.	.
10th	Not wrong at all OR A little bit wrong	247	12.0	7.3	16.8
	Wrong OR Very wrong	1549	88.0	83.2	92.7
	Total	1796	100.0	.	.
11th	Not wrong at all OR A little bit wrong	430	16.5	10.9	22.1
	Wrong OR Very wrong	2335	83.5	77.9	89.1
	Total	2765	100.0	.	.
12th	Not wrong at all OR A little bit wrong	442	24.5	9.1	40.0
	Wrong OR Very wrong	1865	75.5	60.0	90.9
	Total	2307	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1631	14.7	10.8	18.6
	Wrong OR Very wrong	9835	85.3	81.4	89.2
	Total	11466	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of cigarette or vaping use (Q66)

<i>Grade</i>	<i>Parental disapproval of cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Not wrong at all OR A little bit wrong	491	10.1	5.2	15.0
	Wrong OR Very wrong	4110	89.9	85.0	94.8
	Total	4601	100.0	.	.
10th	Not wrong at all OR A little bit wrong	228	9.0	6.2	11.8
	Wrong OR Very wrong	1562	91.0	88.2	93.8
	Total	1790	100.0	.	.
11th	Not wrong at all OR A little bit wrong	411	11.3	7.3	15.2
	Wrong OR Very wrong	2348	88.7	84.8	92.7
	Total	2759	100.0	.	.
12th	Not wrong at all OR A little bit wrong	462	28.3	12.5	44.2
	Wrong OR Very wrong	1845	71.7	55.8	87.5
	Total	2307	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1592	13.8	9.8	17.9
	Wrong OR Very wrong	9865	86.2	82.1	90.2
	Total	11457	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of marijuana use (Q67)

<i>Grade</i>	<i>Parental disapproval of marijuana use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Not wrong at all OR A little bit wrong	505	11.6	6.4	16.7
	Wrong OR Very wrong	4081	88.4	83.3	93.6
	Total	4586	100.0	.	.
10th	Not wrong at all OR A little bit wrong	255	10.3	7.3	13.3
	Wrong OR Very wrong	1538	89.7	86.7	92.7
	Total	1793	100.0	.	.
11th	Not wrong at all OR A little bit wrong	402	14.8	9.7	19.9
	Wrong OR Very wrong	2358	85.2	80.1	90.3
	Total	2760	100.0	.	.
12th	Not wrong at all OR A little bit wrong	472	27.4	11.7	43.1
	Wrong OR Very wrong	1834	72.6	56.9	88.3
	Total	2306	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1634	15.3	11.2	19.3
	Wrong OR Very wrong	9811	84.7	80.7	88.8
	Total	11445	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of prescription drug misuse (Q68)

<i>Grade</i>	<i>Parental disapproval of prescription drug misuse</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>		<i>95%CL</i>	<i>95%CL</i>
9th	Not wrong at all OR A little bit wrong	385	7.5	2.9	12.1
	Wrong OR Very wrong	4212	92.5	87.9	97.1
	Total	4597	100.0	.	.
10th	Not wrong at all OR A little bit wrong	167	8.9	5.5	12.2
	Wrong OR Very wrong	1626	91.1	87.8	94.5
	Total	1793	100.0	.	.
11th	Not wrong at all OR A little bit wrong	278	9.2	5.2	13.2
	Wrong OR Very wrong	2491	90.8	86.8	94.8
	Total	2769	100.0	.	.
12th	Not wrong at all OR A little bit wrong	244	6.8	3.8	9.7
	Wrong OR Very wrong	2065	93.2	90.3	96.2
	Total	2309	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1074	8.1	6.1	10.1
	Wrong OR Very wrong	10394	91.9	89.9	93.9
	Total	11468	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of alcohol use (Q69)

<i>Grade</i>	<i>Peer disapproval of alcohol use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Not wrong at all OR A little bit wrong	1593	31.5	25.7	37.4
	Wrong OR Very wrong	3003	68.5	62.6	74.3
	Total	4596	100.0	.	.
10th	Not wrong at all OR A little bit wrong	717	37.3	30.2	44.5
	Wrong OR Very wrong	1075	62.7	55.5	69.8
	Total	1792	100.0	.	.
11th	Not wrong at all OR A little bit wrong	1214	40.9	32.1	49.7
	Wrong OR Very wrong	1548	59.1	50.3	67.9
	Total	2762	100.0	.	.
12th	Not wrong at all OR A little bit wrong	1112	55.6	39.9	71.3
	Wrong OR Very wrong	1196	44.4	28.7	60.1
	Total	2308	100.0	.	.
Total	Not wrong at all OR A little bit wrong	4636	40.2	35.3	45.0
	Wrong OR Very wrong	6822	59.8	55.0	64.7
	Total	11458	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of cigarette or vaping use (Q70)

<i>Grade</i>	<i>Peer disapproval of cigarette use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Not wrong at all OR A little bit wrong	1750	34.5	28.6	40.5
	Wrong OR Very wrong	2850	65.5	59.5	71.4
	Total	4600	100.0	.	.
10th	Not wrong at all OR A little bit wrong	717	42.3	34.9	49.7
	Wrong OR Very wrong	1071	57.7	50.3	65.1
	Total	1788	100.0	.	.
11th	Not wrong at all OR A little bit wrong	1246	41.1	32.3	50.0
	Wrong OR Very wrong	1509	58.9	50.0	67.7
	Total	2755	100.0	.	.
12th	Not wrong at all OR A little bit wrong	1143	68.2	57.2	79.3
	Wrong OR Very wrong	1166	31.8	20.7	42.8
	Total	2309	100.0	.	.
Total	Not wrong at all OR A little bit wrong	4856	45.0	40.0	50.0
	Wrong OR Very wrong	6596	55.0	50.0	60.0
	Total	11452	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of marijuana use (Q71)

<i>Grade</i>	<i>Peer disapproval of marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Not wrong at all OR A little bit wrong	1844	36.0	30.0	42.0
	Wrong OR Very wrong	2731	64.0	58.0	70.0
	Total	4575	100.0	.	.
10th	Not wrong at all OR A little bit wrong	832	50.8	43.5	58.0
	Wrong OR Very wrong	955	49.2	42.0	56.5
	Total	1787	100.0	.	.
11th	Not wrong at all OR A little bit wrong	1399	48.9	39.0	58.7
	Wrong OR Very wrong	1360	51.1	41.3	61.0
	Total	2759	100.0	.	.
12th	Not wrong at all OR A little bit wrong	1363	61.9	46.6	77.2
	Wrong OR Very wrong	941	38.1	22.8	53.4
	Total	2304	100.0	.	.
Total	Not wrong at all OR A little bit wrong	5438	48.1	43.2	53.0
	Wrong OR Very wrong	5987	51.9	47.0	56.8
	Total	11425	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of prescription drug misuse (Q72)

<i>Grade</i>	<i>Peer disapproval of prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Not wrong at all OR A little bit wrong	1020	19.2	14.0	24.3
	Wrong OR Very wrong	3583	80.8	75.7	86.0
	Total	4603	100.0	.	.
10th	Not wrong at all OR A little bit wrong	444	24.6	18.7	30.6
	Wrong OR Very wrong	1348	75.4	69.4	81.3
	Total	1792	100.0	.	.
11th	Not wrong at all OR A little bit wrong	773	26.3	19.4	33.1
	Wrong OR Very wrong	1992	73.7	66.9	80.6
	Total	2765	100.0	.	.
12th	Not wrong at all OR A little bit wrong	701	41.6	24.6	58.6
	Wrong OR Very wrong	1609	58.4	41.4	75.4
	Total	2310	100.0	.	.
Total	Not wrong at all OR A little bit wrong	2938	26.8	22.0	31.7
	Wrong OR Very wrong	8532	73.2	68.3	78.0
	Total	11470	100.0	.	.

**APPENDIX A –
CTC Survey Instrument**

South Carolina Communities That Care Survey

Thank you for agreeing to participate in this survey. The survey asks your opinion about a number of things in your life, including your friends, your family, your neighborhood and your community. Your answers to these questions will be **confidential and anonymous**. This means your answers will stay secret. Your name will never be asked. Please **do not** write your name on this survey form.

This survey is completely voluntary. This means you do not have to take it. You may skip any question you don't want to answer.

Instructions

This is not a test, so there are no right or wrong answers.

Each question should be answered by marking only one of the answer spaces. If you don't find an answer that fits exactly, use one that comes closest. If any question does not apply to you, or you are not sure of what it means, just leave it blank.

Your answers will be read by a computer. Please follow these instructions carefully.

Make heavy marks inside the circles using a pencil.

Completely erase any answer you want to change.

Make no other marking or comments on the survey.

Make your marks like

this ●,

NOT like this



You will be provided with your schools
4 DIGIT CODE PLEASE BUBBLE THAT CODE IN BELOW.

0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

These questions ask for some general information about you.

1. How old are you?

- 11 16
 12 17
 13 18
 14 19 or older
 15

2. What grade are you in?

- 6th 7th 8th 9th 10th 11th 12th

3. Are you? Female
 Male

4. What is the language you use most often at home?

- English Spanish Another language

5. What do you consider yourself to be? (Choose all that apply)

- White
 Black or African American
 American Indian/Native American, Eskimo or Aleut
 Spanish/Hispanic/Latino
 Asian or Pacific Islander
 Other

6. Putting them all together, what were your grades like last year?

- Mostly F's
 Mostly D's
 Mostly C's
 Mostly B's
 Mostly A's

7. Which of the following best describes your present school program?

- Advanced placement or honors
 College prep
 General
 Vocational, technical or commercial
 Other, or don't know

8. Which of the following do you plan to do after high school? (choose all that apply)

- Attend a technical or vocational school
 Serve in the armed forces (Army, Navy, Air Force, etc)
 Graduate from a two-year college
 Graduate from a four-year college
 Attend graduate or professional school after college
 None of the above

This next section ask about your experience with tobacco, alcohol, and other drugs. It also ask some personal questions. Remember, your answers are CONFIDENTIAL. This means your answers will stay secret.

9. Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?

- A Never
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

10. How frequently have you used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen during the PAST 30 DAYS?

- A Never
- B Once or Twice
- C Once or twice per week
- D About once a day
- E More than once a day

11. Have you ever smoked e-cigarettes or vaping pens?

- A Never
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

12. How frequently have you smoked e-cigarettes or vapes during the PAST 30 DAYS?

- A Never
- B Once or Twice
- C Once or twice per week
- D About once a day
- E More than once a day

13. During the PAST 30 DAYS, how did you usually get your own e-cigarettes or vaping pens?(Choose only one response)

- A I didn't smoke e-cigarettes or vape during the past 30 days
- B I bought them in a store such as a convenience store gas station or supermarket
- C I gave someone else money to buy them for me
- D I borrowed (or bummed) them from somebody else
- E A person 18 years or older, gave them to me
- F I took them from a store or family member
- G I got them some other way

14. Have you ever smoked cigarettes?

- A Never
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

15. How old were you when you first smoked a CIGARETTE, even just a puff?

- A Never have
- B 10 or younger
- C 11
- D 12
- E 13
- F 14
- G 15
- H 16
- I 17 or older

16. How frequently have you smoked cigarettes during the PAST 30 DAYS?

- A Not at all
- B Less than 1 cigarette per day
- C One to five cigarettes per day
- D About one half pack per day
- E About one pack per day
- F About one and one half packs per day
- G Two packs or more per day

17. During the PAST 30 DAYS, how did you usually get your own cigarettes?(Choose only one response)

- A I didn't smoke cigarettes during the past 30 days
- B I bought them in a store such as a convenience store gas station or supermarket
- C I bought them from a vending machine
- D I gave someone else money to buy them for me
- E I borrowed (or bummed) them from somebody else
- F A person 18 years or older, gave them to me
- G I took them from a store or family member
- H I got them some other way

18. Have you ever tried smoking cigars, cigarillos, or little cigars, such as Black and Milds, Swisher Sweets, Dutch Masters, White Owl, or Phillies Blunts, even one or two puffs?

- (A) Never
- (B) Once or Twice
- (C) Once in a while but not regularly
- (D) Regularly but in the past
- (E) Regularly now

19. Which of the following tobacco products have you ever tried, even just one time? (Choose all that apply)

- (A) Bidis
- (B) Kreteks
- (C) Hookah
- (D) Snus
- (E) Dissolvable tobacco
- (F) Never tried any of the above

20. On how many occasions, if any, have you had alcoholic beverages (beer, wine, or hard liquor) – more than just a few sips – in your LIFETIME?

- (A) 0 occasions
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

21. How old were you when you first had more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)?

- (A) Never have
- (B) 10 or younger
- (C) 11
- (D) 12
- (E) 13
- (F) 14
- (G) 15
- (H) 16
- (I) 17 or older

22. Think back over the last two weeks. How many times have you had 5 or more alcoholic drinks in a row?

- (A) None
- (B) Once
- (C) Twice
- (D) 3-5 times
- (E) 6-9 times
- (F) 10 or more times

23. How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?

- (A) Never have
- (B) 10 or younger
- (C) 11
- (D) 12
- (E) 13
- (F) 14
- (G) 15
- (H) 16
- (I) 17 or older

24. On how many occasions, if any, have you had alcoholic beverages (beer, wine, or hard liquor) – more than just a few sips – in the PAST 30 DAYS?

- (A) 0 occasions
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

25. During the past 30 days, what type of alcohol did you usually drink? (Choose only one response)

- (A) I did not drink alcohol during the past 30 days
- (B) I do not have a usual type
- (C) Beer
- (D) Malt beverages such as Smirnoff Ice, Bacardi Breezer, Mike's Hard Lemonade, Sparks, and Tilt
- (E) Alcohol mixed with an energy drink
- (F) Wine coolers, such as Seagrams and Bartles and James
- (G) Wine
- (H) Hard liquor, such as vodka, rum, scotch, or whiskey
- (I) Some other type

26. During the PAST 30 DAYS, how did you usually get the alcohol you drank?(Choose only one response)

- A I did not drink alcohol during the past 30 days
- B I bought it myself from someplace like a store, restaurant, bar, club, concert, or sporting event
- C I gave someone else money to buy it for me
- D Someone gave it to me at a party or social gathering
- E Someone gave it to me someplace else
- F I took it from a store or family member
- G I stood outside a store and asked a stranger to buy it for me
- H I got it some other way

27. During the PAST 30 DAYS, who most often got alcohol for you, they either bought it for you or gave it to you?(Choose only one response)

- A I did not drink alcohol during the past 30 days
- B Nobody got alcohol for me
- C My parent got it for me
- D A friend's parent got it for me
- E A friend or family member older than 25 got it for me
- F A friend or family member age 21-25 got it for me
- G A friend or family member under age 21 got it for me
- H Some other adult got it for me

28. During the past 30 days, how many times did you drive a car or other vehicle when YOU had been drinking alcohol?

- A 0 times
- B 1 time
- C 2 or 3 times
- D 4 or 5 times
- E 6 or more times

29. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

- A 0 times
- B 1 time
- C 2 or 3 times
- D 4 or 5 times
- E 6 or more times

30. On how many occasions, if any, have you used marijuana (weed, pot) or hashish (hash, hash oil) – in your LIFETIME?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

31. How old were you when you first used marijuana?

- A Never have
- B 10 or younger
- C 11
- D 12
- E 13
- F 14
- G 15
- H 16
- I 17 or older

32. On how many occasions, if any, have you used marijuana (weed, pot) or hashish (hash, hash oil) – in the PAST 30 DAYS?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

33. During the past 30 days, how many times did you drive a car or other vehicle when YOU had been using marijuana or other impairing substances OTHER than alcohol?

- A 0 times
- B 1 time
- C 2 or 3 times
- D 4 or 5 times
- E 6 or more times

34. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana or other impairing substances OTHER than alcohol?

- A 0 times
- B 1 time
- C 2 or 3 times
- D 4 or 5 times
- E 6 or more times

35. On how many occasions, if any, have you used synthetics like K2, Spice, Bath Salts, or Flakka – in your LIFETIME?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

36. How frequently have used synthetics like K2, Spice, Bath Salts, or Flakka during the PAST 30 DAYS?

- A Never
- B Once or Twice
- C Once or twice per week
- D About once a day
- E More than once a day

37. On how many occasions, if any, have you used a prescription drug such as Ritalin, Adderall, or Xanax without a doctor's prescription in the PAST 30 DAYS?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

38. During the past 30 days, how did you usually get the prescription drugs you used that were not prescribed to you? (Choose only one response)

- A I did not take prescription drugs during the past 30 days that were not prescribed to me
- B I took them from a friend without asking
- C I took them from a family member without asking
- D I bought them from a friend
- E I bought them from a family member
- F I got them from a friend for free (they gave them to me)
- G I got them from a family member for free (they gave them to me)
- H I bought them from someone else
- I I got them from more than one doctor and used them for non-medical reasons
- J I got them from just one doctor and used them for non-medical reasons
- K I wrote fake prescriptions
- L I stole them from a doctor's office, clinic, hospital or pharmacy
- M I bought them on the Internet
- N I got them some other way

39. On how many occasions, if any, have you used cocaine in your LIFETIME?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

40. On how many occasions, if any, have you used heroin in your LIFETIME?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

41. How many times in the past year (12 months) have you been suspended from school for reasons related to alcohol or drug use, possession of alcohol or drugs or sale or alcohol or drugs?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

42. How many times in the past year (12 months) have you sold illegal drugs?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

43. How many times in the past year (12 months) have you been arrested for reasons related to alcohol or drug use, possession of alcohol or drugs or sale or alcohol or drugs?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

44. How many times in the past year (12 months) have you attacked someone with the intent to hurt them due to alcohol or drug use, possession of alcohol or drugs or sale or alcohol or drugs?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

45. How many times in the past year (12 months) have you been drunk or high at school?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

46. To what extent is drinking alcohol a central part in the social life of students at your school?

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

47. To what extent do students at your school use alcohol in connection with school sporting events (such as tailgate parties, post-game celebrations)?

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

48. To what extent do students at your school use alcohol on school property during, or just before or after, school hours?

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

49. Have you ever belonged to a gang with a name?

- A No
- B Yes

50. How wrong do you think it is for someone your age to drink beer, wine, or hard liquor (for example: vodka, whiskey or gin) regularly?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

51. How wrong do you think it is for someone your age to smoke cigarettes, e-cigarettes or vaping pens?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

52. How wrong do you think it is for someone your age to use marijuana?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

53. How wrong do you think it is for someone your age to use prescription drugs not prescribed to them?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

54. How wrong do you think it is for someone your age to use LSD, cocaine, amphetamines, or another illegal drug?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

55. How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

56. How much do you think people risk harming themselves physically or in other ways if they use marijuana once or twice per week?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

57. How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage once or twice a week?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

58. How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

59. If you wanted to get some cigarettes, e-cigarettes, or vaping pens, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

60. If you wanted to get some beer, wine, or hard liquor (for example vodka, whiskey or gin), how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

61. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

62. If you wanted to get some marijuana, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

63. If you wanted to get some heroin, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

64. If you wanted to get synthetics like K2, spice, bath salts, or flakka, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

65. How wrong do your parents feel it would be for YOU to have one or two drinks of an alcoholic beverage nearly every day?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

66. How wrong do your parents feel it would be for YOU to smoke cigarettes, e-cigarettes, or vaping pens?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

67. How wrong do your parents feel it would be for YOU to use marijuana?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

68. How wrong do your parents feel it would be for YOU to use prescription drugs not prescribed to you?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

69. How wrong do your friends feel it would be for YOU to have one or two drinks of an alcoholic beverage nearly every day?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

70. How wrong do your friends feel it would be for YOU to smoke cigarettes, e-cigarettes, or vaping pens?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

71. How wrong do your friends feel it would be for YOU to use marijuana?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

72. How wrong do your friends feel it would be for YOU to use prescription drugs not prescribed to you?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

You may be asked to answer some additional questions. If so, those questions will be handed to you on a sheet of paper or written where everyone taking the survey can see them. In the space below record your answer to each additional question, if any.

- | | | | | | | | | |
|----|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| 1. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 2. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 3. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 4. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 5. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |