

South Carolina Communities That Care (SC CTC) Survey



**Combined Results of Counties
Participating in the 2012 Survey**

Table of Contents

| | |
|--|-----------|
| INTRODUCTION..... | 3 |
| DEMOGRAPHIC INFORMATION | 6 |
| SUBSTANCE USE..... | 11 |
| ALCOHOL | 11 |
| TOBACCO | 19 |
| MARIJUANA | 23 |
| INHALANTS | 26 |
| PRESCRIPTION DRUGS | 27 |
| COCAINE | 28 |
| HEROIN | 29 |
| ECSTASY | 29 |
| METHAMPHETAMINE..... | 30 |
| AVAILABILITY OF SUBSTANCES | 31 |
| ALCOHOL | 31 |
| CIGARETTES | 34 |
| MARIJUANA | 37 |
| OTHER DRUGS..... | 38 |
| DISAPPROVAL OF USE | 39 |
| ALCOHOL | 39 |
| CIGARETTES | 40 |
| MARIJUANA | 41 |
| OTHER DRUGS..... | 42 |
| PERCEIVED RISK OF USE..... | 43 |
| ALCOHOL | 43 |
| CIGARETTES | 44 |
| MARIJUANA | 45 |
| HIGH RISK BEHAVIOR | 47 |
| FAMILY FACTORS | 57 |
| PARENTAL DISAPPROVAL OF SUBSTANCE USE..... | 57 |

INTRODUCTION

This report presents the combined results for the 19 counties that took part in the South Carolina Communities That Care (SC CTC) Survey in February and March 2012. The SC CTC Survey was sponsored by the Community Action for a Safer Tomorrow (CAST) project. CAST is administered by the South Carolina Department of Alcohol and Other Drug Abuse Services (DAODAS) with funding from the Center for Substance Abuse Prevention of the U.S. Substance Abuse and Mental Health Services Administration. This report was prepared by the Pacific Institute for Research and Evaluation (PIRE).

The 19 counties that participated in the survey are as follows: Abbeville, Allendale, Barnwell, Berkeley, Chester, Clarendon, Colleton, Darlington, Dorchester, Edgefield, Fairfield, Greenwood, Horry, Laurens, Marlboro, Newberry, Orangeburg, Sumter, and Williamsburg.

Notes about Data Included in This Report

The results contained in this report are based on weighted data. The purpose of weighting the data was to better represent the larger student population, in the counties, from which the surveyed students were drawn. We weighted the data according to characteristics that are known to be associated with substance use. For example, substance use is known to vary by grade and race/ethnicity. For this reason, we weighted the survey data by grade level (9-12) and race/ethnicity (white, non-white) so that the students who were surveyed would better reflect the county's student population and the survey results would be more accurate. Students' self-reported race/ethnicity was coded into two categories, white and "other." The "other" category includes students who self-identified as something other than white, as well as those who indicated multiple races/ethnicities. The number of race/ethnicity categories was limited to two because the number of surveys was not sufficient for examining a larger number of categories.

Although the weighting methods were designed to help improve the accuracy of the results, they nonetheless have some limitations. To preserve as much survey data as possible, we used a liberal threshold for acceptable weights. As such, the resulting estimates may be, in some cases, heavily influenced by the responses of a small number of students. This may be particularly true with respect to the results that are broken out by grade level. This should be kept in mind when interpreting these results.

In some cases, county data were not obtained from a sufficient number of students in a particular grade and/or race/ethnicity category to be included in the analysis. The rationale in making this assessment was that the few students who were surveyed may under- or over-represent the true prevalence of the behavior among that group of students in the county. As noted earlier, we preserved as much of each county's data as possible when conducting the analyses. The table below indicates the number of students surveyed in each grade-race/ethnicity category.

Data used in analysis, for the 19 counties, combined, that participated in the SC CTC Survey

| | 9 th / white | 9 th / other | 10 th / white | 10 th / other | 11 th / white | 11 th / other | 12 th / white | 12 th / other | Total* |
|-------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|--------|
| 19 Counties Combined | 1,949 | 2,496 | 911 | 1,189 | 1,285 | 1,758 | 462 | 577 | 11,373 |

*Note that the total number of students exceeds the sum of the grade-race/ethnicity cells. This is due to students who did not report a grade and/or race/ethnicity.

Presenting Results by Grade and Overall

In the report, the results are displayed by grade and for all grades combined. For each survey item, these are shown as separate tables. For each set of tables in the report, reference is made to the associated survey item number (SF = Short Form version of the survey).

Coding of Response Categories

The items in the survey offered multiple response options to respondents. To allow for ease of interpretation, we recoded most items. Most often, items were coded into two response categories. For example, in the case of substance use questions, frequency-of-use response options were collapsed into use vs. no use. For each item, the categories that were used in the analysis are noted in the tables in the report.

Rounding Percentages Presented in the Tables

The results provided in the tables are reported to four decimal places. This likely provides more precision in the estimates than is warranted or is useful for reporting needs. Rounding to one decimal place is likely sufficient. One approach for doing so is to first look to the last three decimal places. If the value of those numbers is greater than or equal to 500, round up. If the value is less than 500, round down. For example, if the percentage provided in the table is 28.6533, look to the last three digits (533) and note that it is larger than 500. Therefore, the first decimal place can be rounded up to yield a figure of 28.7. Likewise, if the percentage is 34.2312, note that the last three digits (312) are less than 500 such that the first decimal place can be rounded down, yielding an estimate of 34.2.

Comparing County Results to the Combined Results for the 19 Counties

Interpretation of a particular county's results may include comparison to these combined results for the 19 counties that took part in the SC CTC survey. The combined results for the 19 counties that took part in the survey should not be interpreted as estimates for the entire state population but rather as estimates for only the counties that participated in the survey.

Inclusion of Confidence Intervals in the Tables

The percentages presented in the tables in the report are accompanied by 95% confidence intervals (referred to in the tables as "95% Confidence Limits for Percent"). In comparing a particular county's results to the combined results for the 19 counties, differences in behaviors (attitudes, etc.) between the two can be considered statistically significant if the confidence intervals for the county and all 19 counties (as represented in the tables) do not overlap.

Confidence intervals are taken into account because the survey results are drawn from a sample of students in the counties and, as such, they can be interpreted as estimates of the true values (of the behaviors, attitudes, etc.) in the population. The 95% confidence interval indicates that we can be 95% sure that the true prevalence of the behavior falls within the stated confidence limits presented in the table. As noted, confidence intervals help in assessing whether results are statistically significantly different from each other (e.g., whether a particular county's prevalence of alcohol use is statistically significantly higher or lower than the prevalence of alcohol use for all 19 counties combined).

DEMOGRAPHIC INFORMATION

Age (SF-1)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-----------|--------------------|---------|--------------------------------------|---------|
| | | | | |
| 9 | 13 | 0.2548 | 0.0643 | 0.4452 |
| | 14 | 36.1377 | 34.3034 | 37.9719 |
| | 15 | 53.7256 | 51.8070 | 55.6442 |
| | 16 | 9.2545 | 8.1283 | 10.3808 |
| | 17 | 0.4880 | 0.2676 | 0.7085 |
| | 18 | 0.0298 | 0.0000 | 0.0881 |
| | 19 or older | 0.1096 | 0.0019 | 0.2174 |
| 10 | 13 | 0.0974 | 0.0000 | 0.2216 |
| | 14 | 0.1687 | 0.0000 | 0.4267 |
| | 15 | 36.8975 | 31.3913 | 42.4037 |
| | 16 | 50.9655 | 45.2906 | 56.6404 |
| | 17 | 7.5345 | 5.3756 | 9.6934 |
| | 18 | 1.0119 | 0.0000 | 2.5271 |
| | 19 or older | 3.3245 | 0.0000 | 7.8905 |
| 11 | 13 | . | . | . |
| | 14 | 0.0293 | 0.0000 | 0.0867 |
| | 15 | 0.3490 | 0.1338 | 0.5643 |
| | 16 | 39.1599 | 36.8358 | 41.4840 |
| | 17 | 51.7909 | 49.4256 | 54.1563 |
| | 18 | 8.2551 | 7.0098 | 9.5003 |
| | 19 or older | 0.4157 | 0.1830 | 0.6485 |
| 12 | 13 | 0.4069 | 0.0000 | 1.1365 |
| | 14 | . | . | . |
| | 15 | . | . | . |
| | 16 | 3.2316 | 0.0000 | 7.1226 |
| | 17 | 34.7985 | 28.0377 | 41.5594 |
| | 18 | 48.8987 | 41.3284 | 56.4689 |
| | 19 or older | 12.6643 | 8.1031 | 17.2255 |

Age (SF-1)-Continued

| | Percent | 95% Confidence Limits for Percent | |
|--------------------|---------|--------------------------------------|---------|
| 13 | 0.1815 | 0.0228 | 0.3403 |
| 14 | 10.8683 | 10.0959 | 11.6408 |
| 15 | 25.4534 | 23.6696 | 27.2372 |
| 16 | 26.0445 | 24.1837 | 27.9052 |
| 17 | 21.9257 | 20.2390 | 23.6124 |
| 18 | 12.0391 | 9.9578 | 14.1205 |
| 19 or older | 3.4874 | 2.0123 | 4.9626 |

Gender (SF-3)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-----------|---------------|---------|--------------------------------------|---------|
| 9 | Female | 49.6507 | 47.7017 | 51.5997 |
| | Male | 50.3493 | 48.4003 | 52.2983 |
| 10 | Female | 45.4811 | 39.9977 | 50.9645 |
| | Male | 54.5189 | 49.0355 | 60.0023 |
| 11 | Female | 51.9190 | 49.5447 | 54.2932 |
| | Male | 48.0810 | 45.7068 | 50.4553 |
| 12 | Female | 45.3867 | 37.8860 | 52.8874 |
| | Male | 54.6133 | 47.1126 | 62.1140 |

| | Percent | 95% Confidence Limits for Percent | |
|---------------|---------|--------------------------------------|---------|
| Female | 48.3117 | 46.0900 | 50.5333 |
| Male | 51.6883 | 49.4667 | 53.9100 |

Race/Ethnicity (SF-4)

| Grade | race | Percent | 95% Confidence Limits for Percent | |
|-------|-------|---------|--------------------------------------|---------|
| 9 | White | 49.1942 | 47.2565 | 51.1318 |
| | Other | 50.8058 | 48.8682 | 52.7435 |
| 10 | White | 47.6142 | 42.0001 | 53.2282 |
| | Other | 52.3858 | 46.7718 | 57.9999 |
| 11 | White | 48.8713 | 46.4928 | 51.2497 |
| | Other | 51.1287 | 48.7503 | 53.5072 |
| 12 | White | 47.7215 | 40.1564 | 55.2867 |
| | Other | 52.2785 | 44.7133 | 59.8436 |

| race | Percent | 95% Confidence Limits for Percent | |
|-------|---------|--------------------------------------|---------|
| White | 48.4222 | 46.1950 | 50.6494 |
| Other | 51.5778 | 49.3506 | 53.8050 |

Language Used Most Often At Home (SF-5)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-------|---------|---------|--------------------------------------|---------|
| 9 | English | 97.1486 | 96.5970 | 97.7002 |
| | Spanish | 1.8451 | 1.4341 | 2.2561 |
| | Other | 1.0063 | 0.6344 | 1.3783 |
| 10 | English | 92.7673 | 88.0739 | 97.4608 |
| | Spanish | 3.7018 | 1.5897 | 5.8139 |
| | Other | 3.5309 | 0.0000 | 7.8972 |
| 11 | English | 96.1254 | 95.2464 | 97.0044 |
| | Spanish | 2.0530 | 1.4690 | 2.6369 |
| | Other | 1.8217 | 1.1537 | 2.4896 |
| 12 | English | 95.3785 | 93.3434 | 97.4136 |
| | Spanish | 3.0482 | 1.4261 | 4.6702 |
| | Other | 1.5733 | 0.3655 | 2.7812 |

| | Percent | 95% Confidence Limits for Percent | |
|---------|---------|--------------------------------------|---------|
| English | 95.4410 | 94.1392 | 96.7428 |
| Spanish | 2.6018 | 1.9519 | 3.2516 |
| Other | 1.9572 | 0.7992 | 3.1153 |

Grades Received Last Year (SF-6)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-------|-----------|---------|--------------------------------------|---------|
| 9 | Mostly Fs | 1.3367 | 0.9256 | 1.7478 |
| | Mostly Ds | 5.9568 | 5.1564 | 6.7571 |
| | Mostly Cs | 27.1697 | 25.3853 | 28.9542 |
| | Mostly Bs | 44.0306 | 42.0889 | 45.9722 |
| | Mostly As | 21.5062 | 20.0665 | 22.9460 |
| 10 | Mostly Fs | 3.7843 | 0.0000 | 8.2368 |
| | Mostly Ds | 6.6714 | 4.4285 | 8.9143 |
| | Mostly Cs | 27.5257 | 23.1692 | 31.8821 |
| | Mostly Bs | 44.3311 | 38.6198 | 50.0425 |
| | Mostly As | 17.6875 | 13.9236 | 21.4514 |
| 11 | Mostly Fs | 1.3189 | 0.6540 | 1.9837 |
| | Mostly Ds | 5.4923 | 4.4005 | 6.5840 |
| | Mostly Cs | 30.5961 | 28.3744 | 32.8177 |
| | Mostly Bs | 41.3709 | 39.0505 | 43.6913 |
| | Mostly As | 21.2220 | 19.2779 | 23.1660 |
| 12 | Mostly Fs | 0.9386 | 0.0000 | 2.2126 |
| | Mostly Ds | 8.3653 | 3.6902 | 13.0404 |
| | Mostly Cs | 40.6331 | 32.5677 | 48.6985 |
| | Mostly Bs | 33.4333 | 27.0012 | 39.8653 |
| | Mostly As | 16.6298 | 12.4626 | 20.7970 |

| | Percent | 95% Confidence Limits for Percent | |
|-----------|---------|--------------------------------------|---------|
| Mostly Fs | 1.8673 | 0.6841 | 3.0506 |
| Mostly Ds | 6.4927 | 5.3462 | 7.6392 |
| Mostly Cs | 30.7952 | 28.5888 | 33.0015 |
| Mostly Bs | 41.3190 | 39.1641 | 43.4739 |
| Mostly As | 19.5258 | 18.0861 | 20.9656 |

SUBSTANCE USE

Alcohol

Percentage of Students Reporting Having Had Alcohol in Their Lifetime (SF-12)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|---------|
| Use | 9 | 56.4577 | 54.5660 | 58.3493 |
| | 10 | 65.0191 | 59.8548 | 70.1834 |
| | 11 | 67.8920 | 65.7115 | 70.0725 |
| | 12 | 70.1834 | 63.0663 | 77.3006 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|---------|
| Use | 64.2106 | 62.1417 | 66.2795 |

Age at First Use of Alcohol among Those Who Have Ever Used Alcohol (SF-40)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|---------------|-------|---------|--------------------------------------|---------|
| 12 or younger | 9 | 46.4896 | 44.2247 | 48.7690 |
| | 10 | 38.6595 | 35.3583 | 42.0683 |
| | 11 | 32.4614 | 30.1036 | 34.9118 |
| | 12 | 24.0116 | 20.1652 | 28.3313 |

| | Percent | 95% Confidence Limits for Percent | |
|---------------|---------|--------------------------------------|---------|
| 12 or younger | 37.3538 | 35.9530 | 38.7762 |

Age First Began Drinking Alcohol Regularly among Those Who Drink Regularly (SF-41)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|----------------------|--------------|----------------|--|---------|
| 12 or younger | 9 | 25.0542 | 22.3285 | 27.9927 |
| | 10 | 12.7430 | 10.0246 | 16.0669 |
| | 11 | 11.1310 | 9.1963 | 13.4126 |
| | 12 | 9.3227 | 6.3485 | 13.4894 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------|----------------|--|---------|
| 12 or younger | 15.5534 | 14.1865 | 17.0259 |

Percentage of Students Reporting Use of Alcohol in the Past 30 Days (SF-13)

| | Grade | Percent | 95% Confidence Limits for Col Percent | |
|-----|-------|---------|--|---------|
| Use | 9 | 30.3606 | 28.5410 | 32.1802 |
| | 10 | 37.9238 | 32.4188 | 43.4289 |
| | 11 | 39.7999 | 37.4230 | 42.1769 |
| | 12 | 46.9002 | 39.2737 | 54.5266 |

| | | Percent | 95% Confidence Limits for Percent | |
|-----|--------|---------|--------------------------------------|---------|
| Use | Female | 37.9969 | 35.1148 | 40.8790 |
| | Male | 38.2246 | 34.7598 | 41.6895 |

| | race | Column Percent | 95% Confidence Limits for Col Percent | |
|-----|-------|-------------------|--|---------|
| Use | White | 41.8826 | 38.6457 | 45.1195 |
| | Other | 34.2877 | 31.1703 | 37.4050 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|---------|
| Use | 37.9106 | 35.6754 | 40.1458 |

Percentage of Students Reporting Binge Drinking in the Last Two Weeks (SF-34)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|------------|--------------|----------------|--|---------|
| Use | 9 | 15.6054 | 14.1495 | 17.0613 |
| | 10 | 20.3343 | 15.4546 | 25.2141 |
| | 11 | 21.9688 | 19.8756 | 24.0620 |
| | 12 | 21.7482 | 16.1316 | 27.3648 |

| | | Percent | 95% Confidence Limits for Percent | |
|------------|---------------|----------------|--|---------|
| Use | Female | 17.7711 | 15.8790 | 19.6633 |
| | Male | 21.4522 | 18.4434 | 24.4610 |

| | race | Percent | 95% Confidence Limits for Percent | |
|------------|--------------|----------------|--|---------|
| Use | White | 23.0042 | 20.4693 | 25.5390 |
| | Other | 16.4779 | 13.9073 | 19.0486 |

| | Percent | 95% Confidence Limits for Percent | |
|------------|----------------|--|---------|
| Use | 19.4988 | 17.8303 | 21.1672 |

Type of Alcohol Usually Used in the Past 30 Days among Those Who Used Alcohol during that Time (SF-63)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-------|----------------------------|---------|--------------------------------------|---------|
| | | | | |
| 9 | Beer | 20.9926 | 17.5277 | 24.4575 |
| | Malt beverages | 12.7688 | 10.1571 | 15.3805 |
| | Energy drinks with alcohol | 8.3548 | 6.4650 | 10.2447 |
| | Wine coolers | 4.9329 | 2.9497 | 6.9160 |
| | Wine | 6.2967 | 4.6915 | 7.9020 |
| | Liquor | 21.6541 | 18.8118 | 24.4964 |
| | Other | 25.0000 | 20.8867 | 29.1133 |
| 10 | Beer | 26.7228 | 17.4265 | 36.0192 |
| | Malt beverages | 13.0281 | 7.2861 | 18.7700 |
| | Energy drinks with alcohol | 15.8252 | 2.9156 | 28.7348 |
| | Wine coolers | 4.2919 | 1.9424 | 6.6415 |
| | Wine | 3.3251 | 1.8316 | 4.8185 |
| | Liquor | 17.0529 | 11.8502 | 22.2555 |
| | Other | 19.7540 | 13.3087 | 26.1993 |
| 11 | Beer | 22.0121 | 18.5054 | 25.5187 |
| | Malt beverages | 13.5879 | 10.2841 | 16.8916 |
| | Energy drinks with alcohol | 7.9019 | 5.1797 | 10.6241 |
| | Wine coolers | 5.2208 | 2.9329 | 7.5088 |
| | Wine | 4.3190 | 2.4713 | 6.1667 |
| | Liquor | 21.9381 | 18.7819 | 25.0943 |
| | Other | 25.0202 | 20.9983 | 29.0422 |
| 12 | Beer | 22.7108 | 14.7773 | 30.6443 |
| | Malt beverages | 12.6349 | 6.2723 | 18.9975 |
| | Energy drinks with alcohol | 10.9500 | 0.0000 | 23.4436 |
| | Wine coolers | 7.5929 | 0.0000 | 17.0448 |
| | Wine | 5.3411 | 0.5381 | 10.1442 |
| | Liquor | 16.2877 | 8.1809 | 24.3944 |
| | Other | 24.4826 | 12.1490 | 36.8161 |

Type of Alcohol Usually Used in the Past 30 Days among Those Who Used Alcohol during that Time (SF-63)-Continued

| | Percent | 95% Confidence Limits for Percent | |
|-----------------------------------|----------------|--|---------|
| Beer | 23.6189 | 20.3970 | 26.8407 |
| Malt beverages | 13.0440 | 10.7534 | 15.3345 |
| Energy drinks with alcohol | 10.4146 | 5.9453 | 14.8838 |
| Wine coolers | 5.3791 | 2.9457 | 7.8124 |
| Wine | 4.8519 | 3.5075 | 6.1964 |
| Liquor | 17.8383 | 15.3318 | 20.3448 |
| Other | 24.8533 | 21.1825 | 28.5241 |

Have Ever Left a Party with a Driver Who Had Been Drinking or Have Ever Driven Oneself Home after Drinking, among Those Who Have Attended a Party with Friends Where Alcohol Was Available (SF-61)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|------------------------------|----------------|--|---------|
| 9 | Never or almost never | 63.6618 | 60.9639 | 66.3597 |
| | Sometimes | 25.4698 | 22.9983 | 27.9413 |
| | Often | 6.3172 | 5.0817 | 7.5528 |
| | All the time | 4.5511 | 3.5570 | 5.5452 |
| 10 | Never or almost never | 62.1492 | 53.0830 | 71.2155 |
| | Sometimes | 24.1905 | 15.9692 | 32.4119 |
| | Often | 9.0093 | 1.5059 | 16.5127 |
| | All the time | 4.6510 | 1.7153 | 7.5866 |
| 11 | Never or almost never | 65.0820 | 62.0805 | 68.0834 |
| | Sometimes | 22.3502 | 19.7927 | 24.9077 |
| | Often | 7.4689 | 5.6893 | 9.2485 |
| | All the time | 5.0989 | 3.7242 | 6.4737 |
| 12 | Never or almost never | 54.9267 | 45.1992 | 64.6541 |
| | Sometimes | 20.5075 | 13.9981 | 27.0168 |
| | Often | 9.5002 | 2.7649 | 16.2355 |
| | All the time | 15.0657 | 4.9329 | 25.1984 |

| | Percent | 95% Confidence Limits for Percent | |
|------------------------------|----------------|--|---------|
| Never or almost never | 61.9888 | 58.7308 | 65.2468 |
| Sometimes | 23.0787 | 20.4674 | 25.6901 |
| Often | 7.9940 | 5.6095 | 10.3785 |
| All the time | 6.9385 | 4.5280 | 9.3489 |

Intentions to Use Alcohol as an Adult (SF-43)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-------|-------------|---------|--------------------------------------|---------|
| 9 | NO! OR no | 50.1264 | 48.1864 | 52.0664 |
| | YES! OR yes | 49.8736 | 47.9336 | 51.8136 |
| 10 | NO! OR no | 43.2173 | 37.4751 | 48.9595 |
| | YES! OR yes | 56.7827 | 51.0405 | 62.5249 |
| 11 | NO! OR no | 40.9278 | 38.6322 | 43.2235 |
| | YES! OR yes | 59.0722 | 56.7765 | 61.3678 |
| 12 | NO! OR no | 41.1543 | 33.8575 | 48.4511 |
| | YES! OR yes | 58.8457 | 51.5489 | 66.1425 |

| | Percent | 95% Confidence Limits for Percent | |
|-------------|---------|--------------------------------------|---------|
| NO! OR no | 44.2102 | 42.1453 | 46.2751 |
| YES! OR yes | 55.7898 | 53.7249 | 57.8547 |

Tobacco

Percentage of Students Reporting Having Smoked Cigarettes in Their Lifetime (SF-10)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|---------|
| Use | 9 | 34.8963 | 33.0192 | 36.7734 |
| | 10 | 34.8588 | 29.5932 | 40.1244 |
| | 11 | 42.1913 | 39.8146 | 44.5680 |
| | 12 | 54.9444 | 47.5225 | 62.3663 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|---------|
| Use | 40.7035 | 38.4691 | 42.9380 |

Percentage of Students Reporting Having Used Chewing Tobacco, Snuff, or Dip in Their Lifetime (SF-7)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|---------|
| Use | 9 | 19.3087 | 17.7134 | 20.9040 |
| | 10 | 20.1006 | 16.1278 | 24.0735 |
| | 11 | 19.5392 | 17.7220 | 21.3565 |
| | 12 | 24.5007 | 17.7380 | 31.2635 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|---------|
| Use | 20.5542 | 18.7481 | 22.3602 |

Percentage of Students Reporting Having Used Other Smokeless Tobacco Products in Their Lifetime (SF-9)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|---------|
| Use | 9 | 6.8613 | 5.9131 | 7.8095 |
| | 10 | 9.2909 | 5.9310 | 12.6507 |
| | 11 | 7.8944 | 6.6047 | 9.1842 |
| | 12 | 9.9724 | 5.0389 | 14.9059 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|--------|
| Use | 8.3063 | 6.9434 | 9.6691 |

Age at First Cigarette Use among Those Who Have Ever Smoked Cigarettes (SF-39)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|---------------|-------|---------|--------------------------------------|---------|
| 12 or younger | 9 | 52.2089 | 49.4126 | 54.9915 |
| | 10 | 46.1929 | 42.1050 | 50.3327 |
| | 11 | 39.9134 | 36.8694 | 43.0374 |
| | 12 | 34.7571 | 29.6583 | 40.2312 |

| | Percent | 95% Confidence Limits for Percent | |
|---------------|---------|--------------------------------------|---------|
| 12 or younger | 44.5889 | 42.8147 | 46.3770 |

**Percentage of Students Reporting Smoking Cigarettes in the Past 30 Days
(SF-11)**

| | Grade | Percent | 95% Confidence Limits for Percent | |
|------------|--------------|----------------|--|---------|
| Use | 9 | 14.5916 | 13.0892 | 16.0939 |
| | 10 | 16.5181 | 11.8363 | 21.1998 |
| | 11 | 18.5474 | 16.6150 | 20.4798 |
| | 12 | 34.0706 | 26.0553 | 42.0858 |

| | | Percent | 95% Confidence Limits for Percent | |
|------------|---------------|----------------|--|---------|
| Use | Female | 17.2180 | 14.5168 | 19.9191 |
| | Male | 22.5356 | 18.9996 | 26.0716 |

| | race | Percent | 95% Confidence Limits for Percent | |
|------------|--------------|----------------|--|---------|
| Use | White | 25.5379 | 22.4187 | 28.6570 |
| | Other | 14.7637 | 11.5427 | 17.9846 |

| | Percent | 95% Confidence Limits for Percent | |
|------------|----------------|--|---------|
| Use | 19.8645 | 17.6494 | 22.0796 |

Percentage of Students Reporting Use of Smokeless Tobacco Products in the Past 30 Days (SF-8)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|---------|
| Use | 9 | 10.3113 | 9.0240 | 11.5986 |
| | 10 | 9.3610 | 7.0249 | 11.6970 |
| | 11 | 10.1831 | 8.7083 | 11.6579 |
| | 12 | 16.0820 | 9.7732 | 22.3907 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|---------|
| Use | 11.1778 | 9.6683 | 12.6873 |

Intentions to Use Cigarettes as an Adult (SF-42)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-------|-------------|---------|--------------------------------------|---------|
| 9 | NO! OR no | 88.6471 | 87.3364 | 89.9578 |
| | YES! OR yes | 11.3529 | 10.0422 | 12.6636 |
| 10 | NO! OR no | 88.6914 | 85.9447 | 91.4382 |
| | YES! OR yes | 11.3086 | 8.5618 | 14.0553 |
| 11 | NO! OR no | 87.1133 | 85.4070 | 88.8196 |
| | YES! OR yes | 12.8867 | 11.1804 | 14.5930 |
| 12 | NO! OR no | 77.2114 | 69.3813 | 85.0414 |
| | YES! OR yes | 22.7886 | 14.9586 | 30.6187 |

| | Percent | 95% Confidence Limits for Percent | |
|-------------|---------|--------------------------------------|---------|
| NO! OR no | 86.2926 | 84.5377 | 88.0474 |
| YES! OR yes | 13.7074 | 11.9526 | 15.4623 |

Marijuana

Percentage of Students Reporting Having Used Marijuana or Hashish in Their Lifetime (SF-20)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|-----------------------------------|---------|
| Use | 9 | 31.1599 | 29.3379 | 32.9820 |
| | 10 | 41.4433 | 35.5710 | 47.3155 |
| | 11 | 43.4359 | 41.0559 | 45.8158 |
| | 12 | 55.9700 | 48.7281 | 63.2120 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|-----------------------------------|---------|
| Use | 41.6356 | 39.2947 | 43.9765 |

Age at First Use of Marijuana or Hashish among Those Who Have Ever Used Marijuana or Hashish (SF-38)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|---------------|-------|---------|-----------------------------------|---------|
| 12 or younger | 9 | 30.2334 | 27.5155 | 33.0972 |
| | 10 | 22.6452 | 19.1913 | 26.5168 |
| | 11 | 19.4745 | 17.0739 | 22.1225 |
| | 12 | 20.3855 | 16.1610 | 25.3801 |

| | Percent | 95% Confidence Limits for Percent | |
|---------------|---------|-----------------------------------|---------|
| 12 or younger | 23.6524 | 22.0931 | 25.2860 |

Percentage of Students Reporting Use of Marijuana or Hashish in the Past 30 Days (SF-21)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|------------|--------------|----------------|--|---------|
| Use | 9 | 18.8004 | 17.2308 | 20.3699 |
| | 10 | 23.0613 | 18.0191 | 28.1036 |
| | 11 | 24.4330 | 22.3839 | 26.4822 |
| | 12 | 32.7679 | 25.0617 | 40.4741 |

| | | Percent | 95% Confidence Limits for Percent | |
|------------|---------------|----------------|--|---------|
| Use | Female | 18.9296 | 16.5664 | 21.2929 |
| | Male | 29.0895 | 25.5627 | 32.6162 |

| | race | Percent | 95% Confidence Limits for Percent | |
|------------|--------------|----------------|--|---------|
| Use | White | 22.7617 | 19.9346 | 25.5887 |
| | Other | 25.3889 | 22.1350 | 28.6429 |

| | Percent | 95% Confidence Limits for Percent | |
|------------|----------------|--|---------|
| Use | 23.9796 | 21.8256 | 26.1337 |

Intentions to Smoke Marijuana as an Adult (SF-44)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-------|-------------|---------|--------------------------------------|---------|
| 9 | NO! OR no | 84.3030 | 82.8841 | 85.7219 |
| | YES! OR yes | 15.6970 | 14.2781 | 17.1159 |
| 10 | NO! OR no | 80.3641 | 75.1968 | 85.5314 |
| | YES! OR yes | 19.6359 | 14.4686 | 24.8032 |
| 11 | NO! OR no | 81.3677 | 79.5061 | 83.2294 |
| | YES! OR yes | 18.6323 | 16.7706 | 20.4939 |
| 12 | NO! OR no | 76.7711 | 69.4955 | 84.0468 |
| | YES! OR yes | 23.2289 | 15.9532 | 30.5045 |

| | Percent | 95% Confidence Limits for Percent | |
|-------------|---------|--------------------------------------|---------|
| NO! OR no | 81.1666 | 79.2408 | 83.0924 |
| YES! OR yes | 18.8334 | 16.9076 | 20.7592 |

Inhalants

Percentage of Students Reporting Having Used Inhalants in Their Lifetime (SF-16)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|---------|
| Use | 9 | 14.2236 | 12.8773 | 15.5700 |
| | 10 | 8.6519 | 6.4185 | 10.8852 |
| | 11 | 11.1237 | 9.4912 | 12.7562 |
| | 12 | 7.8230 | 3.5454 | 12.1006 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|---------|
| Use | 10.8471 | 9.6674 | 12.0268 |

Percentage of Students Reporting Having Used Inhalants in the Past 30 Days (SF-17)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|--------|
| Use | 9 | 5.0688 | 4.3522 | 5.7855 |
| | 10 | 3.4885 | 1.7277 | 5.2492 |
| | 11 | 3.7273 | 2.7456 | 4.7091 |
| | 12 | 5.0148 | 0.5244 | 9.5051 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|--------|
| Use | 4.3747 | 3.3224 | 5.4270 |

Prescription Drugs

Percentage of Students Reporting Having Used Prescription Drugs Without a Doctor's Prescription in Their Lifetime (SF-25)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|---------|
| Use | 9 | 11.1173 | 9.8324 | 12.4022 |
| | 10 | 16.5763 | 11.4096 | 21.7430 |
| | 11 | 14.6371 | 12.8722 | 16.4020 |
| | 12 | 25.6821 | 17.3845 | 33.9797 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|---------|
| Use | 15.8509 | 13.7407 | 17.9612 |

Percentage of Students Reporting Having Used Prescription Drugs Without a Doctor's Prescription in the Past 30 Days (SF-26)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|---------|
| Use | 9 | 5.8943 | 4.9850 | 6.8035 |
| | 10 | 9.2441 | 4.5393 | 13.9490 |
| | 11 | 6.7514 | 5.5602 | 7.9426 |
| | 12 | 13.1355 | 5.9238 | 20.3472 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|--------|
| Use | 8.1169 | 6.3298 | 9.9040 |

Cocaine

Percentage of Students Reporting Having Used Cocaine in Their Lifetime (SF-18)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|---------|
| Use | 9 | 2.7249 | 2.0821 | 3.3677 |
| | 10 | 6.5485 | 1.9193 | 11.1777 |
| | 11 | 4.8363 | 3.6643 | 6.0083 |
| | 12 | 9.2422 | 3.2679 | 15.2165 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|--------|
| Use | 5.5531 | 3.8331 | 7.2730 |

Percentage of Students Reporting Having Used Cocaine in the Past 30 Days (SF-19)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|--------|
| Use | 9 | 1.3914 | 1.0102 | 1.7726 |
| | 10 | 4.3503 | 0.0000 | 8.9621 |
| | 11 | 1.8108 | 1.1542 | 2.4674 |
| | 12 | 3.5609 | 0.7139 | 6.4078 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|--------|
| Use | 2.6700 | 1.3571 | 3.9828 |

Heroin

Percentage of Students Reporting Having Used Heroin in Their Lifetime (SF-22)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|--------|
| Use | 9 | 1.3474 | 0.9692 | 1.7256 |
| | 10 | 4.7736 | 0.1536 | 9.3937 |
| | 11 | 1.9701 | 1.2755 | 2.6647 |
| | 12 | 3.7116 | 0.8198 | 6.6034 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|--------|
| Use | 2.8373 | 1.5157 | 4.1589 |

Ecstasy

Percentage of Students Reporting Having Used Ecstasy in Their Lifetime (SF-23)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|---------|
| Use | 9 | 3.8786 | 3.0693 | 4.6880 |
| | 10 | 8.0547 | 3.2587 | 12.8507 |
| | 11 | 6.5718 | 5.2604 | 7.8833 |
| | 12 | 14.4121 | 6.9073 | 21.9170 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|--------|
| Use | 7.6691 | 5.6565 | 9.6817 |

Methamphetamine

Percentage of Students Reporting Having Used Methamphetamine in Their Lifetime (SF-24)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|--------|
| Use | 9 | 1.4066 | 1.0170 | 1.7962 |
| | 10 | 2.0277 | 0.3363 | 3.7191 |
| | 11 | 2.3598 | 1.4768 | 3.2428 |
| | 12 | 2.8805 | 0.2269 | 5.5340 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|--------|
| Use | 2.1202 | 1.4467 | 2.7937 |

AVAILABILITY OF SUBSTANCES

Alcohol

How Easy It Would Be to Get Alcohol (SF-54)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|----------------------------------|----------------|--|---------|
| 9 | Very easy OR Sort of easy | 52.0074 | 50.0628 | 53.9520 |
| | Sort of hard OR Very hard | 47.9926 | 46.0480 | 49.9372 |
| 10 | Very easy OR Sort of easy | 61.3912 | 55.7261 | 67.0562 |
| | Sort of hard OR Very hard | 38.6088 | 32.9438 | 44.2739 |
| 11 | Very easy OR Sort of easy | 65.8521 | 63.6391 | 68.0650 |
| | Sort of hard OR Very hard | 34.1479 | 31.9350 | 36.3609 |
| 12 | Very easy OR Sort of easy | 65.0551 | 57.6861 | 72.4240 |
| | Sort of hard OR Very hard | 34.9449 | 27.5760 | 42.3139 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------------|----------------|--|---------|
| Very easy OR Sort of easy | 60.5271 | 58.4616 | 62.5927 |
| Sort of hard OR Very hard | 39.4729 | 37.4073 | 41.5384 |

Source of Alcohol (Who Provided Alcohol) in the Past 30 Days among Those Who Used Alcohol during that Time (SF-62)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|---------------------------------------|---------------------------------------|----------------------|--------------------------------------|---------|
| | | | | |
| 9 | Nobody got it for me | 25.3460 | 21.3059 | 29.3860 |
| | My parent | 6.2903 | 3.3632 | 9.2175 |
| | Parent of friend | 5.5205 | 3.5656 | 7.4753 |
| | Friend or family member older than 25 | 14.1502 | 10.5230 | 17.7775 |
| | Friend or family member age 21-25 | 16.1124 | 12.4439 | 19.7810 |
| | Friend or family member under age 21 | 20.4760 | 15.2483 | 25.7038 |
| | Some other adult | 12.1045 | 7.8130 | 16.3960 |
| | 10 | Nobody got it for me | 13.7788 | 7.3074 |
| | My parent | 6.3395 | 0.0000 | 12.7845 |
| | Parent of friend | 5.1196 | 2.4186 | 7.8205 |
| | Friend or family member older than 25 | 8.0420 | 4.5562 | 11.5278 |
| | Friend or family member age 21-25 | 34.3584 | 20.4656 | 48.2513 |
| | Friend or family member under age 21 | 20.3090 | 3.5942 | 37.0238 |
| | Some other adult | 12.0528 | 6.5284 | 17.5772 |
| 11 | Nobody got it for me | 17.9946 | 14.2146 | 21.7746 |
| | My parent | 5.7875 | 3.2080 | 8.3669 |
| | Parent of friend | 5.1831 | 2.7149 | 7.6512 |
| | Friend or family member older than 25 | 12.8896 | 9.1347 | 16.6444 |
| | Friend or family member age 21-25 | 30.9043 | 25.4783 | 36.3302 |
| | Friend or family member under age 21 | 13.1943 | 9.3215 | 17.0670 |
| | Some other adult | 14.0468 | 10.1408 | 17.9529 |
| | 12 | Nobody got it for me | 23.3202 | 7.4295 |
| My parent | | 4.5084 | 0.9764 | 8.0403 |
| Parent of friend | | 11.9161 | 0.0000 | 24.2200 |
| Friend or family member older than 25 | | 16.8111 | 4.6583 | 28.9639 |
| Friend or family member age 21-25 | | 18.8069 | 11.5154 | 26.0985 |
| Friend or family member under age 21 | | 9.7868 | 2.3624 | 17.2112 |
| Some other adult | | 14.8505 | 2.4838 | 27.2172 |

Source of Alcohol (Who Provided Alcohol) in the Past 30 Days among Those Who Used Alcohol during that Time (SF-62)-Continued

| | Percent | 95% Confidence Limits for Percent | |
|--|----------------|--|---------|
| Nobody got it for me | 20.2564 | 15.7841 | 24.7287 |
| My parent | 5.7303 | 3.7951 | 7.6655 |
| Parent of friend | 6.9293 | 3.7106 | 10.1481 |
| Friend or family member older than 25 | 13.0998 | 9.7252 | 16.4744 |
| Friend or family member age 21-25 | 24.3894 | 20.2544 | 28.5245 |
| Friend or family member under age 21 | 16.2435 | 11.6504 | 20.8366 |
| Some other adult | 13.3512 | 9.8148 | 16.8876 |

Cigarettes

How Easy It Would Be to Get Cigarettes (SF-53)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|----------------------------------|----------------|--|---------|
| 9 | Very easy OR Sort of easy | 51.7530 | 49.7966 | 53.7095 |
| | Sort of hard OR Very hard | 48.2470 | 46.2905 | 50.2034 |
| 10 | Very easy OR Sort of easy | 63.8281 | 58.5797 | 69.0766 |
| | Sort of hard OR Very hard | 36.1719 | 30.9234 | 41.4203 |
| 11 | Very easy OR Sort of easy | 68.7198 | 66.6019 | 70.8377 |
| | Sort of hard OR Very hard | 31.2802 | 29.1623 | 33.3981 |
| 12 | Very easy OR Sort of easy | 78.2192 | 72.3274 | 84.1110 |
| | Sort of hard OR Very hard | 21.7808 | 15.8890 | 27.6726 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------------|----------------|--|---------|
| Very easy OR Sort of easy | 64.0135 | 62.1149 | 65.9121 |
| Sort of hard OR Very hard | 35.9865 | 34.0879 | 37.8851 |

Source of Cigarettes in the Past 30 Days among Those Who Used Cigarettes during that Time (SF-64)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-------|---|---------|--------------------------------------|---------|
| | | | | |
| 9 | I bought them in a store | 6.7272 | 3.8411 | 9.6133 |
| | I bought them from a vending machine | 3.1350 | 1.7451 | 4.5250 |
| | I gave someone money to buy for me | 25.7087 | 21.1051 | 30.3122 |
| | I borrowed them | 23.6718 | 18.8187 | 28.5249 |
| | An adult gave them to me | 14.9838 | 11.9509 | 18.0167 |
| | I took them from a store or family member | 9.4922 | 6.4542 | 12.5302 |
| | Other | 16.2813 | 12.6906 | 19.8719 |
| 10 | I bought them in a store | 9.3820 | 5.0434 | 13.7206 |
| | I bought them from a vending machine | 2.4929 | 0.6980 | 4.2878 |
| | I gave someone money to buy for me | 28.1254 | 17.6340 | 38.6168 |
| | I borrowed them | 13.7165 | 8.1243 | 19.3086 |
| | An adult gave them to me | 28.6608 | 10.7524 | 46.5693 |
| | I took them from a store or family member | 4.4631 | 1.5697 | 7.3565 |
| | Other | 13.1593 | 6.7396 | 19.5790 |
| 11 | I bought them in a store | 25.5477 | 20.9279 | 30.1675 |
| | I bought them from a vending machine | 1.9951 | 0.6491 | 3.3410 |
| | I gave someone money to buy for me | 22.7853 | 17.9286 | 27.6419 |
| | I borrowed them | 17.8085 | 13.6110 | 22.0059 |
| | An adult gave them to me | 14.6306 | 10.7618 | 18.4995 |
| | I took them from a store or family member | 2.7046 | 1.3410 | 4.0683 |
| | Other | 14.5282 | 10.6061 | 18.4503 |

Source of Cigarettes in the Past 30 Days among Those Who Used Cigarettes during that Time (SF-64)-Continued

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|--|----------------|--|---------|
| 12 | I bought them in a store | 64.6876 | 50.3868 | 78.9885 |
| | I bought them from a vending machine | 4.3711 | 0.0000 | 10.5333 |
| | I gave someone money to buy for me | 6.9367 | 2.6709 | 11.2025 |
| | I borrowed them | 9.8534 | 0.7176 | 18.9892 |
| | An adult gave them to me | 8.8760 | 0.0000 | 19.7740 |
| | I took them from a store or family member | 0.9763 | 0.0000 | 2.0324 |
| | Other | 4.2989 | 0.4673 | 8.1304 |

| | Percent | 95% Confidence Limits for Percent | |
|--|----------------|--|---------|
| I bought them in a store | 29.0064 | 22.9805 | 35.0322 |
| I bought them from a vending machine | 3.0966 | 1.1475 | 5.0457 |
| I gave someone money to buy for me | 19.0421 | 15.8456 | 22.2386 |
| I borrowed them | 16.2740 | 12.8182 | 19.7299 |
| An adult gave them to me | 16.5492 | 11.1194 | 21.9790 |
| I took them from a store or family member | 4.0441 | 2.9810 | 5.1072 |
| Other | 11.9876 | 9.6104 | 14.3647 |

Marijuana

How Easy It Would Be to Get Marijuana (SF-56)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|----------------------------------|----------------|--|---------|
| 9 | Very easy OR Sort of easy | 49.6934 | 47.7459 | 51.6410 |
| | Sort of hard OR Very hard | 50.3066 | 48.3590 | 52.2541 |
| 10 | Very easy OR Sort of easy | 60.8112 | 55.1115 | 66.5110 |
| | Sort of hard OR Very hard | 39.1888 | 33.4890 | 44.8885 |
| 11 | Very easy OR Sort of easy | 66.3394 | 64.1151 | 68.5637 |
| | Sort of hard OR Very hard | 33.6606 | 31.4363 | 35.8849 |
| 12 | Very easy OR Sort of easy | 69.6446 | 62.9316 | 76.3575 |
| | Sort of hard OR Very hard | 30.3554 | 23.6425 | 37.0684 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------------|----------------|--|---------|
| Very easy OR Sort of easy | 60.4550 | 58.4228 | 62.4872 |
| Sort of hard OR Very hard | 39.5450 | 37.5128 | 41.5772 |

Other Drugs

**How Easy It Would Be to Get a Drug like Cocaine, LSD, or Amphetamines
(SF-55)**

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|----------------------------------|----------------|--|---------|
| 9 | Very easy OR Sort of easy | 18.8136 | 17.3432 | 20.2840 |
| | Sort of hard OR Very hard | 81.1864 | 79.7160 | 82.6568 |
| 10 | Very easy OR Sort of easy | 24.8031 | 19.2898 | 30.3164 |
| | Sort of hard OR Very hard | 75.1969 | 69.6836 | 80.7102 |
| 11 | Very easy OR Sort of easy | 27.6348 | 25.4465 | 29.8231 |
| | Sort of hard OR Very hard | 72.3652 | 70.1769 | 74.5535 |
| 12 | Very easy OR Sort of easy | 30.3061 | 23.2023 | 37.4098 |
| | Sort of hard OR Very hard | 69.6939 | 62.5902 | 76.7977 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------------|----------------|--|---------|
| Very easy OR Sort of easy | 24.3988 | 22.4347 | 26.3629 |
| Sort of hard OR Very hard | 75.6012 | 73.6371 | 77.5653 |

DISAPPROVAL OF USE

Alcohol

How Wrong It Is for Someone Your Age to Drink Alcohol Regularly (SF-45)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-------|--|---------|--------------------------------------|---------|
| 9 | Not wrong at all OR A little bit wrong | 42.1522 | 40.2209 | 44.0836 |
| | Wrong OR Very wrong | 57.8478 | 55.9164 | 59.7791 |
| 10 | Not wrong at all OR A little bit wrong | 50.6873 | 45.0001 | 56.3744 |
| | Wrong OR Very wrong | 49.3127 | 43.6256 | 54.9999 |
| 11 | Not wrong at all OR A little bit wrong | 51.4406 | 49.0550 | 53.8262 |
| | Wrong OR Very wrong | 48.5594 | 46.1738 | 50.9450 |
| 12 | Not wrong at all OR A little bit wrong | 54.6416 | 47.0152 | 62.2680 |
| | Wrong OR Very wrong | 45.3584 | 37.7320 | 52.9848 |

| | Percent | 95% Confidence Limits for Percent | |
|--|---------|--------------------------------------|---------|
| Not wrong at all OR A little bit wrong | 48.7888 | 46.6792 | 50.8985 |
| Wrong OR Very wrong | 51.2112 | 49.1015 | 53.3208 |

Cigarettes

How Wrong It Is for Someone Your Age to Smoke Cigarettes (SF-46)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|---|----------------|--|---------|
| 9 | Not wrong at all OR A little bit wrong | 29.2872 | 27.4990 | 31.0754 |
| | Wrong OR Very wrong | 70.7128 | 68.9246 | 72.5010 |
| 10 | Not wrong at all OR A little bit wrong | 33.5187 | 28.5623 | 38.4751 |
| | Wrong OR Very wrong | 66.4813 | 61.5249 | 71.4377 |
| 11 | Not wrong at all OR A little bit wrong | 37.8636 | 35.5180 | 40.2092 |
| | Wrong OR Very wrong | 62.1364 | 59.7908 | 64.4820 |
| 12 | Not wrong at all OR A little bit wrong | 54.5637 | 47.1241 | 62.0032 |
| | Wrong OR Very wrong | 45.4363 | 37.9968 | 52.8759 |

| | Percent | 95% Confidence Limits for Percent | |
|---|----------------|--|---------|
| Not wrong at all OR A little bit wrong | 36.7853 | 34.6818 | 38.8888 |
| Wrong OR Very wrong | 63.2147 | 61.1112 | 65.3182 |

Marijuana

How Wrong It Is for Someone Your Age to Smoke Marijuana (SF-47)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|---|----------------|--|---------|
| 9 | Not wrong at all OR A little bit wrong | 30.8342 | 29.0339 | 32.6345 |
| | Wrong OR Very wrong | 69.1658 | 67.3655 | 70.9661 |
| 10 | Not wrong at all OR A little bit wrong | 40.1374 | 34.3607 | 45.9141 |
| | Wrong OR Very wrong | 59.8626 | 54.0859 | 65.6393 |
| 11 | Not wrong at all OR A little bit wrong | 39.1126 | 36.7730 | 41.4522 |
| | Wrong OR Very wrong | 60.8874 | 58.5478 | 63.2270 |
| 12 | Not wrong at all OR A little bit wrong | 51.7222 | 44.1582 | 59.2863 |
| | Wrong OR Very wrong | 48.2778 | 40.7137 | 55.8418 |

| | Percent | 95% Confidence Limits for Percent | |
|---|----------------|--|---------|
| Not wrong at all OR A little bit wrong | 38.9087 | 36.7251 | 41.0924 |
| Wrong OR Very wrong | 61.0913 | 58.9076 | 63.2749 |

Other Drugs

How Wrong It Is for Someone Your Age to Use LSD, Cocaine, Amphetamines, or another Illegal Drug (SF-48)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|---|----------------|--|---------|
| 9 | Not wrong at all OR A little bit wrong | 8.9388 | 7.8600 | 10.0175 |
| | Wrong OR Very wrong | 91.0612 | 89.9825 | 92.1400 |
| 10 | Not wrong at all OR A little bit wrong | 8.5662 | 5.4734 | 11.6590 |
| | Wrong OR Very wrong | 91.4338 | 88.3410 | 94.5266 |
| 11 | Not wrong at all OR A little bit wrong | 9.6550 | 8.1143 | 11.1957 |
| | Wrong OR Very wrong | 90.3450 | 88.8043 | 91.8857 |
| 12 | Not wrong at all OR A little bit wrong | 14.0772 | 7.4714 | 20.6830 |
| | Wrong OR Very wrong | 85.9228 | 79.3170 | 92.5286 |

| | Percent | 95% Confidence Limits for Percent | |
|---|----------------|--|---------|
| Not wrong at all OR A little bit wrong | 9.9472 | 8.4358 | 11.4585 |
| Wrong OR Very wrong | 90.0528 | 88.5415 | 91.5642 |

PERCEIVED RISK OF USE

Alcohol

How Much People Risk Harming Themselves If They Take One or Two Drinks of an Alcoholic Beverage Nearly Every Day (SF-52)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-------|-----------------------------|---------|--------------------------------------|---------|
| 9 | No risk OR Slight risk | 30.3312 | 28.5133 | 32.1492 |
| | Moderate risk OR Great risk | 69.6688 | 67.8508 | 71.4867 |
| 10 | No risk OR Slight risk | 32.6878 | 27.2822 | 38.0933 |
| | Moderate risk OR Great risk | 67.3122 | 61.9067 | 72.7178 |
| 11 | No risk OR Slight risk | 31.3970 | 29.1355 | 33.6584 |
| | Moderate risk OR Great risk | 68.6030 | 66.3416 | 70.8645 |
| 12 | No risk OR Slight risk | 31.9391 | 24.9086 | 38.9695 |
| | Moderate risk OR Great risk | 68.0609 | 61.0305 | 75.0914 |

| | Percent | 95% Confidence Limits for Percent | |
|-----------------------------|---------|--------------------------------------|---------|
| No risk OR Slight risk | 31.7900 | 29.8179 | 33.7620 |
| Moderate risk OR Great risk | 68.2100 | 66.2380 | 70.1821 |

Cigarettes

How Much People Risk Harming Themselves If They Smoke One or More Packs of Cigarettes per Day (SF-49)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|------------------------------------|----------------|--|---------|
| 9 | No risk OR Slight risk | 14.8039 | 13.5137 | 16.0941 |
| | Moderate risk OR Great risk | 85.1961 | 83.9059 | 86.4863 |
| 10 | No risk OR Slight risk | 12.5147 | 9.8240 | 15.2053 |
| | Moderate risk OR Great risk | 87.4853 | 84.7947 | 90.1760 |
| 11 | No risk OR Slight risk | 14.1082 | 12.3677 | 15.8487 |
| | Moderate risk OR Great risk | 85.8918 | 84.1513 | 87.6323 |
| 12 | No risk OR Slight risk | 23.4871 | 15.8076 | 31.1667 |
| | Moderate risk OR Great risk | 76.5129 | 68.8333 | 84.1924 |

| | Percent | 95% Confidence Limits for Percent | |
|------------------------------------|----------------|--|---------|
| No risk OR Slight risk | 15.9641 | 14.2374 | 17.6907 |
| Moderate risk OR Great risk | 84.0359 | 82.3093 | 85.7626 |

Marijuana

How Much People Risk Harming Themselves If They Try Marijuana Once or Twice (SF-50)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|------------------------------------|----------------|--|---------|
| 9 | No risk OR Slight risk | 47.1132 | 45.1663 | 49.0601 |
| | Moderate risk OR Great risk | 52.8868 | 50.9399 | 54.8337 |
| 10 | No risk OR Slight risk | 59.4110 | 54.1985 | 64.6235 |
| | Moderate risk OR Great risk | 40.5890 | 35.3765 | 45.8015 |
| 11 | No risk OR Slight risk | 55.1058 | 52.7278 | 57.4838 |
| | Moderate risk OR Great risk | 44.8942 | 42.5162 | 47.2722 |
| 12 | No risk OR Slight risk | 59.5056 | 52.2573 | 66.7538 |
| | Moderate risk OR Great risk | 40.4944 | 33.2462 | 47.7427 |

| | Percent | 95% Confidence Limits for Percent | |
|------------------------------------|----------------|--|---------|
| No risk OR Slight risk | 54.5321 | 52.5016 | 56.5626 |
| Moderate risk OR Great risk | 45.4679 | 43.4374 | 47.4984 |

How Much People Risk Harming Themselves If They Smoke Marijuana Regularly (SF-51)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-------|-----------------------------|---------|--------------------------------------|---------|
| 9 | No risk OR Slight risk | 28.4406 | 26.6806 | 30.2007 |
| | Moderate risk OR Great risk | 71.5594 | 69.7993 | 73.3194 |
| 10 | No risk OR Slight risk | 35.7996 | 30.1221 | 41.4771 |
| | Moderate risk OR Great risk | 64.2004 | 58.5229 | 69.8779 |
| 11 | No risk OR Slight risk | 35.3359 | 33.0394 | 37.6323 |
| | Moderate risk OR Great risk | 64.6641 | 62.3677 | 66.9606 |
| 12 | No risk OR Slight risk | 47.5275 | 39.7646 | 55.2905 |
| | Moderate risk OR Great risk | 52.4725 | 44.7095 | 60.2354 |

| | Percent | 95% Confidence Limits for Percent | |
|-----------------------------|---------|--------------------------------------|---------|
| No risk OR Slight risk | 35.7349 | 33.5370 | 37.9327 |
| Moderate risk OR Great risk | 64.2651 | 62.0673 | 66.4630 |

HIGH RISK BEHAVIOR

Number of Times Suspended from School in the Past 12 Months (SF-27)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|----------------------------|--------------|----------------|--|---------|
| 0 occasions | 9 | 77.9312 | 76.4165 | 79.4458 |
| | 10 | 75.5909 | 70.2161 | 80.9657 |
| | 11 | 80.9541 | 79.1382 | 82.7700 |
| | 12 | 69.6129 | 61.3155 | 77.9102 |
| 1 or more occasions | 9 | 22.0688 | 20.5542 | 23.5835 |
| | 10 | 24.4091 | 19.0343 | 29.7839 |
| | 11 | 19.0459 | 17.2300 | 20.8618 |
| | 12 | 30.3871 | 22.0898 | 38.6845 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------|----------------|--|---------|
| 0 occasions | 76.5711 | 74.4357 | 78.7064 |
| 1 or more occasions | 23.4289 | 21.2936 | 25.5643 |

Number of Times Carried a Handgun in the Past 12 Months (SF-28)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|----------------------------|-----------|---------|--------------------------------------|---------|
| 0 occasions | 9 | 86.8698 | 85.6526 | 88.0871 |
| | 10 | 84.1015 | 78.6804 | 89.5226 |
| | 11 | 86.6071 | 85.1050 | 88.1092 |
| | 12 | 82.1819 | 75.6381 | 88.7257 |
| 1 or more occasions | 9 | 13.1302 | 11.9129 | 14.3474 |
| | 10 | 15.8985 | 10.4774 | 21.3196 |
| | 11 | 13.3929 | 11.8908 | 14.8950 |
| | 12 | 17.8181 | 11.2743 | 24.3619 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------|---------|--------------------------------------|---------|
| 0 occasions | 85.2259 | 83.4027 | 87.0490 |
| 1 or more occasions | 14.7741 | 12.9510 | 16.5973 |

Number of Times Sold Illegal Drugs in the Past 12 Months (SF-29)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|----------------------------|-----------|---------|--------------------------------------|---------|
| 0 occasions | 9 | 92.0555 | 90.9334 | 93.1776 |
| | 10 | 89.9199 | 85.3242 | 94.5156 |
| | 11 | 88.5810 | 86.9498 | 90.2121 |
| | 12 | 84.6847 | 78.6967 | 90.6726 |
| 1 or more occasions | 9 | 7.9445 | 6.8224 | 9.0666 |
| | 10 | 10.0801 | 5.4844 | 14.6758 |
| | 11 | 11.4190 | 9.7879 | 13.0502 |
| | 12 | 15.3153 | 9.3274 | 21.3033 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------|---------|--------------------------------------|---------|
| 0 occasions | 89.5115 | 87.8954 | 91.1276 |
| 1 or more occasions | 10.4885 | 8.8724 | 12.1046 |

Number of Times Stolen or Tried to Steal a Motor Vehicle in the Past 12 Months (SF-30)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|----------------------------|--------------|----------------|--|---------|
| 0 occasions | 9 | 96.6432 | 95.9631 | 97.3234 |
| | 10 | 94.9002 | 90.2463 | 99.5540 |
| | 11 | 97.2690 | 96.4699 | 98.0680 |
| | 12 | 95.7814 | 91.2771 | 100.000 |
| 1 or more occasions | 9 | 3.3568 | 2.6766 | 4.0369 |
| | 10 | 5.0998 | 0.4460 | 9.7537 |
| | 11 | 2.7310 | 1.9320 | 3.5301 |
| | 12 | 4.2186 | 0.0000 | 8.7229 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------|----------------|--|---------|
| 0 occasions | 96.2505 | 94.8689 | 97.6321 |
| 1 or more occasions | 3.7495 | 2.3679 | 5.1311 |

Number of Times Been Arrested in the Past 12 Months (SF-31)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|----------------------------|-----------|---------|--------------------------------------|---------|
| 0 occasions | 9 | 93.7182 | 92.7498 | 94.6866 |
| | 10 | 92.9305 | 90.5829 | 95.2782 |
| | 11 | 92.1292 | 90.7311 | 93.5273 |
| | 12 | 82.0090 | 73.7615 | 90.2565 |
| 1 or more occasions | 9 | 6.2818 | 5.3134 | 7.2502 |
| | 10 | 7.0695 | 4.7218 | 9.4171 |
| | 11 | 7.8708 | 6.4727 | 9.2689 |
| | 12 | 17.9910 | 9.7435 | 26.2385 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------|---------|--------------------------------------|---------|
| 0 occasions | 91.1016 | 89.3317 | 92.8714 |
| 1 or more occasions | 8.8984 | 7.1286 | 10.6683 |

**Number of Times Attacked Someone with the Idea of Seriously Hurting Them
in the Past 12 Months (SF-32)**

| | Grade | Percent | 95% Confidence Limits for Percent | |
|----------------------------|--------------|----------------|--|---------|
| 0 occasions | 9 | 80.1479 | 78.7387 | 81.5572 |
| | 10 | 81.3184 | 76.4943 | 86.1424 |
| | 11 | 82.2655 | 80.5406 | 83.9905 |
| | 12 | 80.7116 | 74.7679 | 86.6552 |
| 1 or more occasions | 9 | 19.8521 | 18.4428 | 21.2613 |
| | 10 | 18.6816 | 13.8576 | 23.5057 |
| | 11 | 17.7345 | 16.0095 | 19.4594 |
| | 12 | 19.2884 | 13.3448 | 25.2321 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------|----------------|--|---------|
| 0 occasions | 81.2887 | 79.6165 | 82.9609 |
| 1 or more occasions | 18.7113 | 17.0391 | 20.3835 |

Number of Times Been Drunk or High at School in the Past 12 Months (SF-33)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|----------------------------|--------------|----------------|--|---------|
| 0 occasions | 9 | 83.0349 | 81.6012 | 84.4686 |
| | 10 | 78.0604 | 72.7699 | 83.3510 |
| | 11 | 77.7842 | 75.7308 | 79.8377 |
| | 12 | 70.0179 | 61.9877 | 78.0480 |
| 1 or more occasions | 9 | 16.9651 | 15.5314 | 18.3988 |
| | 10 | 21.9396 | 16.6490 | 27.2301 |
| | 11 | 22.2158 | 20.1623 | 24.2692 |
| | 12 | 29.9821 | 21.9520 | 38.0123 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------|----------------|--|---------|
| 0 occasions | 78.3681 | 76.2836 | 80.4525 |
| 1 or more occasions | 21.6319 | 19.5475 | 23.7164 |

Number of Times Taken a Handgun to School in the Past 12 Months (SF-35)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|----------------------------|--------------|----------------|--|---------|
| 0 occasions | 9 | 98.8392 | 98.5113 | 99.1672 |
| | 10 | 96.9258 | 92.5575 | 100.000 |
| | 11 | 98.2847 | 97.6363 | 98.9331 |
| | 12 | 96.7820 | 94.0851 | 99.4790 |
| 1 or more occasions | 9 | 1.1608 | 0.8328 | 1.4887 |
| | 10 | 3.0742 | 0.0000 | 7.4425 |
| | 11 | 1.7153 | 1.0669 | 2.3637 |
| | 12 | 3.2180 | 0.5210 | 5.9149 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------|----------------|--|---------|
| 0 occasions | 97.7789 | 96.6389 | 98.9189 |
| 1 or more occasions | 2.2211 | 1.0811 | 3.3611 |

Have Ever Belonged to a Gang (SF-36)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|------------|--------------|----------------|--|---------|
| Yes | 9 | 8.7775 | 7.7340 | 9.8211 |
| | 10 | 8.0844 | 5.6408 | 10.5280 |
| | 11 | 8.3132 | 7.1163 | 9.5100 |
| | 12 | 10.5818 | 4.8845 | 16.2791 |

| | Percent | 95% Confidence Limits for Percent | |
|------------|----------------|--|--------|
| Yes | 8.7050 | 7.4427 | 9.9673 |

If Have Ever Belonged to a Gang, Did That Gang Have a Name (SF-37)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|-----|-------|---------|--------------------------------------|---------|
| Yes | 9 | 9.5161 | 8.4404 | 10.5917 |
| | 10 | 10.5974 | 5.7154 | 15.4793 |
| | 11 | 9.0464 | 7.7163 | 10.3766 |
| | 12 | 10.8930 | 5.0512 | 16.7348 |

| | Percent | 95% Confidence Limits for Percent | |
|-----|---------|--------------------------------------|---------|
| Yes | 9.8344 | 8.1861 | 11.4827 |

Number of Times in the Past 30 Days Rode in a Vehicle Driven by Someone Who Had Been Drinking Alcohol (SF-15)

| | Grade | Percent | 95% Confidence Limits for Percent | |
|----------------------------|-------|---------|--------------------------------------|---------|
| 0 occasions | 9 | 79.9848 | 77.7580 | 82.2115 |
| | 10 | 74.9849 | 67.0137 | 82.9561 |
| | 11 | 81.7211 | 79.2964 | 84.1458 |
| | 12 | 71.3294 | 60.7243 | 81.9345 |
| 1 or more occasions | 9 | 20.0152 | 17.7885 | 22.2420 |
| | 10 | 25.0151 | 17.0439 | 32.9863 |
| | 11 | 18.2789 | 15.8542 | 20.7036 |
| | 12 | 28.6706 | 18.0655 | 39.2757 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------|---------|--------------------------------------|---------|
| 0 occasions | 77.4159 | 74.2845 | 80.5474 |
| 1 or more occasions | 22.5841 | 19.4526 | 25.7155 |

**Number of Times Drove a Vehicle After Drinking Alcohol in the Past 30 Days
(SF-14)**

| | Grade | Percent | 95% Confidence Limits for Percent | |
|----------------------------|--------------|----------------|--|---------|
| 0 occasions | 9 | 95.9340 | 94.8391 | 97.0289 |
| | 10 | 96.4266 | 94.0884 | 98.7649 |
| | 11 | 93.4492 | 91.8992 | 94.9992 |
| | 12 | 93.0326 | 89.1778 | 96.8875 |
| 1 or more occasions | 9 | 4.0660 | 2.9711 | 5.1609 |
| | 10 | 3.5734 | 1.2351 | 5.9116 |
| | 11 | 6.5508 | 5.0008 | 8.1008 |
| | 12 | 6.9674 | 3.1125 | 10.8222 |

| | Percent | 95% Confidence Limits for Percent | |
|----------------------------|----------------|--|---------|
| 0 occasions | 94.8163 | 93.7251 | 95.9074 |
| 1 or more occasions | 5.1837 | 4.0926 | 6.2749 |

FAMILY FACTORS

Parental Disapproval of Substance Use

How Wrong Your Parents Would Feel It Would Be for You to Drink Alcohol Regularly (SF-57)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|---|----------------|--|---------|
| 9 | Not wrong at all OR A little bit wrong | 15.4229 | 13.9257 | 16.9200 |
| | Wrong OR Very wrong | 84.5771 | 83.0800 | 86.0743 |
| 10 | Not wrong at all OR A little bit wrong | 19.2919 | 13.8633 | 24.7204 |
| | Wrong OR Very wrong | 80.7081 | 75.2796 | 86.1367 |
| 11 | Not wrong at all OR A little bit wrong | 20.5591 | 18.6191 | 22.4992 |
| | Wrong OR Very wrong | 79.4409 | 77.5008 | 81.3809 |
| 12 | Not wrong at all OR A little bit wrong | 33.3614 | 26.0344 | 40.6883 |
| | Wrong OR Very wrong | 66.6386 | 59.3117 | 73.9656 |

| | Percent | 95% Confidence Limits for Percent | |
|---|----------------|--|---------|
| Not wrong at all OR A little bit wrong | 21.2224 | 19.2219 | 23.2229 |
| Wrong OR Very wrong | 78.7776 | 76.7771 | 80.7781 |

How Wrong Your Parents Would Feel It Would Be for You to Smoke Cigarettes (SF-58)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|--------------|---|----------------|--|---------|
| 9 | Not wrong at all OR A little bit wrong | 9.3001 | 8.1476 | 10.4526 |
| | Wrong OR Very wrong | 90.6999 | 89.5474 | 91.8524 |
| 10 | Not wrong at all OR A little bit wrong | 11.3161 | 6.6963 | 15.9358 |
| | Wrong OR Very wrong | 88.6839 | 84.0642 | 93.3037 |
| 11 | Not wrong at all OR A little bit wrong | 14.0431 | 12.4170 | 15.6692 |
| | Wrong OR Very wrong | 85.9569 | 84.3308 | 87.5830 |
| 12 | Not wrong at all OR A little bit wrong | 29.8029 | 22.7863 | 36.8196 |
| | Wrong OR Very wrong | 70.1971 | 63.1804 | 77.2137 |

| | Percent | 95% Confidence Limits for Percent | |
|---|----------------|--|---------|
| Not wrong at all OR A little bit wrong | 14.4824 | 12.6946 | 16.2703 |
| Wrong OR Very wrong | 85.5176 | 83.7297 | 87.3054 |

How Wrong Your Parents Would Feel It Would Be for You to Smoke Marijuana (SF-59)

| Grade | | Percent | 95% Confidence Limits for Percent | |
|-------|--|---------|--------------------------------------|---------|
| 9 | Not wrong at all OR A little bit wrong | 9.8536 | 8.7200 | 10.9873 |
| | Wrong OR Very wrong | 90.1464 | 89.0127 | 91.2800 |
| 10 | Not wrong at all OR A little bit wrong | 10.1342 | 7.6356 | 12.6329 |
| | Wrong OR Very wrong | 89.8658 | 87.3671 | 92.3644 |
| 11 | Not wrong at all OR A little bit wrong | 12.9969 | 11.4323 | 14.5615 |
| | Wrong OR Very wrong | 87.0031 | 85.4385 | 88.5677 |
| 12 | Not wrong at all OR A little bit wrong | 23.7181 | 17.0412 | 30.3949 |
| | Wrong OR Very wrong | 76.2819 | 69.6051 | 82.9588 |

| | Percent | 95% Confidence Limits for Percent | |
|--|---------|--------------------------------------|---------|
| Not wrong at all OR A little bit wrong | 13.3457 | 11.8585 | 14.8330 |
| Wrong OR Very wrong | 86.6543 | 85.1670 | 88.1415 |

End of Report