

South Carolina Communities That Care (SC CTC) Survey



Statewide Sample

2020 Results

Table of Contents

INTRODUCTION.....	iii
DEMOGRAPHICS	1
SUBSTANCE USE	17
ACCESS.....	56
DISAPPROVAL OF USE	74
RISK OF HARM.....	82
RISK BEHAVIORS.....	88
PARENTAL DISAPPROVAL.....	98
PEER DISAPPROVAL	105
APPENDIX A – SURVEY INSTRUMENT.....	112

INTRODUCTION

This report presents results of the South Carolina Communities That Care (SC CTC) Survey for the Statewide Sample. The SC CTC Survey was sponsored by the South Carolina Department of Alcohol and Other Drug Abuse Services (DAODAS). The survey was managed, distributed, and processed by System Wide Solutions, Inc. (SWS). SWS collaborated with DAODAS, the county prevention agencies, and school districts, to administer the survey in 32 counties in South Carolina in February and March 2020. Two counties with very small numbers of participants were dropped from the analyses (participation was low because survey administration in these counties ended early in response to the pandemic threat). This report was prepared by the Pacific Institute for Research and Evaluation (PIRE).

Survey Content

The 2020 CTC survey contains 89 items which comprise a number of domains, including student demographics, current and lifetime use of various substances, access to and sources of substances, disapproval of use, risk perceptions, risk behaviors, and perceived peer and parental attitudes. Most domains include multiple items that measure different aspects of the domain. The focus of most of the substance use-related items is on tobacco, alcohol, and marijuana, although items about other drugs and risk behaviors are included as well. This report provides frequencies and prevalence estimates for each item in the survey.

Notes about Data Included in This Report

The results contained in this report are based on weighted data. The purpose of weighting the data was to better represent the larger student population in each county from which the student survey samples were drawn. We weighted the data according to characteristics that are known to be associated with substance use. For example, substance use is known to vary by grade and race/ethnicity. For this reason, we weighted the survey data by grade level and race/ethnicity (white, non-white) so that the students who were surveyed would better reflect the county's student population and the survey results would be more accurate. Students' self-reported race/ethnicity was coded into two categories, white and "other." The "other" category includes students who self-identified as something other than white, as well as those who indicated multiple races/ethnicities. The number of race/ethnicity categories was limited to two because the number of surveys was not sufficient for examining a larger number of categories.

Although the weighting methods were designed to help improve the accuracy of the results, they nonetheless have some limitations. To preserve as much survey data as possible, we used a liberal threshold for acceptable weights. As such, the resulting estimates may be, in some cases, heavily influenced by the responses of a small number of students. This may be particularly true with respect to the results that are broken out by grade level. This should be kept in mind when interpreting these results. The table below indicates the number of students surveyed in each grade-race/ethnicity category.

Data used in analysis:

6 th / white	6 th / other	7 th / white	7 th / other	8 th / white	8 th / other	9 th / white	9 th / other
1,290	1,625	2,407	3,244	1,343	1,840	4,381	4,585

10 th / white	10 th / other	11 th / white	11 th / other	12 th / white	12 th / other	Total*
2,581	2,847	3,356	2,991	1,398	1,674	36,275

*Note that the total number of students may exceed the sum of the grade-race/ethnicity cells. This is due to students who did not report a race/ethnicity.

Because the results in this report are based on weighted data, they may differ somewhat from results that are obtained from the raw data file which was distributed by DAODAS. An additional reason there may be differences between these results and those obtained from the raw data file is due to cleaning procedures (e.g., omission of surveys that had multiple instances of logically inconsistent answers, such as reporting no lifetime alcohol use but at the same time reporting past 30 day alcohol use) that were applied to the data to help enhance the validity of the data included in the report.

Presenting Results by Grade and Overall

In the report, the results are displayed by grade and for all grades combined. For each survey item, these are shown as separate tables. For each set of tables in the report, reference is made to the associated survey item number in the table header.

Coding of Response Categories

The items in the survey offered multiple response options to respondents. To allow for ease of interpretation, we recoded most items. Most often, items were coded into two response categories. For example, in the case of substance use questions, frequency-of-use response options were collapsed into use vs. no use. For each item, the categories that were used in the analysis are noted in the tables in the report.

Empty Cells in the Tables

Note that some tables may contain empty cells. These instances can be interpreted as 0%. The computer program used to analyze the data generates an empty cell by default whenever the estimate is 0%. Estimates of 0% are most likely to be generated when the number of students surveyed is small and/or when the question pertains to a rare behavior such as lifetime heroin use.

Comparing County Results to the Combined Results for the 30 Counties

Interpretation of county results may be enhanced by comparing them to these combined results for the 30 counties that took part in the SC CTC survey. The combined results for the 30 counties should not be interpreted as estimates for the entire state population but rather as estimates for only the counties that participated in the survey.

Inclusion of Confidence Intervals in the Tables

The percentages presented in the tables in the report are accompanied by 95% confidence intervals (referred to in the tables as Lower and Upper 95% CL). In comparing individual county results to the combined results for all 30 counties that participated in the survey, differences in behaviors (attitudes, etc.) between the two groups can be considered statistically significant if the confidence intervals for the county and the 30 counties combined (as represented in the tables) do not overlap.

Confidence intervals are taken into account because the survey results are drawn from a sample of students in the county and, as such, they can be interpreted as estimates of the true values (of the behaviors, attitudes, etc.) in the population. The 95% confidence interval indicates that the true prevalence of the behavior is 95% likely to fall within the stated confidence limits presented in the table. As noted, confidence intervals help in assessing whether results are statistically significantly different from each other (e.g., whether a county's prevalence of alcohol use is statistically significantly higher or lower than the prevalence of alcohol use for all 30 counties combined).

DEMOGRAPHICS
Age (Q1)

<i>Grade</i>	<i>Age</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	11	1111	37.4	35.6	39.1
	12	1684	56.1	54.3	57.9
	13	183	6.1	5.2	6.9
	14	6	0.2	0.0	0.4
	15	2	0.1	0.0	0.2
	16	2	0.1	0.0	0.2
	17	0	.	.	.
	18	0	.	.	.
	19 or older	4	0.1	0.0	0.2
	Total		2992	100.0	.
7th	11	13	0.2	0.1	0.4
	12	2177	37.5	36.3	38.8
	13	3360	57.9	56.6	59.2
	14	245	4.2	3.7	4.7
	15	7	0.1	0.0	0.2
	16	3	0.0	0.0	0.1
	17	0	.	.	.
	18	0	.	.	.
	19 or older	0	.	.	.
	Total		5805	100.0	.
8th	11	2	0.1	0.0	0.2
	12	7	0.2	0.0	0.3
	13	1287	39.4	37.7	41.1
	14	1770	54.4	52.7	56.2
	15	191	5.7	4.9	6.5
	16	5	0.2	0.0	0.3
	17	2	0.1	0.0	0.1
	18	0	.	.	.
	19 or older	1	0.0	0.0	0.1
	Total		3265	100.0	.
9th	11	7	0.1	0.0	0.1
	12	1	0.0	0.0	0.0
	13	21	0.2	0.1	0.3
	14	3696	40.8	39.8	41.8
	15	4830	53.2	52.2	54.3
	16	478	5.2	4.7	5.7
	17	25	0.3	0.2	0.4
	18	5	0.1	0.0	0.1

DEMOGRAPHICS
Age (Q1)

<i>Grade</i>	<i>Age</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	19 or older	9	0.1	0.0	0.2
	Total	9072	100.0	.	.
10th	11	2	0.0	0.0	0.1
	12	1	0.0	0.0	0.1
	13	0	.	.	.
	14	9	0.2	0.1	0.3
	15	2263	41.1	39.8	42.4
	16	2962	53.8	52.4	55.1
	17	263	4.7	4.1	5.2
	18	12	0.2	0.1	0.3
	19 or older	2	0.0	0.0	0.1
	Total	5514	100.0	.	.
11th	11	6	0.1	0.0	0.2
	12	1	0.0	0.0	0.0
	13	1	0.0	0.0	0.0
	14	0	.	.	.
	15	20	0.3	0.2	0.4
	16	2861	44.5	43.3	45.7
	17	3283	50.9	49.7	52.2
	18	250	3.8	3.4	4.3
	19 or older	18	0.3	0.1	0.4
	Total	6440	100.0	.	.
12th	11	13	0.4	0.2	0.6
	12	4	0.1	0.0	0.2
	13	3	0.1	0.0	0.2
	14	0	.	.	.
	15	3	0.1	0.0	0.2
	16	48	1.5	1.0	1.9
	17	1295	41.8	40.0	43.6
	18	1587	51.4	49.6	53.1
	19 or older	152	4.7	4.0	5.5
	Total	3105	100.0	.	.
Total	11	1154	6.0	5.7	6.3
	12	3875	14.8	14.4	15.3
	13	4855	16.1	15.7	16.6
	14	5726	15.3	14.8	15.7
	15	7316	14.8	14.5	15.1
	16	6359	13.9	13.6	14.2

DEMOGRAPHICS
Age (Q1)

<i>Grade</i>	<i>Age</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
	17	4868	11.9	11.5 12.2
	18	1854	6.6	6.3 6.9
	19 or older	186	0.6	0.5 0.7
	Total	36193	100.0	. .

DEMOGRAPHICS
Gender (Q3)

<i>Grade</i>	<i>Gender</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Female	1434	48.2	46.4	50.0
	Male	1538	51.8	50.0	53.6
	Total	2972	100.0	.	.
7th	Female	2772	47.9	46.6	49.2
	Male	2987	52.1	50.8	53.4
	Total	5759	100.0	.	.
8th	Female	1609	50.0	48.3	51.8
	Male	1613	50.0	48.2	51.7
	Total	3222	100.0	.	.
9th	Female	4606	51.3	50.2	52.3
	Male	4373	48.7	47.7	49.8
	Total	8979	100.0	.	.
10th	Female	2884	53.2	51.9	54.5
	Male	2527	46.8	45.5	48.1
	Total	5411	100.0	.	.
11th	Female	3316	52.5	51.3	53.8
	Male	2996	47.5	46.2	48.7
	Total	6312	100.0	.	.
12th	Female	1608	52.9	51.1	54.7
	Male	1423	47.1	45.3	48.9
	Total	3031	100.0	.	.
Total	Female	18229	50.7	50.1	51.2
	Male	17457	49.3	48.8	49.9
	Total	35686	100.0	.	.

DEMOGRAPHICS
Race (Q5)

<i>Grade</i>	<i>Race</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	White	1290	50.3	48.4	52.1
	Other	1625	49.7	47.9	51.6
	Total	2915	100.0	.	.
7th	White	2407	51.1	49.8	52.4
	Other	3244	48.9	47.6	50.2
	Total	5651	100.0	.	.
8th	White	1343	52.0	50.3	53.8
	Other	1840	48.0	46.2	49.7
	Total	3183	100.0	.	.
9th	White	4381	51.4	50.4	52.5
	Other	4585	48.6	47.5	49.6
	Total	8966	100.0	.	.
10th	White	2581	54.3	53.0	55.6
	Other	2847	45.7	44.4	47.0
	Total	5428	100.0	.	.
11th	White	3356	55.5	54.2	56.7
	Other	2991	44.5	43.3	45.8
	Total	6347	100.0	.	.
12th	White	1398	54.9	53.1	56.6
	Other	1674	45.1	43.4	46.9
	Total	3072	100.0	.	.
Total	White	16756	52.6	52.0	53.2
	Other	18806	47.4	46.8	48.0
	Total	35562	100.0	.	.

DEMOGRAPHICS
Language used most often at home (Q4)

<i>Grade</i>	<i>Language at home</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	English	2721	91.6	90.7	92.6
	Spanish	212	6.4	5.6	7.3
	Other	61	2.0	1.5	2.4
	Total	2994	100.0	.	.
7th	English	5168	90.5	89.8	91.2
	Spanish	499	7.4	6.7	8.0
	Other	130	2.1	1.8	2.5
	Total	5797	100.0	.	.
8th	English	2988	93.0	92.2	93.8
	Spanish	208	5.4	4.7	6.1
	Other	57	1.6	1.2	2.1
	Total	3253	100.0	.	.
9th	English	8284	91.6	91.0	92.1
	Spanish	597	6.3	5.8	6.7
	Other	200	2.2	1.9	2.5
	Total	9081	100.0	.	.
10th	English	5154	94.1	93.5	94.7
	Spanish	261	4.1	3.6	4.6
	Other	101	1.8	1.4	2.2
	Total	5516	100.0	.	.
11th	English	5962	92.9	92.3	93.5
	Spanish	369	5.4	4.9	6.0
	Other	108	1.6	1.3	2.0
	Total	6439	100.0	.	.
12th	English	2904	94.6	93.8	95.3
	Spanish	130	3.5	2.9	4.1
	Other	64	1.9	1.4	2.4
	Total	3098	100.0	.	.
Total	English	33181	92.5	92.2	92.8
	Spanish	2276	5.6	5.4	5.8
	Other	721	1.9	1.8	2.1
	Total	36178	100.0	.	.

DEMOGRAPHICS
School grades in past year (Q6)

<i>Grade</i>	<i>School grades</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Mostly As	1169	40.9	39.1	42.7
	Mostly Bs	1067	36.0	34.3	37.8
	Mostly Cs	512	17.0	15.6	18.3
	Mostly Ds	130	4.3	3.6	5.0
	Mostly Fs	57	1.9	1.4	2.4
	Total	2935	100.0	.	.
7th	Mostly As	1912	34.6	33.4	35.9
	Mostly Bs	2394	41.5	40.2	42.8
	Mostly Cs	1126	18.9	17.9	19.9
	Mostly Ds	236	4.0	3.5	4.5
	Mostly Fs	60	1.0	0.7	1.3
	Total	5728	100.0	.	.
8th	Mostly As	926	31.0	29.3	32.7
	Mostly Bs	1324	40.2	38.4	41.9
	Mostly Cs	737	22.0	20.5	23.4
	Mostly Ds	194	5.9	5.0	6.7
	Mostly Fs	32	1.0	0.6	1.4
	Total	3213	100.0	.	.
9th	Mostly As	3357	37.8	36.8	38.8
	Mostly Bs	3426	38.0	37.0	39.0
	Mostly Cs	1718	18.9	18.1	19.7
	Mostly Ds	389	4.3	3.9	4.7
	Mostly Fs	95	1.0	0.8	1.3
	Total	8985	100.0	.	.
10th	Mostly As	1985	37.4	36.1	38.7
	Mostly Bs	2034	36.9	35.6	38.2
	Mostly Cs	1117	19.8	18.8	20.9
	Mostly Ds	279	5.0	4.5	5.6
	Mostly Fs	49	0.9	0.6	1.1
	Total	5464	100.0	.	.
11th	Mostly As	2397	37.8	36.6	39.0
	Mostly Bs	2413	37.5	36.4	38.7
	Mostly Cs	1342	20.8	19.8	21.8
	Mostly Ds	219	3.4	3.0	3.8
	Mostly Fs	30	0.5	0.3	0.6
	Total	6401	100.0	.	.
12th	Mostly As	1261	43.4	41.6	45.2
	Mostly Bs	1112	35.2	33.5	36.9

DEMOGRAPHICS
School grades in past year (Q6)

<i>Grade</i>	<i>School grades</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Mostly Cs	550	17.0	15.6	18.3
	Mostly Ds	114	3.7	3.0	4.4
	Mostly Fs	23	0.7	0.4	1.0
	Total	3060	100.0	.	.
Total	Mostly As	13007	37.4	36.8	37.9
	Mostly Bs	13770	38.0	37.5	38.6
	Mostly Cs	7102	19.2	18.7	19.6
	Mostly Ds	1561	4.4	4.2	4.6
	Mostly Fs	346	1.0	0.9	1.1
	Total	35786	100.0	.	.

DEMOGRAPHICS
Current school program (Q7)

<i>Grade</i>	<i>School program</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Advanced placement or honors	724	25.4	23.8	27.0
	College prep	256	8.5	7.5	9.6
	General	671	23.2	21.7	24.8
	Vocational, technical, or commercial	69	2.3	1.8	2.8
	Other or don't know	1186	40.6	38.8	42.4
	Total	2906	100.0	.	.
7th	Advanced placement or honors	1693	30.4	29.2	31.6
	College prep	465	7.8	7.1	8.5
	General	1382	24.7	23.5	25.8
	Vocational, technical, or commercial	103	1.7	1.4	2.1
	Other or don't know	2057	35.4	34.1	36.6
	Total	5700	100.0	.	.
8th	Advanced placement or honors	1000	32.6	30.9	34.3
	College prep	294	9.3	8.3	10.3
	General	858	26.3	24.8	27.9
	Vocational, technical, or commercial	54	1.6	1.1	2.0
	Other or don't know	1010	30.2	28.6	31.8
	Total	3216	100.0	.	.
9th	Advanced placement or honors	3550	40.0	39.0	41.0
	College prep	1235	13.6	12.9	14.3
	General	2009	22.4	21.5	23.2
	Vocational, technical, or commercial	173	1.9	1.6	2.2
	Other or don't know	2016	22.1	21.3	23.0
	Total	8983	100.0	.	.
10th	Advanced placement or honors	2140	40.2	38.9	41.5
	College prep	1012	18.2	17.2	19.2
	General	1173	21.5	20.4	22.6
	Vocational, technical, or commercial	122	2.2	1.8	2.5
	Other or don't know	1014	17.9	16.9	18.9
	Total	5461	100.0	.	.
11th	Advanced placement or honors	2606	41.1	39.9	42.3
	College prep	1285	20.0	19.0	21.0
	General	1479	23.1	22.1	24.2
	Vocational, technical, or commercial	186	2.9	2.5	3.3
	Other or don't know	840	12.9	12.0	13.7
	Total	6396	100.0	.	.
12th	Advanced placement or honors	1171	39.9	38.1	41.6
	College prep	713	22.9	21.4	24.4

DEMOGRAPHICS
Current school program (Q7)

<i>Grade</i>	<i>School program</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	General	673	21.8	20.3	23.3
	Vocational, technical, or commercial	120	3.7	3.0	4.3
	Other or don't know	387	11.8	10.7	12.9
	Total	3064	100.0	.	.
Total	Advanced placement or honors	12884	35.2	34.7	35.8
	College prep	5260	13.8	13.4	14.2
	General	8245	23.4	22.9	23.9
	Vocational, technical, or commercial	827	2.2	2.1	2.4
	Other or don't know	8510	25.4	24.9	25.9
	Total	35726	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Technical or vocational school (Q8)

<i>Grade</i>	<i>Tech or vocational school</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	2652	92.4	91.4	93.3
	Yes	222	7.6	6.7	8.6
	Total	2874	100.0	.	.
7th	No	5197	92.6	92.0	93.3
	Yes	432	7.4	6.7	8.0
	Total	5629	100.0	.	.
8th	No	2977	93.0	92.1	93.9
	Yes	227	7.0	6.1	7.9
	Total	3204	100.0	.	.
9th	No	8234	92.4	91.8	92.9
	Yes	674	7.6	7.1	8.2
	Total	8908	100.0	.	.
10th	No	4819	88.6	87.7	89.5
	Yes	614	11.4	10.5	12.3
	Total	5433	100.0	.	.
11th	No	5359	84.0	83.1	84.9
	Yes	1020	16.0	15.1	16.9
	Total	6379	100.0	.	.
12th	No	2418	79.1	77.6	80.6
	Yes	645	20.9	19.4	22.4
	Total	3063	100.0	.	.
Total	No	31656	89.4	89.0	89.7
	Yes	3834	10.6	10.3	11.0
	Total	35490	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Armed forces (Q8)

<i>Grade</i>	<i>Armed forces</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	2492	86.8	85.5	88.0
	Yes	382	13.2	12.0	14.5
	Total	2874	100.0	.	.
7th	No	4874	86.7	85.8	87.6
	Yes	755	13.3	12.4	14.2
	Total	5629	100.0	.	.
8th	No	2810	88.0	86.9	89.1
	Yes	394	12.0	10.9	13.1
	Total	3204	100.0	.	.
9th	No	7844	88.1	87.5	88.8
	Yes	1064	11.9	11.2	12.5
	Total	8908	100.0	.	.
10th	No	4770	88.1	87.2	89.0
	Yes	663	11.9	11.0	12.8
	Total	5433	100.0	.	.
11th	No	5663	88.9	88.1	89.7
	Yes	716	11.1	10.3	11.9
	Total	6379	100.0	.	.
12th	No	2696	88.7	87.6	89.8
	Yes	367	11.3	10.2	12.4
	Total	3063	100.0	.	.
Total	No	31149	87.8	87.5	88.2
	Yes	4341	12.2	11.8	12.5
	Total	35490	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Two-year college (Q8)

<i>Grade</i>	<i>Two-year college</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	2185	76.4	74.9	78.0
	Yes	689	23.6	22.0	25.1
	Total	2874	100.0	.	.
7th	No	4336	77.9	76.8	78.9
	Yes	1293	22.1	21.1	23.2
	Total	5629	100.0	.	.
8th	No	2505	78.8	77.3	80.2
	Yes	699	21.2	19.8	22.7
	Total	3204	100.0	.	.
9th	No	7165	80.7	79.9	81.5
	Yes	1743	19.3	18.5	20.1
	Total	8908	100.0	.	.
10th	No	4339	80.1	79.0	81.1
	Yes	1094	19.9	18.9	21.0
	Total	5433	100.0	.	.
11th	No	5004	78.5	77.5	79.5
	Yes	1375	21.5	20.5	22.5
	Total	6379	100.0	.	.
12th	No	2472	81.0	79.6	82.4
	Yes	591	19.0	17.6	20.4
	Total	3063	100.0	.	.
Total	No	28006	79.0	78.5	79.4
	Yes	7484	21.0	20.6	21.5
	Total	35490	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Four-year college (Q8)

<i>Grade</i>	<i>Four-year college</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	1512	52.1	50.3	54.0
	Yes	1362	47.9	46.0	49.7
	Total	2874	100.0	.	.
7th	No	2655	46.0	44.7	47.3
	Yes	2974	54.0	52.7	55.3
	Total	5629	100.0	.	.
8th	No	1311	40.2	38.5	41.9
	Yes	1893	59.8	58.1	61.5
	Total	3204	100.0	.	.
9th	No	3266	36.4	35.4	37.4
	Yes	5642	63.6	62.6	64.6
	Total	8908	100.0	.	.
10th	No	2116	38.8	37.5	40.1
	Yes	3317	61.2	59.9	62.5
	Total	5433	100.0	.	.
11th	No	2504	39.2	38.0	40.4
	Yes	3875	60.8	59.6	62.0
	Total	6379	100.0	.	.
12th	No	1426	46.0	44.3	47.8
	Yes	1637	54.0	52.2	55.7
	Total	3063	100.0	.	.
Total	No	14790	42.8	42.2	43.3
	Yes	20700	57.2	56.7	57.8
	Total	35490	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Graduate or professional school (Q8)

<i>Grade</i>	<i>Graduate school</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	2296	80.1	78.7	81.6
	Yes	578	19.9	18.4	21.3
	Total	2874	100.0	.	.
7th	No	4285	75.9	74.7	77.0
	Yes	1344	24.1	23.0	25.3
	Total	5629	100.0	.	.
8th	No	2697	84.2	82.9	85.5
	Yes	507	15.8	14.5	17.1
	Total	3204	100.0	.	.
9th	No	7449	83.5	82.8	84.3
	Yes	1458	16.5	15.7	17.2
	Total	8907	100.0	.	.
10th	No	4665	85.7	84.8	86.7
	Yes	768	14.3	13.3	15.2
	Total	5433	100.0	.	.
11th	No	5461	85.5	84.6	86.4
	Yes	918	14.5	13.6	15.4
	Total	6379	100.0	.	.
12th	No	2703	87.7	86.4	88.9
	Yes	360	12.3	11.1	13.6
	Total	3063	100.0	.	.
Total	No	29556	83.0	82.5	83.4
	Yes	5933	17.0	16.6	17.5
	Total	35489	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: None of the above (Q8)

<i>Grade</i>	<i>No plans</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	2512	87.3	86.1	88.6
	Yes	362	12.7	11.4	13.9
	Total	2874	100.0	.	.
7th	No	5041	89.7	88.9	90.5
	Yes	588	10.3	9.5	11.1
	Total	5629	100.0	.	.
8th	No	2921	91.0	90.0	92.0
	Yes	283	9.0	8.0	10.0
	Total	3204	100.0	.	.
9th	No	8207	92.1	91.6	92.7
	Yes	701	7.9	7.3	8.4
	Total	8908	100.0	.	.
10th	No	4971	91.5	90.8	92.3
	Yes	462	8.5	7.7	9.2
	Total	5433	100.0	.	.
11th	No	5975	93.7	93.1	94.3
	Yes	404	6.3	5.7	6.9
	Total	6379	100.0	.	.
12th	No	2815	92.0	91.0	93.0
	Yes	248	8.0	7.0	9.0
	Total	3063	100.0	.	.
Total	No	32442	90.9	90.6	91.3
	Yes	3048	9.1	8.7	9.4
	Total	35490	100.0	.	.

ALCOHOL USE
Lifetime alcohol use (Q20)

<i>Grade</i>	<i>Lifetime alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	425	14.2	12.9	15.4
	No	2521	85.8	84.6	87.1
	Total	2946	100.0	.	.
7th	Yes	1089	18.7	17.7	19.7
	No	4630	81.3	80.3	82.3
	Total	5719	100.0	.	.
8th	Yes	743	23.3	21.8	24.8
	No	2477	76.7	75.2	78.2
	Total	3220	100.0	.	.
9th	Yes	2377	26.7	25.8	27.7
	No	6548	73.3	72.3	74.2
	Total	8925	100.0	.	.
10th	Yes	1691	31.5	30.3	32.8
	No	3740	68.5	67.2	69.7
	Total	5431	100.0	.	.
11th	Yes	2290	36.3	35.1	37.5
	No	4051	63.7	62.5	64.9
	Total	6341	100.0	.	.
12th	Yes	1167	39.6	37.9	41.4
	No	1863	60.4	58.6	62.1
	Total	3030	100.0	.	.
Total	Yes	9782	26.3	25.8	26.8
	No	25830	73.7	73.2	74.2
	Total	35612	100.0	.	.

ALCOHOL USE
Age of first alcohol use (Q21)

<i>Grade</i>	<i>Age of first alcohol use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	12 or younger	406	13.5	12.3	14.8
	Never have OR 13 or older	2534	86.5	85.2	87.7
	Total	2940	100.0	.	.
7th	12 or younger	952	16.4	15.4	17.4
	Never have OR 13 or older	4748	83.6	82.6	84.6
	Total	5700	100.0	.	.
8th	12 or younger	457	14.3	13.0	15.5
	Never have OR 13 or older	2758	85.7	84.5	87.0
	Total	3215	100.0	.	.
9th	12 or younger	1014	11.4	10.7	12.0
	Never have OR 13 or older	7912	88.6	88.0	89.3
	Total	8926	100.0	.	.
10th	12 or younger	513	9.5	8.7	10.3
	Never have OR 13 or older	4911	90.5	89.7	91.3
	Total	5424	100.0	.	.
11th	12 or younger	510	8.1	7.4	8.7
	Never have OR 13 or older	5833	91.9	91.3	92.6
	Total	6343	100.0	.	.
12th	12 or younger	235	7.8	6.8	8.8
	Never have OR 13 or older	2787	92.2	91.2	93.2
	Total	3022	100.0	.	.
Total	12 or younger	4087	11.9	11.5	12.2
	Never have OR 13 or older	31483	88.1	87.8	88.5
	Total	35570	100.0	.	.

ALCOHOL USE
Age of first regular alcohol use (Q23)

<i>Grade</i>	<i>Age of first regular alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	12 or younger	291	9.4	8.4	10.4
	Never have OR 13 or older	2669	90.6	89.6	91.6
	Total	2960	100.0	.	.
7th	12 or younger	590	9.8	9.1	10.6
	Never have OR 13 or older	5125	90.2	89.4	90.9
	Total	5715	100.0	.	.
8th	12 or younger	391	11.4	10.3	12.5
	Never have OR 13 or older	2830	88.6	87.5	89.7
	Total	3221	100.0	.	.
9th	12 or younger	851	9.4	8.8	10.0
	Never have OR 13 or older	8086	90.6	90.0	91.2
	Total	8937	100.0	.	.
10th	12 or younger	495	8.7	8.0	9.4
	Never have OR 13 or older	4938	91.3	90.6	92.0
	Total	5433	100.0	.	.
11th	12 or younger	513	8.0	7.4	8.7
	Never have OR 13 or older	5795	92.0	91.3	92.6
	Total	6308	100.0	.	.
12th	12 or younger	277	8.6	7.7	9.6
	Never have OR 13 or older	2680	91.4	90.4	92.3
	Total	2957	100.0	.	.
Total	12 or younger	3408	9.4	9.1	9.7
	Never have OR 13 or older	32123	90.6	90.3	90.9
	Total	35531	100.0	.	.

ALCOHOL USE
Current alcohol use (Q24)

<i>Demographic characteristic</i>	<i>Current alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	2118	11.4	10.9	11.9
	No	15780	88.6	88.1	89.1
Male	Yes	1658	9.2	8.8	9.7
	No	15472	90.8	90.3	91.2
White	Yes	2060	11.6	11.1	12.1
	No	14555	88.4	87.9	88.9
Other	Yes	1738	9.2	8.7	9.6
	No	16507	90.8	90.4	91.3
6th	Yes	123	4.0	3.3	4.7
	No	2831	96.0	95.3	96.7
7th	Yes	331	5.6	5.0	6.2
	No	5381	94.4	93.8	95.0
8th	Yes	271	8.5	7.5	9.5
	No	2936	91.5	90.5	92.5
9th	Yes	892	10.0	9.4	10.7
	No	8026	90.0	89.3	90.6
10th	Yes	675	12.7	11.8	13.6
	No	4750	87.3	86.4	88.2
11th	Yes	991	15.8	14.9	16.7
	No	5339	84.2	83.3	85.1
12th	Yes	579	20.0	18.6	21.5
	No	2435	80.0	78.5	81.4
Total	Yes	3862	10.4	10.1	10.7
	No	31698	89.6	89.3	89.9

ALCOHOL USE
Current binge alcohol use (Q22)

<i>Demographic characteristic</i>	<i>Current binge alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	1219	6.6	6.2	7.0
	No	16750	93.4	93.0	93.8
Male	Yes	1189	6.7	6.3	7.1
	No	15975	93.3	92.9	93.7
White	Yes	1259	7.2	6.7	7.6
	No	15380	92.8	92.4	93.3
Other	Yes	1172	6.2	5.9	6.6
	No	17163	93.8	93.4	94.1
6th	Yes	85	2.8	2.2	3.4
	No	2871	97.2	96.6	97.8
7th	Yes	208	3.5	3.0	3.9
	No	5520	96.5	96.1	97.0
8th	Yes	165	5.0	4.3	5.8
	No	3056	95.0	94.2	95.7
9th	Yes	540	6.0	5.5	6.5
	No	8411	94.0	93.5	94.5
10th	Yes	435	8.1	7.4	8.8
	No	5009	91.9	91.2	92.6
11th	Yes	618	9.8	9.1	10.6
	No	5732	90.2	89.4	90.9
12th	Yes	418	14.4	13.1	15.7
	No	2608	85.6	84.3	86.9
Total	Yes	2469	6.7	6.4	7.0
	No	33207	93.3	93.0	93.6

ALCOHOL USE
Usual type of alcohol in past 30 days (Q25)

<i>Grade</i>	<i>Usual type of alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No usual type	62	38.0	30.5	45.5
	Beer	30	18.5	12.5	24.5
	Malt beverages	11	6.5	2.8	10.2
	Energy drinks with alcohol	13	7.7	3.7	11.8
	Wine coolers	10	6.0	2.4	9.6
	Wine	13	8.2	3.9	12.4
	Liquor	17	10.7	5.9	15.5
	Other	7	4.5	1.2	7.7
	Total	163	100.0	.	.
7th	No usual type	134	32.7	28.1	37.4
	Beer	54	14.2	10.6	17.7
	Malt beverages	25	6.3	3.9	8.8
	Energy drinks with alcohol	31	8.2	5.4	11.0
	Wine coolers	25	6.2	3.8	8.6
	Wine	37	9.1	6.2	11.9
	Liquor	57	15.0	11.4	18.6
	Other	33	8.3	5.5	11.0
	Total	396	100.0	.	.
8th	No usual type	107	30.9	25.9	35.9
	Beer	44	14.2	10.3	18.1
	Malt beverages	32	9.9	6.6	13.3
	Energy drinks with alcohol	12	3.6	1.6	5.7
	Wine coolers	26	7.2	4.5	10.0
	Wine	26	7.7	4.8	10.6
	Liquor	57	18.1	13.8	22.4
	Other	29	8.3	5.4	11.3
	Total	333	100.0	.	.
9th	No usual type	305	28.5	25.8	31.2
	Beer	130	12.5	10.5	14.5
	Malt beverages	116	11.3	9.3	13.2
	Energy drinks with alcohol	49	4.6	3.3	5.9
	Wine coolers	73	6.7	5.2	8.1
	Wine	69	6.5	5.0	8.0
	Liquor	262	24.9	22.3	27.5
	Other	54	5.0	3.7	6.4
	Total	1058	100.0	.	.
10th	No usual type	203	25.1	22.1	28.2
	Beer	113	15.3	12.7	17.9

ALCOHOL USE
Usual type of alcohol in past 30 days (Q25)

<i>Grade</i>	<i>Usual type of alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Malt beverages	91	12.1	9.8	14.4
	Energy drinks with alcohol	37	4.5	3.1	5.9
	Wine coolers	50	6.2	4.5	7.8
	Wine	39	4.9	3.4	6.4
	Liquor	216	27.5	24.4	30.7
	Other	35	4.4	3.0	5.8
	Total	784	100.0	.	.
11th	No usual type	245	21.9	19.4	24.3
	Beer	201	18.6	16.3	21.0
	Malt beverages	222	20.3	17.9	22.6
	Energy drinks with alcohol	28	2.5	1.6	3.4
	Wine coolers	54	4.8	3.5	6.0
	Wine	45	4.0	2.9	5.2
	Liquor	265	23.9	21.4	26.4
	Other	45	4.0	2.9	5.2
	Total	1105	100.0	.	.
12th	No usual type	133	18.6	15.6	21.5
	Beer	127	20.6	17.4	23.9
	Malt beverages	110	17.7	14.7	20.8
	Energy drinks with alcohol	13	1.9	0.8	2.9
	Wine coolers	39	5.7	3.9	7.5
	Wine	26	3.7	2.3	5.2
	Liquor	188	28.3	24.8	31.8
	Other	24	3.4	2.1	4.8
	Total	660	100.0	.	.
Total	No usual type	1189	25.9	24.5	27.3
	Beer	699	16.6	15.4	17.8
	Malt beverages	607	13.5	12.4	14.6
	Energy drinks with alcohol	183	4.0	3.4	4.6
	Wine coolers	277	6.0	5.3	6.8
	Wine	255	5.7	4.9	6.4
	Liquor	1062	23.2	21.8	24.5
	Other	227	5.1	4.4	5.8
	Total	4499	100.0	.	.

TOBACCO USE
Lifetime cigarette use (Q14)

<i>Grade</i>	<i>Lifetime cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	166	5.6	4.7	6.4
	No	2771	94.4	93.6	95.3
	Total	2937	100.0	.	.
7th	Yes	378	6.5	5.8	7.1
	No	5338	93.5	92.9	94.2
	Total	5716	100.0	.	.
8th	Yes	248	7.9	6.9	8.8
	No	2951	92.1	91.2	93.1
	Total	3199	100.0	.	.
9th	Yes	693	7.8	7.3	8.4
	No	8221	92.2	91.6	92.7
	Total	8914	100.0	.	.
10th	Yes	480	9.1	8.3	9.9
	No	4947	90.9	90.1	91.7
	Total	5427	100.0	.	.
11th	Yes	696	11.2	10.4	12.0
	No	5614	88.8	88.0	89.6
	Total	6310	100.0	.	.
12th	Yes	389	13.7	12.4	15.0
	No	2628	86.3	85.0	87.6
	Total	3017	100.0	.	.
Total	Yes	3050	8.5	8.2	8.9
	No	32470	91.5	91.1	91.8
	Total	35520	100.0	.	.

TOBACCO USE
Lifetime smokeless tobacco use (Q9)

<i>Grade</i>	<i>Lifetime smokeless tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	158	5.3	4.5	6.1
	No	2797	94.7	93.9	95.5
	Total	2955	100.0	.	.
7th	Yes	269	4.6	4.0	5.1
	No	5462	95.4	94.9	96.0
	Total	5731	100.0	.	.
8th	Yes	187	6.2	5.3	7.0
	No	3031	93.8	93.0	94.7
	Total	3218	100.0	.	.
9th	Yes	473	5.3	4.9	5.8
	No	8447	94.7	94.2	95.1
	Total	8920	100.0	.	.
10th	Yes	344	6.5	5.8	7.2
	No	5100	93.5	92.8	94.2
	Total	5444	100.0	.	.
11th	Yes	472	7.6	6.9	8.2
	No	5883	92.4	91.8	93.1
	Total	6355	100.0	.	.
12th	Yes	282	9.9	8.8	11.0
	No	2763	90.1	89.0	91.2
	Total	3045	100.0	.	.
Total	Yes	2185	6.3	6.0	6.6
	No	33483	93.7	93.4	94.0
	Total	35668	100.0	.	.

TOBACCO USE
Lifetime vaping use (Q11)

<i>Grade</i>	<i>Lifetime vaping use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	297	10.0	8.9	11.1
	No	2648	90.0	88.9	91.1
	Total	2945	100.0	.	.
7th	Yes	707	12.4	11.6	13.3
	No	4999	87.6	86.7	88.4
	Total	5706	100.0	.	.
8th	Yes	579	18.7	17.3	20.1
	No	2630	81.3	79.9	82.7
	Total	3209	100.0	.	.
9th	Yes	1951	22.0	21.1	22.9
	No	6964	78.0	77.1	78.9
	Total	8915	100.0	.	.
10th	Yes	1335	25.2	24.0	26.4
	No	4084	74.8	73.6	76.0
	Total	5419	100.0	.	.
11th	Yes	1731	27.6	26.5	28.7
	No	4602	72.4	71.3	73.5
	Total	6333	100.0	.	.
12th	Yes	870	30.2	28.6	31.9
	No	2153	69.8	68.1	71.4
	Total	3023	100.0	.	.
Total	Yes	7470	20.2	19.7	20.6
	No	28080	79.8	79.4	80.3
	Total	35550	100.0	.	.

TOBACCO USE
Lifetime cigar use (Q18)

<i>Grade</i>	<i>Lifetime cigar use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	176	5.7	4.8	6.5
	No	2790	94.3	93.5	95.2
	Total	2966	100.0	.	.
7th	Yes	428	7.0	6.3	7.6
	No	5315	93.0	92.4	93.7
	Total	5743	100.0	.	.
8th	Yes	374	10.9	9.9	12.0
	No	2853	89.1	88.0	90.1
	Total	3227	100.0	.	.
9th	Yes	1053	11.6	10.9	12.3
	No	7929	88.4	87.7	89.1
	Total	8982	100.0	.	.
10th	Yes	819	14.6	13.6	15.5
	No	4633	85.4	84.5	86.4
	Total	5452	100.0	.	.
11th	Yes	1079	16.8	15.9	17.7
	No	5297	83.2	82.3	84.1
	Total	6376	100.0	.	.
12th	Yes	626	20.4	18.9	21.9
	No	2416	79.6	78.1	81.1
	Total	3042	100.0	.	.
Total	Yes	4555	11.9	11.6	12.3
	No	31233	88.1	87.7	88.4
	Total	35788	100.0	.	.

TOBACCO USE
Lifetime bidis use (Q19)

<i>Grade</i>	<i>Lifetime bidis use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	26	0.9	0.5	1.2
	No	2864	99.1	98.8	99.5
	Total	2890	100.0	.	.
7th	Yes	59	1.1	0.8	1.4
	No	5540	98.9	98.6	99.2
	Total	5599	100.0	.	.
8th	Yes	46	1.5	1.1	2.0
	No	3122	98.5	98.0	98.9
	Total	3168	100.0	.	.
9th	Yes	149	1.7	1.4	2.0
	No	8663	98.3	98.0	98.6
	Total	8812	100.0	.	.
10th	Yes	121	2.4	1.9	2.8
	No	5265	97.6	97.2	98.1
	Total	5386	100.0	.	.
11th	Yes	172	2.8	2.4	3.2
	No	6119	97.2	96.8	97.6
	Total	6291	100.0	.	.
12th	Yes	98	3.5	2.8	4.2
	No	2904	96.5	95.8	97.2
	Total	3002	100.0	.	.
Total	Yes	671	1.9	1.7	2.0
	No	34477	98.1	98.0	98.3
	Total	35148	100.0	.	.

TOBACCO USE
Lifetime kreteks use (Q19)

<i>Grade</i>	<i>Lifetime kreteks use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	17	0.6	0.3	0.8
	No	2873	99.4	99.2	99.7
	Total	2890	100.0	.	.
7th	Yes	19	0.3	0.2	0.5
	No	5580	99.7	99.5	99.8
	Total	5599	100.0	.	.
8th	Yes	13	0.4	0.2	0.6
	No	3155	99.6	99.4	99.8
	Total	3168	100.0	.	.
9th	Yes	44	0.5	0.4	0.7
	No	8768	99.5	99.3	99.6
	Total	8812	100.0	.	.
10th	Yes	16	0.3	0.2	0.4
	No	5370	99.7	99.6	99.8
	Total	5386	100.0	.	.
11th	Yes	14	0.2	0.1	0.3
	No	6277	99.8	99.7	99.9
	Total	6291	100.0	.	.
12th	Yes	9	0.3	0.1	0.5
	No	2993	99.7	99.5	99.9
	Total	3002	100.0	.	.
Total	Yes	132	0.4	0.3	0.5
	No	35016	99.6	99.5	99.7
	Total	35148	100.0	.	.

TOBACCO USE
Lifetime hookah use (Q19)

<i>Grade</i>	<i>Lifetime hookah use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	19	0.6	0.3	0.9
	No	2871	99.4	99.1	99.7
	Total	2890	100.0	.	.
7th	Yes	63	1.0	0.8	1.3
	No	5536	99.0	98.7	99.2
	Total	5599	100.0	.	.
8th	Yes	49	1.5	1.0	1.9
	No	3119	98.5	98.1	99.0
	Total	3168	100.0	.	.
9th	Yes	171	1.9	1.6	2.2
	No	8641	98.1	97.8	98.4
	Total	8812	100.0	.	.
10th	Yes	154	2.8	2.3	3.2
	No	5232	97.2	96.8	97.7
	Total	5386	100.0	.	.
11th	Yes	182	2.9	2.5	3.3
	No	6109	97.1	96.7	97.5
	Total	6291	100.0	.	.
12th	Yes	137	4.6	3.8	5.3
	No	2865	95.4	94.7	96.2
	Total	3002	100.0	.	.
Total	Yes	775	2.1	1.9	2.2
	No	34373	97.9	97.8	98.1
	Total	35148	100.0	.	.

TOBACCO USE
Lifetime snus use (Q19)

<i>Grade</i>	<i>Lifetime snus use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	19	0.6	0.4	0.9
	No	2871	99.4	99.1	99.6
	Total	2890	100.0	.	.
7th	Yes	31	0.6	0.4	0.8
	No	5568	99.4	99.2	99.6
	Total	5599	100.0	.	.
8th	Yes	13	0.5	0.2	0.7
	No	3155	99.5	99.3	99.8
	Total	3168	100.0	.	.
9th	Yes	68	0.8	0.6	1.0
	No	8744	99.2	99.0	99.4
	Total	8812	100.0	.	.
10th	Yes	48	0.9	0.7	1.2
	No	5338	99.1	98.8	99.3
	Total	5386	100.0	.	.
11th	Yes	81	1.3	1.0	1.6
	No	6210	98.7	98.4	99.0
	Total	6291	100.0	.	.
12th	Yes	43	1.6	1.1	2.1
	No	2959	98.4	97.9	98.9
	Total	3002	100.0	.	.
Total	Yes	303	0.9	0.8	1.0
	No	34845	99.1	99.0	99.2
	Total	35148	100.0	.	.

TOBACCO USE
Lifetime chewing tobacco use (Q19)

<i>Grade</i>	<i>Lifetime chewing tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	75	2.6	2.1	3.2
	No	2815	97.4	96.8	97.9
	Total	2890	100.0	.	.
7th	Yes	100	1.9	1.5	2.2
	No	5499	98.1	97.8	98.5
	Total	5599	100.0	.	.
8th	Yes	103	3.6	2.9	4.3
	No	3065	96.4	95.7	97.1
	Total	3168	100.0	.	.
9th	Yes	231	2.7	2.4	3.0
	No	8581	97.3	97.0	97.6
	Total	8812	100.0	.	.
10th	Yes	190	3.7	3.2	4.3
	No	5196	96.3	95.7	96.8
	Total	5386	100.0	.	.
11th	Yes	288	4.7	4.2	5.3
	No	6003	95.3	94.7	95.8
	Total	6291	100.0	.	.
12th	Yes	141	5.2	4.4	6.1
	No	2861	94.8	93.9	95.6
	Total	3002	100.0	.	.
Total	Yes	1128	3.4	3.2	3.6
	No	34020	96.6	96.4	96.8
	Total	35148	100.0	.	.

TOBACCO USE
Age of first cigarette use (Q15)

<i>Grade</i>	<i>Age of first cigarette use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	12 or younger	192	6.3	5.5	7.2
	Never have OR 13 or older	2755	93.7	92.8	94.5
	Total	2947	100.0	.	.
7th	12 or younger	392	6.7	6.0	7.3
	Never have OR 13 or older	5326	93.3	92.7	94.0
	Total	5718	100.0	.	.
8th	12 or younger	248	7.8	6.9	8.8
	Never have OR 13 or older	2956	92.2	91.2	93.1
	Total	3204	100.0	.	.
9th	12 or younger	634	7.1	6.6	7.7
	Never have OR 13 or older	8282	92.9	92.3	93.4
	Total	8916	100.0	.	.
10th	12 or younger	427	8.1	7.3	8.8
	Never have OR 13 or older	5009	91.9	91.2	92.7
	Total	5436	100.0	.	.
11th	12 or younger	610	9.8	9.0	10.5
	Never have OR 13 or older	5723	90.2	89.5	91.0
	Total	6333	100.0	.	.
12th	12 or younger	301	10.7	9.5	11.8
	Never have OR 13 or older	2721	89.3	88.2	90.5
	Total	3022	100.0	.	.
Total	12 or younger	2804	7.9	7.6	8.2
	Never have OR 13 or older	32772	92.1	91.8	92.4
	Total	35576	100.0	.	.

TOBACCO USE
Current cigarette use (Q16)

<i>Demographic characteristic</i>	<i>Current cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	306	1.7	1.5	1.9
	No	17636	98.3	98.1	98.5
Male	Yes	542	3.0	2.8	3.3
	No	16618	97.0	96.7	97.2
White	Yes	440	2.5	2.3	2.8
	No	16184	97.5	97.2	97.7
Other	Yes	416	2.3	2.0	2.5
	No	17899	97.7	97.5	98.0
6th	Yes	55	1.8	1.3	2.3
	No	2904	98.2	97.7	98.7
7th	Yes	99	1.7	1.3	2.0
	No	5634	98.3	98.0	98.7
8th	Yes	57	1.8	1.3	2.3
	No	3153	98.2	97.7	98.7
9th	Yes	208	2.3	2.0	2.6
	No	8721	97.7	97.4	98.0
10th	Yes	132	2.5	2.0	2.9
	No	5309	97.5	97.1	98.0
11th	Yes	201	3.2	2.8	3.6
	No	6144	96.8	96.4	97.2
12th	Yes	124	4.3	3.5	5.0
	No	2900	95.7	95.0	96.5
Total	Yes	876	2.4	2.2	2.6
	No	34765	97.6	97.4	97.8

TOBACCO USE
Current smokeless tobacco use (Q10)

<i>Grade</i>	<i>Current smokeless tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	80	2.7	2.1	3.3
	No	2876	97.3	96.7	97.9
	Total	2956	100.0	.	.
7th	Yes	127	2.1	1.8	2.5
	No	5613	97.9	97.5	98.2
	Total	5740	100.0	.	.
8th	Yes	95	3.1	2.5	3.7
	No	3124	96.9	96.3	97.5
	Total	3219	100.0	.	.
9th	Yes	247	2.8	2.4	3.1
	No	8682	97.2	96.9	97.6
	Total	8929	100.0	.	.
10th	Yes	188	3.5	3.0	4.0
	No	5266	96.5	96.0	97.0
	Total	5454	100.0	.	.
11th	Yes	227	3.6	3.2	4.1
	No	6135	96.4	95.9	96.8
	Total	6362	100.0	.	.
12th	Yes	140	4.9	4.1	5.7
	No	2904	95.1	94.3	95.9
	Total	3044	100.0	.	.
Total	Yes	1104	3.2	3.0	3.4
	No	34600	96.8	96.6	97.0
	Total	35704	100.0	.	.

TOBACCO USE
Current vaping use (Q12)

<i>Grade</i>	<i>Current vaping use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	141	4.7	3.9	5.5
	No	2821	95.3	94.5	96.1
	Total	2962	100.0	.	.
7th	Yes	372	6.5	5.9	7.2
	No	5353	93.5	92.8	94.1
	Total	5725	100.0	.	.
8th	Yes	300	9.6	8.6	10.7
	No	2920	90.4	89.3	91.4
	Total	3220	100.0	.	.
9th	Yes	1012	11.4	10.7	12.1
	No	7921	88.6	87.9	89.3
	Total	8933	100.0	.	.
10th	Yes	704	13.4	12.4	14.3
	No	4741	86.6	85.7	87.6
	Total	5445	100.0	.	.
11th	Yes	966	15.5	14.6	16.4
	No	5383	84.5	83.6	85.4
	Total	6349	100.0	.	.
12th	Yes	508	17.8	16.4	19.2
	No	2529	82.2	80.8	83.6
	Total	3037	100.0	.	.
Total	Yes	4003	10.8	10.5	11.2
	No	31668	89.2	88.8	89.5
	Total	35671	100.0	.	.

MARIJUANA USE
Lifetime marijuana use (Q30)

<i>Grade</i>	<i>Lifetime marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	143	4.7	3.9	5.4
	No	2808	95.3	94.6	96.1
	Total	2951	100.0	.	.
7th	Yes	374	6.2	5.6	6.9
	No	5307	93.8	93.1	94.4
	Total	5681	100.0	.	.
8th	Yes	389	11.6	10.5	12.7
	No	2817	88.4	87.3	89.5
	Total	3206	100.0	.	.
9th	Yes	1339	14.9	14.2	15.6
	No	7578	85.1	84.4	85.8
	Total	8917	100.0	.	.
10th	Yes	1097	20.1	19.0	21.1
	No	4323	79.9	78.9	81.0
	Total	5420	100.0	.	.
11th	Yes	1454	23.0	22.0	24.0
	No	4855	77.0	76.0	78.0
	Total	6309	100.0	.	.
12th	Yes	827	27.4	25.8	29.0
	No	2195	72.6	71.0	74.2
	Total	3022	100.0	.	.
Total	Yes	5623	14.6	14.2	15.0
	No	29883	85.4	85.0	85.8
	Total	35506	100.0	.	.

MARIJUANA USE
Age of first marijuana use (Q31)

<i>Grade</i>	<i>Age of first marijuana use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	12 or younger	122	4.0	3.3	4.7
	Never have OR 13 or older	2822	96.0	95.3	96.7
	Total	2944	100.0	.	.
7th	12 or younger	299	4.9	4.4	5.5
	Never have OR 13 or older	5381	95.1	94.5	95.6
	Total	5680	100.0	.	.
8th	12 or younger	180	5.4	4.6	6.2
	Never have OR 13 or older	3019	94.6	93.8	95.4
	Total	3199	100.0	.	.
9th	12 or younger	321	3.6	3.2	4.0
	Never have OR 13 or older	8589	96.4	96.0	96.8
	Total	8910	100.0	.	.
10th	12 or younger	198	3.6	3.1	4.1
	Never have OR 13 or older	5219	96.4	95.9	96.9
	Total	5417	100.0	.	.
11th	12 or younger	186	2.9	2.5	3.4
	Never have OR 13 or older	6110	97.1	96.6	97.5
	Total	6296	100.0	.	.
12th	12 or younger	97	3.1	2.5	3.7
	Never have OR 13 or older	2928	96.9	96.3	97.5
	Total	3025	100.0	.	.
Total	12 or younger	1403	4.0	3.8	4.2
	Never have OR 13 or older	34068	96.0	95.8	96.2
	Total	35471	100.0	.	.

MARIJUANA USE
Current marijuana use (Q32)

<i>Demographic characteristic</i>	<i>Current marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	1553	8.0	7.6	8.5
	No	16346	92.0	91.5	92.4
Male	Yes	1489	7.9	7.5	8.3
	No	15584	92.1	91.7	92.5
White	Yes	1271	7.0	6.6	7.4
	No	15344	93.0	92.6	93.4
Other	Yes	1794	9.3	8.8	9.7
	No	16394	90.7	90.3	91.2
6th	Yes	75	2.4	1.9	3.0
	No	2879	97.6	97.0	98.1
7th	Yes	236	3.9	3.4	4.4
	No	5455	96.1	95.6	96.6
8th	Yes	223	6.6	5.7	7.4
	No	2981	93.4	92.6	94.3
9th	Yes	762	8.5	7.9	9.1
	No	8156	91.5	90.9	92.1
10th	Yes	596	10.9	10.1	11.7
	No	4820	89.1	88.3	89.9
11th	Yes	781	12.3	11.5	13.1
	No	5519	87.7	86.9	88.5
12th	Yes	454	14.9	13.6	16.2
	No	2563	85.1	83.8	86.4
Total	Yes	3127	8.1	7.8	8.4
	No	32373	91.9	91.6	92.2

OTHER DRUG USE
Lifetime prescription drug misuse (Q36)

<i>Grade</i>	<i>Lifetime Rx drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	164	5.5	4.7	6.3
	No	2774	94.5	93.7	95.3
	Total	2938	100.0	.	.
7th	Yes	582	10.6	9.8	11.4
	No	5099	89.4	88.6	90.2
	Total	5681	100.0	.	.
8th	Yes	284	8.8	7.8	9.8
	No	2917	91.2	90.2	92.2
	Total	3201	100.0	.	.
9th	Yes	724	8.1	7.6	8.7
	No	8167	91.9	91.3	92.4
	Total	8891	100.0	.	.
10th	Yes	463	8.5	7.8	9.3
	No	4942	91.5	90.7	92.2
	Total	5405	100.0	.	.
11th	Yes	616	9.9	9.1	10.6
	No	5686	90.1	89.4	90.9
	Total	6302	100.0	.	.
12th	Yes	269	9.0	7.9	10.0
	No	2730	91.0	90.0	92.1
	Total	2999	100.0	.	.
Total	Yes	3102	8.6	8.3	8.9
	No	32315	91.4	91.1	91.7
	Total	35417	100.0	.	.

OTHER DRUG USE
Age of first prescription drug misuse (Q37)

<i>Grade</i>	<i>Age of first Rx misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	12 or younger	155	5.2	4.4	6.0
	Never have OR 13 or older	2782	94.8	94.0	95.6
	Total	2937	100.0	.	.
7th	12 or younger	534	9.8	9.0	10.6
	Never have OR 13 or older	5142	90.2	89.4	91.0
	Total	5676	100.0	.	.
8th	12 or younger	191	5.9	5.1	6.7
	Never have OR 13 or older	3000	94.1	93.3	94.9
	Total	3191	100.0	.	.
9th	12 or younger	344	3.8	3.4	4.2
	Never have OR 13 or older	8546	96.2	95.8	96.6
	Total	8890	100.0	.	.
10th	12 or younger	194	3.5	3.0	4.0
	Never have OR 13 or older	5200	96.5	96.0	97.0
	Total	5394	100.0	.	.
11th	12 or younger	268	4.3	3.8	4.8
	Never have OR 13 or older	6027	95.7	95.2	96.2
	Total	6295	100.0	.	.
12th	12 or younger	64	2.1	1.6	2.6
	Never have OR 13 or older	2935	97.9	97.4	98.4
	Total	2999	100.0	.	.
Total	12 or younger	1750	5.1	4.9	5.4
	Never have OR 13 or older	33632	94.9	94.6	95.1
	Total	35382	100.0	.	.

OTHER DRUG USE
Current prescription drug misuse (Q38)

<i>Grade</i>	<i>Current prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	80	2.6	2.1	3.2
	No	2863	97.4	96.8	97.9
	Total	2943	100.0	.	.
7th	Yes	363	6.8	6.1	7.5
	No	5320	93.2	92.5	93.9
	Total	5683	100.0	.	.
8th	Yes	114	3.5	2.8	4.1
	No	3087	96.5	95.9	97.2
	Total	3201	100.0	.	.
9th	Yes	309	3.5	3.1	3.8
	No	8584	96.5	96.2	96.9
	Total	8893	100.0	.	.
10th	Yes	202	3.6	3.1	4.1
	No	5202	96.4	95.9	96.9
	Total	5404	100.0	.	.
11th	Yes	200	3.2	2.7	3.6
	No	6106	96.8	96.4	97.3
	Total	6306	100.0	.	.
12th	Yes	126	4.0	3.3	4.7
	No	2871	96.0	95.3	96.7
	Total	2997	100.0	.	.
Total	Yes	1394	3.9	3.7	4.1
	No	34033	96.1	95.9	96.3
	Total	35427	100.0	.	.

OTHER DRUG USE
Source of prescription drugs (Q39)

Grade	Source of prescription drugs	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
6th	I took them from a friend without asking	6	7.0	1.6	12.4
	I took them from a family member without asking	11	12.8	5.7	19.8
	I bought them from a friend	7	7.9	2.2	13.6
	I bought them from a family member	4	4.4	0.2	8.6
	I got them from a friend for free (they gave them to me)	6	6.5	1.5	11.6
	I got them from a family member for free (they gave them to me)	22	26.4	17.0	35.9
	I bought them from someone else	4	4.3	0.2	8.4
	I got them from more than one doctor and used them for non-medical reasons	4	4.3	0.2	8.4
	I got them from just one doctor and used them for non-medical reasons	3	3.5	0.0	7.4
	I wrote fake prescriptions	1	1.1	0.0	3.2
	I stole them from a doctor's office, clinic, hospital, or pharmacy	2	2.4	0.0	5.8
	I bought them on the Internet	2	2.6	0.0	6.1
	I got them some other way	15	16.9	9.0	24.7
	Total	87	100.0	.	.
7th	I took them from a friend without asking	7	3.2	0.8	5.6
	I took them from a family member without asking	31	13.6	9.1	18.1
	I bought them from a friend	7	3.2	0.8	5.6
	I bought them from a family member	5	2.3	0.3	4.4
	I got them from a friend for free (they gave them to me)	12	5.2	2.3	8.1
	I got them from a family member for free (they gave them to me)	73	33.1	26.9	39.4
	I bought them from someone else	7	2.7	0.7	4.7
	I got them from more than one doctor and used them for non-medical reasons	4	1.7	0.0	3.4
	I got them from just one doctor and used them for non-medical reasons	5	2.0	0.3	3.7
	I wrote fake prescriptions	2	0.8	0.0	1.9
	I stole them from a doctor's office, clinic, hospital, or pharmacy	2	0.8	0.0	1.9
	I bought them on the Internet	4	1.6	0.0	3.1
	I got them some other way	69	29.8	23.8	35.7
	Total	228	100.0	.	.
8th	I took them from a friend without asking	6	4.1	0.8	7.4
	I took them from a family member without asking	18	13.3	7.4	19.1
	I bought them from a friend	5	3.7	0.5	6.9
	I bought them from a family member	4	2.5	0.1	4.9
	I got them from a friend for free (they gave them to me)	9	7.2	2.6	11.8
	I got them from a family member for free (they gave them to me)	50	35.4	27.4	43.5
	I bought them from someone else	7	4.8	1.3	8.3
	I got them from more than one doctor and used them for non-medical reasons	4	3.1	0.1	6.1
	I got them from just one doctor and used them for non-medical reasons	3	1.9	0.0	3.9
	I wrote fake prescriptions	2	1.2	0.0	2.9

OTHER DRUG USE
Source of prescription drugs (Q39)

Grade	Source of prescription drugs	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
	I stole them from a doctor's office, clinic, hospital, or pharmacy	1	0.9	0.0	2.7
	I bought them on the Internet	1	0.6	0.0	1.8
	I got them some other way	29	21.3	14.3	28.3
	Total	139	100.0	.	.
9th	I took them from a friend without asking	12	3.0	1.3	4.7
	I took them from a family member without asking	61	15.8	12.2	19.5
	I bought them from a friend	24	6.4	3.9	8.8
	I bought them from a family member	11	2.8	1.2	4.4
	I got them from a friend for free (they gave them to me)	36	9.3	6.4	12.2
	I got them from a family member for free (they gave them to me)	95	24.5	20.2	28.8
	I bought them from someone else	28	7.1	4.6	9.7
	I got them from more than one doctor and used them for non-medical reasons	21	5.3	3.1	7.6
	I got them from just one doctor and used them for non-medical reasons	13	3.3	1.5	5.1
	I wrote fake prescriptions	5	1.3	0.2	2.4
	I stole them from a doctor's office, clinic, hospital, or pharmacy	6	1.5	0.3	2.7
	I bought them on the Internet	4	1.0	0.0	1.9
	I got them some other way	72	18.6	14.7	22.4
	Total	388	100.0	.	.
10th	I took them from a friend without asking	10	3.8	1.5	6.2
	I took them from a family member without asking	49	19.0	14.1	23.8
	I bought them from a friend	20	7.4	4.2	10.5
	I bought them from a family member	6	2.3	0.5	4.1
	I got them from a friend for free (they gave them to me)	25	10.0	6.2	13.7
	I got them from a family member for free (they gave them to me)	70	26.7	21.3	32.1
	I bought them from someone else	9	3.5	1.2	5.7
	I got them from more than one doctor and used them for non-medical reasons	6	2.2	0.5	4.0
	I got them from just one doctor and used them for non-medical reasons	13	4.8	2.2	7.4
	I wrote fake prescriptions	2	0.7	0.0	1.6
	I stole them from a doctor's office, clinic, hospital, or pharmacy	3	1.0	0.0	2.2
	I bought them on the Internet	4	1.5	0.0	2.9
	I got them some other way	45	17.2	12.6	21.8
	Total	262	100.0	.	.
11th	I took them from a friend without asking	11	4.3	1.8	6.7
	I took them from a family member without asking	36	14.3	10.0	18.6
	I bought them from a friend	21	8.3	4.9	11.7
	I bought them from a family member	4	1.5	0.0	3.1
	I got them from a friend for free (they gave them to me)	28	11.2	7.3	15.1
	I got them from a family member for free (they gave them to me)	66	26.3	20.8	31.7

OTHER DRUG USE
Source of prescription drugs (Q39)

<i>Grade</i>	<i>Source of prescription drugs</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	I bought them from someone else	17	6.8	3.7	10.0
	I got them from more than one doctor and used them for non-medical reasons	10	3.9	1.5	6.3
	I got them from just one doctor and used them for non-medical reasons	3	1.1	0.0	2.4
	I wrote fake prescriptions	1	0.4	0.0	1.1
	I stole them from a doctor's office, clinic, hospital, or pharmacy	6	2.3	0.5	4.2
	I bought them on the Internet	9	3.5	1.3	5.8
	I got them some other way	40	15.9	11.4	20.5
	Total	252	100.0	.	.
12th	I took them from a friend without asking	10	5.4	2.1	8.7
	I took them from a family member without asking	23	13.9	8.6	19.3
	I bought them from a friend	13	7.4	3.4	11.3
	I bought them from a family member	3	1.5	0.0	3.2
	I got them from a friend for free (they gave them to me)	13	8.1	3.8	12.4
	I got them from a family member for free (they gave them to me)	29	16.3	10.8	21.9
	I bought them from someone else	15	8.8	4.5	13.1
	I got them from more than one doctor and used them for non-medical reasons	2	1.2	0.0	2.9
	I got them from just one doctor and used them for non-medical reasons	6	3.4	0.7	6.2
	I wrote fake prescriptions	9	4.7	1.7	7.7
	I stole them from a doctor's office, clinic, hospital, or pharmacy	3	1.7	0.0	3.7
	I bought them on the Internet	5	2.9	0.4	5.5
	I got them some other way	41	24.5	17.9	31.2
	Total	172	100.0	.	.
Total	I took them from a friend without asking	62	4.3	3.2	5.4
	I took them from a family member without asking	229	14.8	12.9	16.7
	I bought them from a friend	97	6.2	4.9	7.5
	I bought them from a family member	37	2.4	1.6	3.3
	I got them from a friend for free (they gave them to me)	129	8.2	6.7	9.7
	I got them from a family member for free (they gave them to me)	405	26.9	24.5	29.4
	I bought them from someone else	87	5.5	4.3	6.7
	I got them from more than one doctor and used them for non-medical reasons	51	3.1	2.1	4.0
	I got them from just one doctor and used them for non-medical reasons	46	2.9	2.0	3.8
	I wrote fake prescriptions	22	1.5	0.9	2.2
	I stole them from a doctor's office, clinic, hospital, or pharmacy	23	1.5	0.8	2.1
	I bought them on the Internet	29	1.9	1.1	2.6
	I got them some other way	311	20.8	18.6	23.1
	Total	1528	100.0	.	.

OTHER DRUG USE
Source of prescription pain relievers (Q43)

Grade	Source of prescription pain relievers	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
6th	I took them from a friend without asking	5	8.6	1.3	15.8
	I took them from a family member without asking	8	14.6	5.2	23.9
	I bought them from a friend	2	3.7	0.0	8.8
	I bought them from a family member	1	1.6	0.0	4.8
	I got them from a friend for free (they gave them to me)	4	7.2	0.4	14.0
	I got them from a family member for free (they gave them to me)	12	21.3	10.6	32.1
	I bought them from someone else	4	6.9	0.3	13.5
	I got them from more than one doctor and used them for non-medical reasons	2	3.3	0.0	7.7
	I got them from just one doctor and used them for non-medical reasons	3	5.1	0.0	10.7
	I wrote fake prescriptions	1	2.1	0.0	6.1
	I stole them from a doctor's office, clinic, hospital, or pharmacy	4	7.4	0.4	14.4
	I bought them on the Internet	3	5.1	0.0	10.7
	I got them some other way	8	13.2	4.6	21.8
	Total	57	100.0	.	.
7th	I took them from a friend without asking	6	5.2	1.1	9.3
	I took them from a family member without asking	17	16.2	9.1	23.3
	I bought them from a friend	6	5.7	1.2	10.1
	I bought them from a family member	1	0.8	0.0	2.4
	I got them from a friend for free (they gave them to me)	8	6.6	2.2	11.1
	I got them from a family member for free (they gave them to me)	29	26.5	18.1	34.8
	I bought them from someone else	7	6.0	1.6	10.4
	I got them from more than one doctor and used them for non-medical reasons	2	1.6	0.0	3.8
	I got them from just one doctor and used them for non-medical reasons	5	4.0	0.6	7.5
	I wrote fake prescriptions	3	2.4	0.0	5.2
	I stole them from a doctor's office, clinic, hospital, or pharmacy	0	.	.	.
	I bought them on the Internet	4	3.6	0.1	7.1
	I got them some other way	23	21.4	13.6	29.2
	Total	111	100.0	.	.
8th	I took them from a friend without asking	6	6.3	1.4	11.3
	I took them from a family member without asking	14	16.8	8.6	24.9
	I bought them from a friend	5	5.6	0.7	10.5
	I bought them from a family member	3	3.1	0.0	6.5
	I got them from a friend for free (they gave them to me)	10	11.4	4.6	18.2
	I got them from a family member for free (they gave them to me)	19	22.3	13.3	31.3
	I bought them from someone else	3	4.1	0.0	8.6
	I got them from more than one doctor and used them for non-medical reasons	1	1.5	0.0	4.5
	I got them from just one doctor and used them for non-medical reasons	5	5.1	0.7	9.5
	I wrote fake prescriptions	0	.	.	.

OTHER DRUG USE
Source of prescription pain relievers (Q43)

Grade	Source of prescription pain relievers	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
	I stole them from a doctor's office, clinic, hospital, or pharmacy	3	3.1	0.0	6.5
	I bought them on the Internet	1	1.5	0.0	4.5
	I got them some other way	16	19.3	10.7	27.9
	Total	86	100.0	.	.
9th	I took them from a friend without asking	14	5.2	2.5	7.8
	I took them from a family member without asking	22	8.5	5.1	11.9
	I bought them from a friend	26	10.0	6.4	13.7
	I bought them from a family member	15	5.6	2.8	8.3
	I got them from a friend for free (they gave them to me)	28	10.4	6.7	14.1
	I got them from a family member for free (they gave them to me)	69	25.7	20.5	31.0
	I bought them from someone else	14	5.2	2.6	7.9
	I got them from more than one doctor and used them for non-medical reasons	8	3.0	0.9	5.0
	I got them from just one doctor and used them for non-medical reasons	14	5.2	2.5	7.8
	I wrote fake prescriptions	3	1.2	0.0	2.5
	I stole them from a doctor's office, clinic, hospital, or pharmacy	4	1.4	0.0	2.8
	I bought them on the Internet	1	0.4	0.0	1.1
	I got them some other way	49	18.3	13.6	22.9
	Total	267	100.0	.	.
10th	I took them from a friend without asking	7	4.7	1.3	8.1
	I took them from a family member without asking	18	11.2	6.3	16.1
	I bought them from a friend	15	9.0	4.6	13.4
	I bought them from a family member	4	2.4	0.1	4.7
	I got them from a friend for free (they gave them to me)	17	10.2	5.6	14.9
	I got them from a family member for free (they gave them to me)	30	18.1	12.1	24.0
	I bought them from someone else	7	4.5	1.2	7.9
	I got them from more than one doctor and used them for non-medical reasons	11	6.5	2.7	10.2
	I got them from just one doctor and used them for non-medical reasons	4	2.4	0.1	4.7
	I wrote fake prescriptions	4	2.5	0.1	5.0
	I stole them from a doctor's office, clinic, hospital, or pharmacy	5	2.8	0.4	5.1
	I bought them on the Internet	3	1.9	0.0	4.1
	I got them some other way	40	23.8	17.3	30.3
	Total	165	100.0	.	.
11th	I took them from a friend without asking	16	6.0	3.1	8.8
	I took them from a family member without asking	11	4.1	1.7	6.5
	I bought them from a friend	12	4.6	2.0	7.1
	I bought them from a family member	6	2.2	0.5	4.0
	I got them from a friend for free (they gave them to me)	22	8.3	5.0	11.6
	I got them from a family member for free (they gave them to me)	138	54.4	48.3	60.5

OTHER DRUG USE
Source of prescription pain relievers (Q43)

Grade	Source of prescription pain relievers	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
	I bought them from someone else	10	3.8	1.5	6.2
	I got them from more than one doctor and used them for non-medical reasons	5	2.0	0.3	3.7
	I got them from just one doctor and used them for non-medical reasons	6	2.2	0.5	4.0
	I wrote fake prescriptions	1	0.4	0.0	1.1
	I stole them from a doctor's office, clinic, hospital, or pharmacy	2	0.7	0.0	1.7
	I bought them on the Internet	1	0.4	0.0	1.1
	I got them some other way	29	11.0	7.2	14.8
	Total	259	100.0	.	.
12th	I took them from a friend without asking	6	5.5	1.2	9.9
	I took them from a family member without asking	8	7.8	2.6	13.1
	I bought them from a friend	6	4.8	1.0	8.6
	I bought them from a family member	7	6.5	1.8	11.2
	I got them from a friend for free (they gave them to me)	7	6.0	1.6	10.3
	I got them from a family member for free (they gave them to me)	24	19.7	12.5	26.9
	I bought them from someone else	9	8.6	3.2	14.1
	I got them from more than one doctor and used them for non-medical reasons	7	5.6	1.5	9.6
	I got them from just one doctor and used them for non-medical reasons	6	5.2	1.1	9.2
	I wrote fake prescriptions	2	1.6	0.0	3.8
	I stole them from a doctor's office, clinic, hospital, or pharmacy	1	0.8	0.0	2.4
	I bought them on the Internet	1	0.8	0.0	2.4
	I got them some other way	29	27.2	18.7	35.7
	Total	113	100.0	.	.
Total	I took them from a friend without asking	60	5.8	4.3	7.4
	I took them from a family member without asking	98	10.6	8.5	12.8
	I bought them from a friend	72	6.3	4.8	7.9
	I bought them from a family member	37	3.3	2.2	4.5
	I got them from a friend for free (they gave them to me)	96	8.7	6.9	10.5
	I got them from a family member for free (they gave them to me)	321	28.2	25.3	31.0
	I bought them from someone else	54	5.5	3.9	7.0
	I got them from more than one doctor and used them for non-medical reasons	36	3.4	2.2	4.5
	I got them from just one doctor and used them for non-medical reasons	43	4.1	2.8	5.4
	I wrote fake prescriptions	14	1.3	0.6	2.1
	I stole them from a doctor's office, clinic, hospital, or pharmacy	19	2.1	1.1	3.2
	I bought them on the Internet	14	1.7	0.7	2.6
	I got them some other way	194	19.0	16.4	21.6
	Total	1058	100.0	.	.

OTHER DRUG USE
Lifetime Rx pain reliever misuse (Q40)

<i>Grade</i>	<i>Lifetime Rx pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	89	2.9	2.3	3.5
	No	2853	97.1	96.5	97.7
	Total	2942	100.0	.	.
7th	Yes	171	2.9	2.5	3.3
	No	5512	97.1	96.7	97.5
	Total	5683	100.0	.	.
8th	Yes	134	4.1	3.4	4.7
	No	3064	95.9	95.3	96.6
	Total	3198	100.0	.	.
9th	Yes	366	4.1	3.7	4.5
	No	8522	95.9	95.5	96.3
	Total	8888	100.0	.	.
10th	Yes	238	4.3	3.8	4.8
	No	5162	95.7	95.2	96.2
	Total	5400	100.0	.	.
11th	Yes	372	6.0	5.4	6.6
	No	5924	94.0	93.4	94.6
	Total	6296	100.0	.	.
12th	Yes	155	5.0	4.2	5.8
	No	2841	95.0	94.2	95.8
	Total	2996	100.0	.	.
Total	Yes	1525	4.1	3.9	4.3
	No	33878	95.9	95.7	96.1
	Total	35403	100.0	.	.

OTHER DRUG USE
Age of first Rx pain reliever misuse (Q41)

<i>Grade</i>	<i>Age of first Rx pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	12 or younger	74	2.4	1.9	3.0
	Never have OR 13 or older	2867	97.6	97.0	98.1
	Total	2941	100.0	.	.
7th	12 or younger	141	2.4	2.0	2.8
	Never have OR 13 or older	5545	97.6	97.2	98.0
	Total	5686	100.0	.	.
8th	12 or younger	84	2.5	2.0	3.1
	Never have OR 13 or older	3114	97.5	96.9	98.0
	Total	3198	100.0	.	.
9th	12 or younger	150	1.7	1.4	1.9
	Never have OR 13 or older	8742	98.3	98.1	98.6
	Total	8892	100.0	.	.
10th	12 or younger	89	1.6	1.3	1.9
	Never have OR 13 or older	5313	98.4	98.1	98.7
	Total	5402	100.0	.	.
11th	12 or younger	182	3.0	2.5	3.4
	Never have OR 13 or older	6119	97.0	96.6	97.5
	Total	6301	100.0	.	.
12th	12 or younger	46	1.4	1.0	1.8
	Never have OR 13 or older	2950	98.6	98.2	99.0
	Total	2996	100.0	.	.
Total	12 or younger	766	2.1	2.0	2.3
	Never have OR 13 or older	34650	97.9	97.7	98.0
	Total	35416	100.0	.	.

OTHER DRUG USE
Current Rx pain reliever misuse (Q42)

<i>Grade</i>	<i>Current prescription pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	52	1.7	1.2	2.2
	No	2894	98.3	97.8	98.8
	Total	2946	100.0	.	.
7th	Yes	92	1.5	1.2	1.8
	No	5595	98.5	98.2	98.8
	Total	5687	100.0	.	.
8th	Yes	73	2.2	1.7	2.7
	No	3128	97.8	97.3	98.3
	Total	3201	100.0	.	.
9th	Yes	206	2.3	2.0	2.6
	No	8694	97.7	97.4	98.0
	Total	8900	100.0	.	.
10th	Yes	114	2.0	1.7	2.4
	No	5297	98.0	97.6	98.3
	Total	5411	100.0	.	.
11th	Yes	235	3.8	3.3	4.3
	No	6072	96.2	95.7	96.7
	Total	6307	100.0	.	.
12th	Yes	82	2.5	2.0	3.1
	No	2918	97.5	96.9	98.0
	Total	3000	100.0	.	.
Total	Yes	854	2.2	2.1	2.4
	No	34598	97.8	97.6	97.9
	Total	35452	100.0	.	.

OTHER DRUG USE
Lifetime cocaine use (Q44)

<i>Grade</i>	<i>Lifetime cocaine use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	70	2.3	1.8	2.8
	No	2847	97.7	97.2	98.2
	Total	2917	100.0	.	.
7th	Yes	88	1.4	1.1	1.7
	No	5563	98.6	98.3	98.9
	Total	5651	100.0	.	.
8th	Yes	43	1.3	0.9	1.7
	No	3151	98.7	98.3	99.1
	Total	3194	100.0	.	.
9th	Yes	170	1.9	1.6	2.2
	No	8706	98.1	97.8	98.4
	Total	8876	100.0	.	.
10th	Yes	120	2.2	1.8	2.6
	No	5272	97.8	97.4	98.2
	Total	5392	100.0	.	.
11th	Yes	154	2.5	2.1	2.9
	No	6097	97.5	97.1	97.9
	Total	6251	100.0	.	.
12th	Yes	124	4.1	3.4	4.8
	No	2863	95.9	95.2	96.6
	Total	2987	100.0	.	.
Total	Yes	769	2.2	2.0	2.3
	No	34499	97.8	97.7	98.0
	Total	35268	100.0	.	.

OTHER DRUG USE
Lifetime heroin or fentanyl use (Q45)

<i>Grade</i>	<i>Lifetime heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	38	1.2	0.8	1.6
	No	2883	98.8	98.4	99.2
	Total	2921	100.0	.	.
7th	Yes	56	0.9	0.7	1.2
	No	5609	99.1	98.8	99.3
	Total	5665	100.0	.	.
8th	Yes	36	1.0	0.7	1.4
	No	3132	99.0	98.6	99.3
	Total	3168	100.0	.	.
9th	Yes	129	1.4	1.2	1.7
	No	8717	98.6	98.3	98.8
	Total	8846	100.0	.	.
10th	Yes	77	1.4	1.1	1.7
	No	5296	98.6	98.3	98.9
	Total	5373	100.0	.	.
11th	Yes	79	1.3	1.0	1.5
	No	6175	98.7	98.5	99.0
	Total	6254	100.0	.	.
12th	Yes	69	2.1	1.6	2.6
	No	2917	97.9	97.4	98.4
	Total	2986	100.0	.	.
Total	Yes	484	1.3	1.2	1.4
	No	34729	98.7	98.6	98.8
	Total	35213	100.0	.	.

OTHER DRUG USE
Age of first heroin or fentanyl use (Q46)

<i>Grade</i>	<i>Age of first heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	12 or younger	30	1.0	0.6	1.3
	Never have OR 13 or older	2889	99.0	98.7	99.4
	Total	2919	100.0	.	.
7th	12 or younger	47	0.8	0.6	1.0
	Never have OR 13 or older	5617	99.2	99.0	99.4
	Total	5664	100.0	.	.
8th	12 or younger	24	0.7	0.4	1.0
	Never have OR 13 or older	3145	99.3	99.0	99.6
	Total	3169	100.0	.	.
9th	12 or younger	63	0.7	0.5	0.9
	Never have OR 13 or older	8778	99.3	99.1	99.5
	Total	8841	100.0	.	.
10th	12 or younger	42	0.8	0.5	1.0
	Never have OR 13 or older	5325	99.2	99.0	99.5
	Total	5367	100.0	.	.
11th	12 or younger	46	0.7	0.5	0.9
	Never have OR 13 or older	6208	99.3	99.1	99.5
	Total	6254	100.0	.	.
12th	12 or younger	37	1.1	0.8	1.5
	Never have OR 13 or older	2949	98.9	98.5	99.2
	Total	2986	100.0	.	.
Total	12 or younger	289	0.8	0.7	0.9
	Never have OR 13 or older	34911	99.2	99.1	99.3
	Total	35200	100.0	.	.

OTHER DRUG USE
Current heroin or fentanyl use (Q47)

<i>Grade</i>	<i>Current heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	31	1.0	0.6	1.3
	No	2901	99.0	98.7	99.4
	Total	2932	100.0	.	.
7th	Yes	34	0.5	0.4	0.7
	No	5637	99.5	99.3	99.6
	Total	5671	100.0	.	.
8th	Yes	30	0.9	0.5	1.2
	No	3146	99.1	98.8	99.5
	Total	3176	100.0	.	.
9th	Yes	94	1.0	0.8	1.2
	No	8772	99.0	98.8	99.2
	Total	8866	100.0	.	.
10th	Yes	62	1.1	0.8	1.4
	No	5324	98.9	98.6	99.2
	Total	5386	100.0	.	.
11th	Yes	67	1.1	0.8	1.3
	No	6192	98.9	98.7	99.2
	Total	6259	100.0	.	.
12th	Yes	59	1.8	1.3	2.2
	No	2937	98.2	97.8	98.7
	Total	2996	100.0	.	.
Total	Yes	377	1.0	0.9	1.1
	No	34909	99.0	98.9	99.1
	Total	35286	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining alcohol (Q72)

<i>Grade</i>	<i>Ease of obtaining alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Sort of hard OR Very hard	2237	82.3	80.9	83.8
	Very easy OR Sort of easy	479	17.7	16.2	19.1
	Total	2716	100.0	.	.
7th	Sort of hard OR Very hard	3793	72.0	70.8	73.2
	Very easy OR Sort of easy	1453	28.0	26.8	29.2
	Total	5246	100.0	.	.
8th	Sort of hard OR Very hard	1996	63.9	62.2	65.6
	Very easy OR Sort of easy	1099	36.1	34.4	37.8
	Total	3095	100.0	.	.
9th	Sort of hard OR Very hard	4577	52.6	51.6	53.7
	Very easy OR Sort of easy	4082	47.4	46.3	48.4
	Total	8659	100.0	.	.
10th	Sort of hard OR Very hard	2537	47.8	46.4	49.1
	Very easy OR Sort of easy	2703	52.2	50.9	53.6
	Total	5240	100.0	.	.
11th	Sort of hard OR Very hard	2670	43.6	42.3	44.8
	Very easy OR Sort of easy	3411	56.4	55.2	57.7
	Total	6081	100.0	.	.
12th	Sort of hard OR Very hard	1238	40.6	38.8	42.4
	Very easy OR Sort of easy	1690	59.4	57.6	61.2
	Total	2928	100.0	.	.
Total	Sort of hard OR Very hard	19048	58.6	58.1	59.2
	Very easy OR Sort of easy	14917	41.4	40.8	41.9
	Total	33965	100.0	.	.

ACCESS TO SUBSTANCES
Source of alcohol (Q26)

<i>Grade</i>	<i>Source of alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	I bought it in a store	10	7.0	2.8	11.2
	I gave someone money to buy for me	9	6.3	2.3	10.3
	I took it from a store	1	0.7	0.0	1.9
	Someone gave it to me at a party	33	22.7	15.8	29.6
	Someone gave it to me someplace else	10	7.2	2.9	11.5
	I took it from a family member	44	32.3	24.5	40.1
	I got it some other way	34	23.8	16.8	30.9
	Total	141	100.0	.	.
7th	I bought it in a store	14	3.7	1.8	5.7
	I gave someone money to buy for me	14	3.9	1.9	6.0
	I took it from a store	8	2.0	0.6	3.4
	Someone gave it to me at a party	74	20.2	16.0	24.4
	Someone gave it to me someplace else	27	7.7	4.9	10.5
	I took it from a family member	115	33.3	28.3	38.3
	I got it some other way	104	29.1	24.3	33.9
	Total	356	100.0	.	.
8th	I bought it in a store	9	2.7	0.9	4.5
	I gave someone money to buy for me	18	5.9	3.2	8.6
	I took it from a store	5	1.4	0.2	2.6
	Someone gave it to me at a party	72	22.5	17.8	27.1
	Someone gave it to me someplace else	27	9.5	6.0	13.0
	I took it from a family member	92	30.7	25.4	36.0
	I got it some other way	83	27.3	22.2	32.4
	Total	306	100.0	.	.
9th	I bought it in a store	27	2.7	1.7	3.7
	I gave someone money to buy for me	55	5.6	4.2	7.1
	I took it from a store	18	1.8	1.0	2.7
	Someone gave it to me at a party	302	30.7	27.8	33.6
	Someone gave it to me someplace else	102	10.4	8.5	12.3
	I took it from a family member	223	22.8	20.1	25.4
	I got it some other way	256	26.0	23.3	28.8
	Total	983	100.0	.	.
10th	I bought it in a store	34	4.7	3.1	6.2
	I gave someone money to buy for me	102	14.5	11.9	17.1
	I took it from a store	11	1.5	0.6	2.4
	Someone gave it to me at a party	198	26.7	23.5	30.0
	Someone gave it to me someplace else	60	8.1	6.1	10.1
	I took it from a family member	147	19.9	17.0	22.8

ACCESS TO SUBSTANCES
Source of alcohol (Q26)

<i>Grade</i>	<i>Source of alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	I got it some other way	178	24.6	21.4	27.7
	Total	730	100.0	.	.
11th	I bought it in a store	74	7.1	5.5	8.7
	I gave someone money to buy for me	184	17.9	15.5	20.2
	I took it from a store	16	1.5	0.8	2.3
	Someone gave it to me at a party	284	26.9	24.2	29.6
	Someone gave it to me someplace else	79	7.5	5.9	9.1
	I took it from a family member	139	13.1	11.1	15.1
	I got it some other way	271	26.0	23.3	28.6
	Total	1047	100.0	.	.
12th	I bought it in a store	71	11.5	8.9	14.0
	I gave someone money to buy for me	134	21.5	18.2	24.8
	I took it from a store	10	1.4	0.5	2.3
	Someone gave it to me at a party	162	24.9	21.5	28.2
	Someone gave it to me someplace else	45	7.0	5.0	9.0
	I took it from a family member	58	8.5	6.4	10.6
	I got it some other way	159	25.3	21.8	28.7
	Total	639	100.0	.	.
Total	I bought it in a store	239	6.2	5.4	7.0
	I gave someone money to buy for me	516	12.9	11.8	14.0
	I took it from a store	69	1.5	1.1	1.9
	Someone gave it to me at a party	1125	25.6	24.2	27.0
	Someone gave it to me someplace else	350	8.2	7.3	9.1
	I took it from a family member	818	19.8	18.5	21.1
	I got it some other way	1085	25.9	24.4	27.3
	Total	4202	100.0	.	.

ACCESS TO SUBSTANCES
Who provided alcohol (Q27)

<i>Grade</i>	<i>Who provided alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Nobody got it for me	92	54.8	47.3	62.3
	My parent	15	8.8	4.5	13.0
	Parent of friend	10	5.9	2.3	9.5
	Friend or family member older than 25	17	9.9	5.4	14.3
	Friend or family member age 21-25	12	6.7	3.0	10.4
	Friend or family member under age 21	8	4.5	1.5	7.6
	Some other adult	16	9.4	5.0	13.8
	Total	170	100.0	.	.
7th	Nobody got it for me	213	52.0	47.1	57.0
	My parent	54	13.5	10.1	16.9
	Parent of friend	8	1.9	0.6	3.2
	Friend or family member older than 25	40	9.9	6.9	12.8
	Friend or family member age 21-25	29	7.7	5.0	10.5
	Friend or family member under age 21	27	6.9	4.3	9.4
	Some other adult	34	8.1	5.5	10.7
	Total	405	100.0	.	.
8th	Nobody got it for me	200	51.5	46.3	56.6
	My parent	20	5.7	3.2	8.1
	Parent of friend	11	2.9	1.2	4.7
	Friend or family member older than 25	46	12.3	8.9	15.7
	Friend or family member age 21-25	28	7.7	4.9	10.5
	Friend or family member under age 21	32	9.4	6.2	12.5
	Some other adult	38	10.5	7.3	13.7
	Total	375	100.0	.	.
9th	Nobody got it for me	550	48.8	45.9	51.7
	My parent	102	9.2	7.5	10.9
	Parent of friend	48	4.4	3.2	5.6
	Friend or family member older than 25	95	8.5	6.8	10.1
	Friend or family member age 21-25	106	9.4	7.7	11.1
	Friend or family member under age 21	115	10.5	8.6	12.3
	Some other adult	103	9.3	7.6	11.0
	Total	1119	100.0	.	.
10th	Nobody got it for me	373	45.7	42.2	49.2
	My parent	62	7.8	6.0	9.7
	Parent of friend	32	3.9	2.6	5.3
	Friend or family member older than 25	79	9.4	7.4	11.4
	Friend or family member age 21-25	95	11.8	9.5	14.0
	Friend or family member under age 21	76	9.9	7.8	12.0

ACCESS TO SUBSTANCES
Who provided alcohol (Q27)

<i>Grade</i>	<i>Who provided alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	Some other adult	93	11.4	9.2	13.6
	Total	810	100.0	.	.
11th	Nobody got it for me	448	39.7	36.8	42.5
	My parent	89	7.9	6.3	9.5
	Parent of friend	48	4.3	3.1	5.5
	Friend or family member older than 25	102	9.0	7.3	10.7
	Friend or family member age 21-25	168	15.1	13.0	17.2
	Friend or family member under age 21	114	10.3	8.5	12.1
	Some other adult	152	13.7	11.7	15.7
	Total	1121	100.0	.	.
12th	Nobody got it for me	271	38.4	34.7	42.1
	My parent	46	6.8	4.9	8.7
	Parent of friend	31	4.4	2.9	6.0
	Friend or family member older than 25	67	9.7	7.4	11.9
	Friend or family member age 21-25	133	19.8	16.7	22.9
	Friend or family member under age 21	59	9.2	6.9	11.4
	Some other adult	77	11.7	9.2	14.2
	Total	684	100.0	.	.
Total	Nobody got it for me	2147	45.5	44.0	47.1
	My parent	388	8.1	7.2	8.9
	Parent of friend	188	4.0	3.4	4.6
	Friend or family member older than 25	446	9.7	8.8	10.7
	Friend or family member age 21-25	571	12.5	11.4	13.5
	Friend or family member under age 21	431	9.2	8.3	10.1
	Some other adult	513	11.0	10.0	12.0
	Total	4684	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining cigarettes (Q68)

<i>Grade</i>	<i>Ease of obtaining cigarettes</i>	<i>Unweighted</i>		<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
		<i>N</i>	<i>Percent</i>		
6th	Sort of hard OR Very hard	2288	83.6	82.2	85.0
	Very easy OR Sort of easy	451	16.4	15.0	17.8
	Total	2739	100.0	.	.
7th	Sort of hard OR Very hard	4010	75.9	74.8	77.1
	Very easy OR Sort of easy	1270	24.1	22.9	25.2
	Total	5280	100.0	.	.
8th	Sort of hard OR Very hard	2079	67.1	65.4	68.8
	Very easy OR Sort of easy	1002	32.9	31.2	34.6
	Total	3081	100.0	.	.
9th	Sort of hard OR Very hard	5103	58.8	57.7	59.8
	Very easy OR Sort of easy	3554	41.2	40.2	42.3
	Total	8657	100.0	.	.
10th	Sort of hard OR Very hard	2941	55.4	54.0	56.7
	Very easy OR Sort of easy	2303	44.6	43.3	46.0
	Total	5244	100.0	.	.
11th	Sort of hard OR Very hard	2982	48.7	47.4	50.0
	Very easy OR Sort of easy	3102	51.3	50.0	52.6
	Total	6084	100.0	.	.
12th	Sort of hard OR Very hard	1354	44.5	42.7	46.3
	Very easy OR Sort of easy	1581	55.5	53.7	57.3
	Total	2935	100.0	.	.
Total	Sort of hard OR Very hard	20757	63.1	62.5	63.6
	Very easy OR Sort of easy	13263	36.9	36.4	37.5
	Total	34020	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining e-cigarettes or vaping pens (Q69)

<i>Grade</i>	<i>Ease of obtaining e-cigarettes or vaping pens</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Sort of hard OR Very hard	2277	83.7	82.3	85.1
	Very easy OR Sort of easy	446	16.3	14.9	17.7
	Total	2723	100.0	.	.
7th	Sort of hard OR Very hard	3830	72.6	71.4	73.8
	Very easy OR Sort of easy	1434	27.4	26.2	28.6
	Total	5264	100.0	.	.
8th	Sort of hard OR Very hard	1947	62.2	60.4	63.9
	Very easy OR Sort of easy	1127	37.8	36.1	39.6
	Total	3074	100.0	.	.
9th	Sort of hard OR Very hard	4310	49.6	48.5	50.6
	Very easy OR Sort of easy	4335	50.4	49.4	51.5
	Total	8645	100.0	.	.
10th	Sort of hard OR Very hard	2439	45.5	44.1	46.8
	Very easy OR Sort of easy	2811	54.5	53.2	55.9
	Total	5250	100.0	.	.
11th	Sort of hard OR Very hard	2546	41.6	40.3	42.8
	Very easy OR Sort of easy	3527	58.4	57.2	59.7
	Total	6073	100.0	.	.
12th	Sort of hard OR Very hard	1200	39.3	37.6	41.1
	Very easy OR Sort of easy	1728	60.7	58.9	62.4
	Total	2928	100.0	.	.
Total	Sort of hard OR Very hard	18549	57.5	56.9	58.0
	Very easy OR Sort of easy	15408	42.5	42.0	43.1
	Total	33957	100.0	.	.

ACCESS TO SUBSTANCES
Source of cigarettes (Q17)

<i>Grade</i>	<i>Source of cigarettes</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	I bought them in a store	7	9.2	2.7	15.8
	I bought them from a vending machine	6	7.8	1.8	13.8
	I gave someone money to buy for me	9	11.9	4.6	19.3
	I borrowed them	15	21.1	11.6	30.7
	An adult gave them to me	6	8.1	1.9	14.4
	I took them from a store or family member	7	9.6	2.8	16.4
	Other	24	32.2	21.5	42.9
	Total	74	100.0	.	.
7th	I bought them in a store	12	7.8	3.5	12.1
	I bought them from a vending machine	7	5.1	1.4	8.8
	I gave someone money to buy for me	13	9.5	4.5	14.6
	I borrowed them	23	16.3	10.1	22.5
	An adult gave them to me	18	13.3	7.5	19.2
	I took them from a store or family member	29	21.7	14.6	28.8
	Other	35	26.1	18.6	33.7
	Total	137	100.0	.	.
8th	I bought them in a store	8	10.1	3.3	16.9
	I bought them from a vending machine	3	3.2	0.0	6.8
	I gave someone money to buy for me	12	15.5	7.3	23.7
	I borrowed them	11	13.4	5.8	20.9
	An adult gave them to me	12	16.0	7.6	24.4
	I took them from a store or family member	8	10.7	3.6	17.8
	Other	24	31.2	20.6	41.7
	Total	78	100.0	.	.
9th	I bought them in a store	28	10.0	6.5	13.6
	I bought them from a vending machine	12	4.2	1.9	6.6
	I gave someone money to buy for me	28	10.2	6.6	13.8
	I borrowed them	64	23.6	18.5	28.7
	An adult gave them to me	28	10.0	6.5	13.6
	I took them from a store or family member	42	15.5	11.2	19.8
	Other	72	26.4	21.2	31.7
	Total	274	100.0	.	.
10th	I bought them in a store	25	13.3	8.4	18.1
	I bought them from a vending machine	10	5.0	2.0	8.1
	I gave someone money to buy for me	32	16.1	10.9	21.2
	I borrowed them	32	16.4	11.2	21.7
	An adult gave them to me	29	15.2	10.1	20.4
	I took them from a store or family member	25	13.0	8.2	17.8

ACCESS TO SUBSTANCES
Source of cigarettes (Q17)

<i>Grade</i>	<i>Source of cigarettes</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	Other	40	21.0	15.2	26.9
	Total	193	100.0	.	.
11th	I bought them in a store	49	19.2	14.3	24.0
	I bought them from a vending machine	14	5.4	2.7	8.2
	I gave someone money to buy for me	32	12.4	8.4	16.5
	I borrowed them	59	23.3	18.1	28.6
	An adult gave them to me	34	13.4	9.2	17.5
	I took them from a store or family member	20	7.9	4.6	11.3
	Other	47	18.3	13.6	23.1
	Total	255	100.0	.	.
12th	I bought them in a store	57	35.3	27.8	42.7
	I bought them from a vending machine	13	6.7	3.1	10.2
	I gave someone money to buy for me	15	9.1	4.6	13.6
	I borrowed them	31	20.3	13.9	26.7
	An adult gave them to me	10	5.4	2.1	8.7
	I took them from a store or family member	7	4.4	1.1	7.6
	Other	32	19.0	12.9	25.0
	Total	165	100.0	.	.
Total	I bought them in a store	186	16.7	14.4	19.1
	I bought them from a vending machine	65	5.4	4.1	6.8
	I gave someone money to buy for me	141	11.9	9.9	14.0
	I borrowed them	235	19.5	17.1	22.0
	An adult gave them to me	137	11.2	9.3	13.2
	I took them from a store or family member	138	11.1	9.2	13.1
	Other	274	24.0	21.3	26.7
	Total	1176	100.0	.	.

ACCESS TO SUBSTANCES
Source of vaping (Q13)

<i>Grade</i>	<i>Source of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Store	14	8.3	4.1	12.5
	Someone bought them for me	28	16.9	11.2	22.7
	Borrowed them	48	29.5	22.4	36.5
	Someone 18 years or older gave them to me	28	17.3	11.5	23.2
	Took them from store or family member	10	6.0	2.4	9.7
	Got them some other way	37	21.9	15.6	28.2
	Total	165	100.0	.	.
7th	Store	25	5.5	3.4	7.7
	Someone bought them for me	67	16.1	12.5	19.7
	Borrowed them	128	33.0	28.3	37.7
	Someone 18 years or older gave them to me	30	7.9	5.2	10.6
	Took them from store or family member	42	10.3	7.3	13.3
	Got them some other way	113	27.2	22.9	31.6
	Total	405	100.0	.	.
8th	Store	24	6.6	4.0	9.2
	Someone bought them for me	74	23.6	18.8	28.3
	Borrowed them	111	34.3	29.0	39.6
	Someone 18 years or older gave them to me	31	9.3	6.1	12.5
	Took them from store or family member	9	2.7	0.9	4.6
	Got them some other way	75	23.5	18.7	28.2
	Total	324	100.0	.	.
9th	Store	66	6.0	4.6	7.4
	Someone bought them for me	202	18.7	16.4	21.0
	Borrowed them	414	38.3	35.4	41.2
	Someone 18 years or older gave them to me	111	10.3	8.5	12.1
	Took them from store or family member	34	3.1	2.1	4.1
	Got them some other way	256	23.6	21.1	26.1
	Total	1083	100.0	.	.
10th	Store	72	9.5	7.4	11.5
	Someone bought them for me	158	21.5	18.5	24.5
	Borrowed them	249	33.4	30.0	36.8
	Someone 18 years or older gave them to me	87	10.9	8.7	13.1
	Took them from store or family member	19	2.4	1.3	3.5
	Got them some other way	168	22.3	19.3	25.3
	Total	753	100.0	.	.
11th	Store	170	16.7	14.4	19.0
	Someone bought them for me	225	22.1	19.5	24.6
	Borrowed them	280	27.3	24.5	30.0

ACCESS TO SUBSTANCES
Source of vaping (Q13)

<i>Grade</i>	<i>Source of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Someone 18 years or older gave them to me	121	11.7	9.7	13.7
	Took them from store or family member	20	1.9	1.1	2.7
	Got them some other way	210	20.4	17.9	22.8
	Total	1026	100.0	.	.
12th	Store	182	34.0	29.9	38.0
	Someone bought them for me	88	16.2	13.1	19.4
	Borrowed them	115	21.7	18.2	25.3
	Someone 18 years or older gave them to me	52	9.5	7.0	12.0
	Took them from store or family member	3	0.5	0.0	1.1
	Got them some other way	99	18.0	14.8	21.3
	Total	539	100.0	.	.
Total	Store	553	14.0	12.8	15.1
	Someone bought them for me	842	19.6	18.3	20.9
	Borrowed them	1345	30.7	29.2	32.2
	Someone 18 years or older gave them to me	460	10.7	9.6	11.7
	Took them from store or family member	137	3.1	2.6	3.7
	Got them some other way	958	22.0	20.6	23.3
	Total	4295	100.0	.	.

ACCESS TO SUBSTANCES
Source of marijuana (Q33)

<i>Grade</i>	<i>Source of marijuana</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	I bought it from a friend	12	14.2	6.7	21.7
	I bought it from someone else	12	13.9	6.6	21.2
	I gave someone else money to buy it for me	8	9.1	3.1	15.2
	Someone gave it to me at a party or social gathering	16	18.7	10.4	27.0
	Someone gave it to me someplace else	9	10.7	4.0	17.3
	I bought it on the internet	5	5.4	0.8	10.1
	I got it some other way	24	28.0	18.4	37.5
	Total	86	100.0	.	.
7th	I bought it from a friend	38	15.2	10.7	19.7
	I bought it from someone else	39	14.9	10.5	19.3
	I gave someone else money to buy it for me	19	7.1	4.0	10.2
	Someone gave it to me at a party or social gathering	26	9.9	6.2	13.5
	Someone gave it to me someplace else	26	10.6	6.7	14.4
	I bought it on the internet	4	1.6	0.0	3.1
	I got it some other way	101	40.8	34.6	46.9
	Total	253	100.0	.	.
8th	I bought it from a friend	55	23.5	18.0	29.0
	I bought it from someone else	39	16.5	11.7	21.3
	I gave someone else money to buy it for me	15	6.0	3.0	9.0
	Someone gave it to me at a party or social gathering	28	11.5	7.4	15.6
	Someone gave it to me someplace else	32	12.5	8.4	16.7
	I bought it on the internet	2	0.9	0.0	2.2
	I got it some other way	72	29.1	23.3	34.9
	Total	243	100.0	.	.
9th	I bought it from a friend	174	20.9	18.1	23.6
	I bought it from someone else	171	20.5	17.7	23.2
	I gave someone else money to buy it for me	52	6.2	4.5	7.8
	Someone gave it to me at a party or social gathering	98	11.8	9.6	14.0
	Someone gave it to me someplace else	102	12.2	10.0	14.4
	I bought it on the internet	16	1.9	1.0	2.8
	I got it some other way	223	26.6	23.6	29.6
	Total	836	100.0	.	.
10th	I bought it from a friend	129	20.0	16.9	23.1
	I bought it from someone else	146	22.3	19.1	25.5
	I gave someone else money to buy it for me	33	4.9	3.3	6.6
	Someone gave it to me at a party or social gathering	76	11.5	9.0	13.9
	Someone gave it to me someplace else	80	12.5	9.9	15.1
	I bought it on the internet	7	1.1	0.3	1.9

ACCESS TO SUBSTANCES
Source of marijuana (Q33)

<i>Grade</i>	<i>Source of marijuana</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	I got it some other way	180	27.7	24.3	31.2
	Total	651	100.0	.	.
11th	I bought it from a friend	182	22.0	19.2	24.9
	I bought it from someone else	204	24.6	21.7	27.6
	I gave someone else money to buy it for me	35	4.2	2.8	5.6
	Someone gave it to me at a party or social gathering	97	11.8	9.6	14.0
	Someone gave it to me someplace else	89	10.9	8.7	13.0
	I bought it on the internet	15	1.8	0.9	2.7
	I got it some other way	205	24.7	21.8	27.7
	Total	827	100.0	.	.
12th	I bought it from a friend	116	23.1	19.3	26.8
	I bought it from someone else	141	27.5	23.6	31.5
	I gave someone else money to buy it for me	27	5.0	3.1	6.8
	Someone gave it to me at a party or social gathering	60	12.6	9.6	15.6
	Someone gave it to me someplace else	47	9.7	7.0	12.4
	I bought it on the internet	10	2.1	0.8	3.4
	I got it some other way	104	20.1	16.6	23.6
	Total	505	100.0	.	.
Total	I bought it from a friend	706	21.0	19.5	22.4
	I bought it from someone else	752	21.9	20.4	23.4
	I gave someone else money to buy it for me	189	5.5	4.7	6.3
	Someone gave it to me at a party or social gathering	401	12.1	10.9	13.3
	Someone gave it to me someplace else	385	11.3	10.2	12.4
	I bought it on the internet	59	1.8	1.3	2.3
	I got it some other way	909	26.5	24.9	28.1
	Total	3401	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining marijuana (Q74)

<i>Grade</i>	<i>Ease of obtaining marijuana</i>	<i>Unweighted</i>		<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
		<i>N</i>	<i>Percent</i>		
6th	Sort of hard OR Very hard	2450	90.6	89.5	91.7
	Very easy OR Sort of easy	260	9.4	8.3	10.5
	Total	2710	100.0	.	.
7th	Sort of hard OR Very hard	4388	84.1	83.1	85.0
	Very easy OR Sort of easy	859	15.9	15.0	16.9
	Total	5247	100.0	.	.
8th	Sort of hard OR Very hard	2193	71.2	69.6	72.9
	Very easy OR Sort of easy	902	28.8	27.1	30.4
	Total	3095	100.0	.	.
9th	Sort of hard OR Very hard	4910	56.8	55.8	57.9
	Very easy OR Sort of easy	3735	43.2	42.1	44.2
	Total	8645	100.0	.	.
10th	Sort of hard OR Very hard	2638	50.3	48.9	51.7
	Very easy OR Sort of easy	2601	49.7	48.3	51.1
	Total	5239	100.0	.	.
11th	Sort of hard OR Very hard	2647	43.6	42.3	44.8
	Very easy OR Sort of easy	3414	56.4	55.2	57.7
	Total	6061	100.0	.	.
12th	Sort of hard OR Very hard	1194	40.2	38.4	42.0
	Very easy OR Sort of easy	1735	59.8	58.0	61.6
	Total	2929	100.0	.	.
Total	Sort of hard OR Very hard	20420	63.8	63.3	64.4
	Very easy OR Sort of easy	13506	36.2	35.6	36.7
	Total	33926	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining heroin or fentanyl (Q75)

<i>Grade</i>	<i>Ease of obtaining heroin or fentanyl</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Sort of hard OR Very hard	2551	94.5	93.7	95.4
	Very easy OR Sort of easy	152	5.5	4.6	6.3
	Total	2703	100.0	.	.
7th	Sort of hard OR Very hard	4915	94.3	93.6	94.9
	Very easy OR Sort of easy	312	5.7	5.1	6.4
	Total	5227	100.0	.	.
8th	Sort of hard OR Very hard	2835	92.2	91.2	93.1
	Very easy OR Sort of easy	241	7.8	6.9	8.8
	Total	3076	100.0	.	.
9th	Sort of hard OR Very hard	7665	88.9	88.2	89.6
	Very easy OR Sort of easy	959	11.1	10.4	11.8
	Total	8624	100.0	.	.
10th	Sort of hard OR Very hard	4575	87.5	86.6	88.4
	Very easy OR Sort of easy	662	12.5	11.6	13.4
	Total	5237	100.0	.	.
11th	Sort of hard OR Very hard	5216	86.3	85.4	87.1
	Very easy OR Sort of easy	836	13.7	12.9	14.6
	Total	6052	100.0	.	.
12th	Sort of hard OR Very hard	2452	84.4	83.0	85.7
	Very easy OR Sort of easy	464	15.6	14.3	17.0
	Total	2916	100.0	.	.
Total	Sort of hard OR Very hard	30209	90.0	89.7	90.3
	Very easy OR Sort of easy	3626	10.0	9.7	10.3
	Total	33835	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining prescription drugs (Q70)

<i>Grade</i>	<i>Ease of obtaining prescription drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Sort of hard OR Very hard	2359	87.1	85.8	88.3
	Very easy OR Sort of easy	354	12.9	11.7	14.2
	Total	2713	100.0	.	.
7th	Sort of hard OR Very hard	4269	81.2	80.2	82.3
	Very easy OR Sort of easy	981	18.8	17.7	19.8
	Total	5250	100.0	.	.
8th	Sort of hard OR Very hard	2339	75.7	74.1	77.2
	Very easy OR Sort of easy	740	24.3	22.8	25.9
	Total	3079	100.0	.	.
9th	Sort of hard OR Very hard	6161	71.2	70.3	72.2
	Very easy OR Sort of easy	2485	28.8	27.8	29.7
	Total	8646	100.0	.	.
10th	Sort of hard OR Very hard	3616	69.0	67.7	70.2
	Very easy OR Sort of easy	1626	31.0	29.8	32.3
	Total	5242	100.0	.	.
11th	Sort of hard OR Very hard	4046	66.6	65.4	67.8
	Very easy OR Sort of easy	2024	33.4	32.2	34.6
	Total	6070	100.0	.	.
12th	Sort of hard OR Very hard	1949	66.4	64.7	68.1
	Very easy OR Sort of easy	982	33.6	31.9	35.3
	Total	2931	100.0	.	.
Total	Sort of hard OR Very hard	24739	74.4	73.9	74.9
	Very easy OR Sort of easy	9192	25.6	25.1	26.1
	Total	33931	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining prescription pain relievers (Q71)

<i>Grade</i>	<i>Ease of obtaining prescription pain relievers</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Sort of hard OR Very hard	2378	87.9	86.7	89.1
	Very easy OR Sort of easy	332	12.1	10.9	13.3
	Total	2710	100.0	.	.
7th	Sort of hard OR Very hard	4352	83.2	82.2	84.2
	Very easy OR Sort of easy	890	16.8	15.8	17.8
	Total	5242	100.0	.	.
8th	Sort of hard OR Very hard	2451	79.7	78.2	81.1
	Very easy OR Sort of easy	625	20.3	18.9	21.8
	Total	3076	100.0	.	.
9th	Sort of hard OR Very hard	6384	74.0	73.1	75.0
	Very easy OR Sort of easy	2239	26.0	25.0	26.9
	Total	8623	100.0	.	.
10th	Sort of hard OR Very hard	3769	72.2	71.0	73.4
	Very easy OR Sort of easy	1461	27.8	26.6	29.0
	Total	5230	100.0	.	.
11th	Sort of hard OR Very hard	4334	71.5	70.3	72.6
	Very easy OR Sort of easy	1735	28.5	27.4	29.7
	Total	6069	100.0	.	.
12th	Sort of hard OR Very hard	2034	70.0	68.3	71.7
	Very easy OR Sort of easy	881	30.0	28.3	31.7
	Total	2915	100.0	.	.
Total	Sort of hard OR Very hard	25702	77.4	76.9	77.8
	Very easy OR Sort of easy	8163	22.6	22.2	23.1
	Total	33865	100.0	.	.

ACCESS TO SUBSTANCES
Ease of obtaining other illicit drugs (Q73)

<i>Grade</i>	<i>Ease of obtaining other illicit drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Sort of hard OR Very hard	2566	94.8	94.0	95.6
	Very easy OR Sort of easy	144	5.2	4.4	6.0
	Total	2710	100.0	.	.
7th	Sort of hard OR Very hard	4859	93.0	92.3	93.7
	Very easy OR Sort of easy	382	7.0	6.3	7.7
	Total	5241	100.0	.	.
8th	Sort of hard OR Very hard	2801	90.7	89.6	91.7
	Very easy OR Sort of easy	286	9.3	8.3	10.4
	Total	3087	100.0	.	.
9th	Sort of hard OR Very hard	7382	85.5	84.7	86.2
	Very easy OR Sort of easy	1255	14.5	13.8	15.3
	Total	8637	100.0	.	.
10th	Sort of hard OR Very hard	4390	83.9	82.9	84.9
	Very easy OR Sort of easy	844	16.1	15.1	17.1
	Total	5234	100.0	.	.
11th	Sort of hard OR Very hard	4883	80.5	79.5	81.5
	Very easy OR Sort of easy	1183	19.5	18.5	20.5
	Total	6066	100.0	.	.
12th	Sort of hard OR Very hard	2295	78.8	77.2	80.3
	Very easy OR Sort of easy	617	21.2	19.7	22.8
	Total	2912	100.0	.	.
Total	Sort of hard OR Very hard	29176	87.2	86.8	87.6
	Very easy OR Sort of easy	4711	12.8	12.4	13.2
	Total	33887	100.0	.	.

DISAPPROVAL OF USE
Disapproval of alcohol use (Q54)

<i>Grade</i>	<i>Disapproval of alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2460	85.2	83.9	86.5
	Not wrong at all OR A little bit wrong	429	14.8	13.5	16.1
	Total	2889	100.0	.	.
7th	Wrong OR Very wrong	4291	76.1	75.0	77.2
	Not wrong at all OR A little bit wrong	1346	23.9	22.8	25.0
	Total	5637	100.0	.	.
8th	Wrong OR Very wrong	2244	70.5	68.9	72.1
	Not wrong at all OR A little bit wrong	937	29.5	27.9	31.1
	Total	3181	100.0	.	.
9th	Wrong OR Very wrong	5518	62.1	61.1	63.1
	Not wrong at all OR A little bit wrong	3356	37.9	36.9	38.9
	Total	8874	100.0	.	.
10th	Wrong OR Very wrong	2969	54.7	53.4	56.1
	Not wrong at all OR A little bit wrong	2421	45.3	43.9	46.6
	Total	5390	100.0	.	.
11th	Wrong OR Very wrong	3058	48.4	47.2	49.7
	Not wrong at all OR A little bit wrong	3222	51.6	50.3	52.8
	Total	6280	100.0	.	.
12th	Wrong OR Very wrong	1337	43.9	42.1	45.7
	Not wrong at all OR A little bit wrong	1655	56.1	54.3	57.9
	Total	2992	100.0	.	.
Total	Wrong OR Very wrong	21877	64.4	63.8	64.9
	Not wrong at all OR A little bit wrong	13366	35.6	35.1	36.2
	Total	35243	100.0	.	.

DISAPPROVAL OF USE
Disapproval of cigarette use (Q55)

<i>Grade</i>	<i>Disapproval of cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2599	90.5	89.4	91.6
	Not wrong at all OR A little bit wrong	278	9.5	8.4	10.6
	Total	2877	100.0	.	.
7th	Wrong OR Very wrong	5009	89.4	88.6	90.2
	Not wrong at all OR A little bit wrong	609	10.6	9.8	11.4
	Total	5618	100.0	.	.
8th	Wrong OR Very wrong	2704	85.5	84.3	86.8
	Not wrong at all OR A little bit wrong	466	14.5	13.2	15.7
	Total	3170	100.0	.	.
9th	Wrong OR Very wrong	7421	83.6	82.9	84.4
	Not wrong at all OR A little bit wrong	1447	16.4	15.6	17.1
	Total	8868	100.0	.	.
10th	Wrong OR Very wrong	4327	80.1	79.0	81.2
	Not wrong at all OR A little bit wrong	1059	19.9	18.8	21.0
	Total	5386	100.0	.	.
11th	Wrong OR Very wrong	4777	76.0	74.9	77.0
	Not wrong at all OR A little bit wrong	1496	24.0	23.0	25.1
	Total	6273	100.0	.	.
12th	Wrong OR Very wrong	2074	68.1	66.4	69.8
	Not wrong at all OR A little bit wrong	930	31.9	30.2	33.6
	Total	3004	100.0	.	.
Total	Wrong OR Very wrong	28911	82.6	82.2	83.1
	Not wrong at all OR A little bit wrong	6285	17.4	16.9	17.8
	Total	35196	100.0	.	.

DISAPPROVAL OF USE
Disapproval of vaping (Q56)

<i>Grade</i>	<i>Disapproval of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2472	86.0	84.7	87.3
	Not wrong at all OR A little bit wrong	407	14.0	12.7	15.3
	Total	2879	100.0	.	.
7th	Wrong OR Very wrong	4544	81.3	80.3	82.4
	Not wrong at all OR A little bit wrong	1062	18.7	17.6	19.7
	Total	5606	100.0	.	.
8th	Wrong OR Very wrong	2359	74.2	72.6	75.7
	Not wrong at all OR A little bit wrong	816	25.8	24.3	27.4
	Total	3175	100.0	.	.
9th	Wrong OR Very wrong	6172	69.6	68.6	70.5
	Not wrong at all OR A little bit wrong	2696	30.4	29.5	31.4
	Total	8868	100.0	.	.
10th	Wrong OR Very wrong	3572	66.2	64.9	67.4
	Not wrong at all OR A little bit wrong	1792	33.8	32.6	35.1
	Total	5364	100.0	.	.
11th	Wrong OR Very wrong	3907	61.9	60.7	63.1
	Not wrong at all OR A little bit wrong	2371	38.1	36.9	39.3
	Total	6278	100.0	.	.
12th	Wrong OR Very wrong	1770	58.0	56.2	59.8
	Not wrong at all OR A little bit wrong	1229	42.0	40.2	43.8
	Total	2999	100.0	.	.
Total	Wrong OR Very wrong	24796	71.9	71.4	72.4
	Not wrong at all OR A little bit wrong	10373	28.1	27.6	28.6
	Total	35169	100.0	.	.

DISAPPROVAL OF USE
Disapproval of marijuana use (Q57)

<i>Grade</i>	<i>Disapproval of marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2622	91.4	90.4	92.4
	Not wrong at all OR A little bit wrong	255	8.6	7.6	9.6
	Total	2877	100.0	.	.
7th	Wrong OR Very wrong	4770	85.6	84.7	86.5
	Not wrong at all OR A little bit wrong	836	14.4	13.5	15.3
	Total	5606	100.0	.	.
8th	Wrong OR Very wrong	2410	76.7	75.2	78.1
	Not wrong at all OR A little bit wrong	764	23.3	21.9	24.8
	Total	3174	100.0	.	.
9th	Wrong OR Very wrong	5809	65.7	64.8	66.7
	Not wrong at all OR A little bit wrong	3047	34.3	33.3	35.2
	Total	8856	100.0	.	.
10th	Wrong OR Very wrong	3087	57.8	56.4	59.1
	Not wrong at all OR A little bit wrong	2283	42.2	40.9	43.6
	Total	5370	100.0	.	.
11th	Wrong OR Very wrong	3290	52.4	51.2	53.7
	Not wrong at all OR A little bit wrong	2985	47.6	46.3	48.8
	Total	6275	100.0	.	.
12th	Wrong OR Very wrong	1432	47.8	46.0	49.6
	Not wrong at all OR A little bit wrong	1567	52.2	50.4	54.0
	Total	2999	100.0	.	.
Total	Wrong OR Very wrong	23420	69.7	69.2	70.2
	Not wrong at all OR A little bit wrong	11737	30.3	29.8	30.8
	Total	35157	100.0	.	.

DISAPPROVAL OF USE
Disapproval of prescription drug misuse (Q58)

<i>Grade</i>	<i>Disapproval of prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2596	90.2	89.2	91.3
	Not wrong at all OR A little bit wrong	287	9.8	8.7	10.8
	Total	2883	100.0	.	.
7th	Wrong OR Very wrong	4840	87.0	86.1	87.9
	Not wrong at all OR A little bit wrong	754	13.0	12.1	13.9
	Total	5594	100.0	.	.
8th	Wrong OR Very wrong	2695	85.6	84.3	86.8
	Not wrong at all OR A little bit wrong	466	14.4	13.2	15.7
	Total	3161	100.0	.	.
9th	Wrong OR Very wrong	7417	84.0	83.2	84.8
	Not wrong at all OR A little bit wrong	1423	16.0	15.2	16.8
	Total	8840	100.0	.	.
10th	Wrong OR Very wrong	4465	83.6	82.6	84.6
	Not wrong at all OR A little bit wrong	897	16.4	15.4	17.4
	Total	5362	100.0	.	.
11th	Wrong OR Very wrong	5157	82.3	81.4	83.3
	Not wrong at all OR A little bit wrong	1115	17.7	16.7	18.6
	Total	6272	100.0	.	.
12th	Wrong OR Very wrong	2446	82.4	81.0	83.8
	Not wrong at all OR A little bit wrong	547	17.6	16.2	19.0
	Total	2993	100.0	.	.
Total	Wrong OR Very wrong	29616	85.2	84.8	85.6
	Not wrong at all OR A little bit wrong	5489	14.8	14.4	15.2
	Total	35105	100.0	.	.

DISAPPROVAL OF USE
Disapproval of prescription pain reliever misuse (Q59)

<i>Grade</i>	<i>Disapproval of prescription pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2513	87.6	86.4	88.8
	Not wrong at all OR A little bit wrong	361	12.4	11.2	13.6
	Total	2874	100.0	.	.
7th	Wrong OR Very wrong	4739	85.2	84.3	86.1
	Not wrong at all OR A little bit wrong	852	14.8	13.9	15.7
	Total	5591	100.0	.	.
8th	Wrong OR Very wrong	2584	82.7	81.4	84.1
	Not wrong at all OR A little bit wrong	569	17.3	15.9	18.6
	Total	3153	100.0	.	.
9th	Wrong OR Very wrong	7340	83.1	82.4	83.9
	Not wrong at all OR A little bit wrong	1502	16.9	16.1	17.6
	Total	8842	100.0	.	.
10th	Wrong OR Very wrong	4382	82.3	81.3	83.3
	Not wrong at all OR A little bit wrong	969	17.7	16.7	18.7
	Total	5351	100.0	.	.
11th	Wrong OR Very wrong	5152	82.4	81.5	83.4
	Not wrong at all OR A little bit wrong	1110	17.6	16.6	18.5
	Total	6262	100.0	.	.
12th	Wrong OR Very wrong	2504	84.6	83.3	85.9
	Not wrong at all OR A little bit wrong	480	15.4	14.1	16.7
	Total	2984	100.0	.	.
Total	Wrong OR Very wrong	29214	84.1	83.7	84.5
	Not wrong at all OR A little bit wrong	5843	15.9	15.5	16.3
	Total	35057	100.0	.	.

DISAPPROVAL OF USE
Disapproval of heroin or fentanyl use (Q61)

<i>Grade</i>	<i>Disapproval of heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2712	95.0	94.2	95.8
	Not wrong at all OR A little bit wrong	149	5.0	4.2	5.8
	Total	2861	100.0	.	.
7th	Wrong OR Very wrong	5246	94.7	94.1	95.2
	Not wrong at all OR A little bit wrong	317	5.3	4.8	5.9
	Total	5563	100.0	.	.
8th	Wrong OR Very wrong	2974	94.6	93.9	95.4
	Not wrong at all OR A little bit wrong	176	5.4	4.6	6.1
	Total	3150	100.0	.	.
9th	Wrong OR Very wrong	8182	93.1	92.6	93.6
	Not wrong at all OR A little bit wrong	613	6.9	6.4	7.4
	Total	8795	100.0	.	.
10th	Wrong OR Very wrong	4902	92.4	91.7	93.1
	Not wrong at all OR A little bit wrong	410	7.6	6.9	8.3
	Total	5312	100.0	.	.
11th	Wrong OR Very wrong	5802	92.9	92.3	93.6
	Not wrong at all OR A little bit wrong	451	7.1	6.4	7.7
	Total	6253	100.0	.	.
12th	Wrong OR Very wrong	2723	91.7	90.7	92.7
	Not wrong at all OR A little bit wrong	259	8.3	7.3	9.3
	Total	2982	100.0	.	.
Total	Wrong OR Very wrong	32541	93.6	93.3	93.9
	Not wrong at all OR A little bit wrong	2375	6.4	6.1	6.7
	Total	34916	100.0	.	.

DISAPPROVAL OF USE
Disapproval of other illicit drug use (Q60)

<i>Grade</i>	<i>Disapproval of other illicit drug use</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
6th	Wrong OR Very wrong	2702	94.5	93.7
	Not wrong at all OR A little bit wrong	163	5.5	4.6
	Total	2865	100.0	.
7th	Wrong OR Very wrong	5250	94.4	93.8
	Not wrong at all OR A little bit wrong	333	5.6	5.0
	Total	5583	100.0	.
8th	Wrong OR Very wrong	2953	93.7	92.9
	Not wrong at all OR A little bit wrong	205	6.3	5.4
	Total	3158	100.0	.
9th	Wrong OR Very wrong	8073	91.5	91.0
	Not wrong at all OR A little bit wrong	751	8.5	7.9
	Total	8824	100.0	.
10th	Wrong OR Very wrong	4796	90.0	89.2
	Not wrong at all OR A little bit wrong	536	10.0	9.2
	Total	5332	100.0	.
11th	Wrong OR Very wrong	5612	89.8	89.0
	Not wrong at all OR A little bit wrong	645	10.2	9.5
	Total	6257	100.0	.
12th	Wrong OR Very wrong	2624	88.1	86.9
	Not wrong at all OR A little bit wrong	357	11.9	10.8
	Total	2981	100.0	.
Total	Wrong OR Very wrong	32010	92.0	91.6
	Not wrong at all OR A little bit wrong	2990	8.0	7.7
	Total	35000	100.0	.

RISK OF HARM
Risk of harm from binge use (Q65)

<i>Grade</i>	<i>Risk of harm from binge use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Moderate risk OR Great risk	2241	79.9	78.4	81.3
	No risk OR Slight risk	588	20.1	18.7	21.6
	Total	2829	100.0	.	.
7th	Moderate risk OR Great risk	4356	82.2	81.2	83.2
	No risk OR Slight risk	987	17.8	16.8	18.8
	Total	5343	100.0	.	.
8th	Moderate risk OR Great risk	2434	78.2	76.7	79.7
	No risk OR Slight risk	697	21.8	20.3	23.3
	Total	3131	100.0	.	.
9th	Moderate risk OR Great risk	6763	77.5	76.6	78.3
	No risk OR Slight risk	1972	22.5	21.7	23.4
	Total	8735	100.0	.	.
10th	Moderate risk OR Great risk	4011	75.5	74.4	76.7
	No risk OR Slight risk	1290	24.5	23.3	25.6
	Total	5301	100.0	.	.
11th	Moderate risk OR Great risk	4574	73.5	72.4	74.6
	No risk OR Slight risk	1645	26.5	25.4	27.6
	Total	6219	100.0	.	.
12th	Moderate risk OR Great risk	2090	70.2	68.5	71.8
	No risk OR Slight risk	873	29.8	28.2	31.5
	Total	2963	100.0	.	.
Total	Moderate risk OR Great risk	26469	77.0	76.6	77.5
	No risk OR Slight risk	8052	23.0	22.5	23.4
	Total	34521	100.0	.	.

RISK OF HARM
Risk of harm from cigarette use (Q62)

<i>Grade</i>	<i>Risk of harm from cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Moderate risk OR Great risk	2362	83.9	82.5	85.2
	No risk OR Slight risk	480	16.1	14.8	17.5
	Total	2842	100.0	.	.
7th	Moderate risk OR Great risk	4748	86.3	85.5	87.2
	No risk OR Slight risk	810	13.7	12.8	14.5
	Total	5558	100.0	.	.
8th	Moderate risk OR Great risk	2684	86.4	85.2	87.5
	No risk OR Slight risk	456	13.6	12.5	14.8
	Total	3140	100.0	.	.
9th	Moderate risk OR Great risk	7590	86.5	85.8	87.2
	No risk OR Slight risk	1199	13.5	12.8	14.2
	Total	8789	100.0	.	.
10th	Moderate risk OR Great risk	4465	84.3	83.3	85.3
	No risk OR Slight risk	848	15.7	14.7	16.7
	Total	5313	100.0	.	.
11th	Moderate risk OR Great risk	5344	85.7	84.8	86.5
	No risk OR Slight risk	901	14.3	13.5	15.2
	Total	6245	100.0	.	.
12th	Moderate risk OR Great risk	2470	83.4	82.0	84.7
	No risk OR Slight risk	507	16.6	15.3	18.0
	Total	2977	100.0	.	.
Total	Moderate risk OR Great risk	29663	85.3	84.9	85.7
	No risk OR Slight risk	5201	14.7	14.3	15.1
	Total	34864	100.0	.	.

RISK OF HARM
Risk of harm from vaping (Q63)

<i>Grade</i>	<i>Risk of harm from vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Moderate risk OR Great risk	2218	78.7	77.2	80.2
	No risk OR Slight risk	618	21.3	19.8	22.8
	Total	2836	100.0	.	.
7th	Moderate risk OR Great risk	4345	79.3	78.2	80.3
	No risk OR Slight risk	1187	20.7	19.7	21.8
	Total	5532	100.0	.	.
8th	Moderate risk OR Great risk	2353	75.5	74.0	77.0
	No risk OR Slight risk	783	24.5	23.0	26.0
	Total	3136	100.0	.	.
9th	Moderate risk OR Great risk	6486	74.1	73.1	75.0
	No risk OR Slight risk	2279	25.9	25.0	26.9
	Total	8765	100.0	.	.
10th	Moderate risk OR Great risk	3815	72.2	71.0	73.4
	No risk OR Slight risk	1474	27.8	26.6	29.0
	Total	5289	100.0	.	.
11th	Moderate risk OR Great risk	4435	71.1	70.0	72.2
	No risk OR Slight risk	1793	28.9	27.8	30.0
	Total	6228	100.0	.	.
12th	Moderate risk OR Great risk	2075	69.8	68.1	71.5
	No risk OR Slight risk	893	30.2	28.5	31.9
	Total	2968	100.0	.	.
Total	Moderate risk OR Great risk	25727	74.7	74.2	75.2
	No risk OR Slight risk	9027	25.3	24.8	25.8
	Total	34754	100.0	.	.

RISK OF HARM
Risk of harm from marijuana use (Q64)

<i>Grade</i>	<i>Risk of harm from marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Moderate risk OR Great risk	2233	79.6	78.1	81.0
	No risk OR Slight risk	601	20.4	19.0	21.9
	Total	2834	100.0	.	.
7th	Moderate risk OR Great risk	4123	74.9	73.8	76.1
	No risk OR Slight risk	1405	25.1	23.9	26.2
	Total	5528	100.0	.	.
8th	Moderate risk OR Great risk	2131	68.8	67.2	70.5
	No risk OR Slight risk	1001	31.2	29.5	32.8
	Total	3132	100.0	.	.
9th	Moderate risk OR Great risk	5323	60.9	59.9	61.9
	No risk OR Slight risk	3441	39.1	38.1	40.1
	Total	8764	100.0	.	.
10th	Moderate risk OR Great risk	2872	54.5	53.1	55.8
	No risk OR Slight risk	2422	45.5	44.2	46.9
	Total	5294	100.0	.	.
11th	Moderate risk OR Great risk	3102	49.7	48.5	51.0
	No risk OR Slight risk	3135	50.3	49.0	51.5
	Total	6237	100.0	.	.
12th	Moderate risk OR Great risk	1372	46.0	44.2	47.8
	No risk OR Slight risk	1602	54.0	52.2	55.8
	Total	2974	100.0	.	.
Total	Moderate risk OR Great risk	21156	63.2	62.6	63.7
	No risk OR Slight risk	13607	36.8	36.3	37.4
	Total	34763	100.0	.	.

RISK OF HARM
Risk of harm from prescription drug misuse (Q66)

<i>Grade</i>	<i>Risk of harm from prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Moderate risk OR Great risk	2316	82.7	81.3	84.0
	No risk OR Slight risk	508	17.3	16.0	18.7
	Total	2824	100.0	.	.
7th	Moderate risk OR Great risk	4437	83.9	82.9	84.9
	No risk OR Slight risk	896	16.1	15.1	17.1
	Total	5333	100.0	.	.
8th	Moderate risk OR Great risk	2580	83.4	82.1	84.7
	No risk OR Slight risk	547	16.6	15.3	17.9
	Total	3127	100.0	.	.
9th	Moderate risk OR Great risk	7306	83.8	83.0	84.6
	No risk OR Slight risk	1429	16.2	15.4	17.0
	Total	8735	100.0	.	.
10th	Moderate risk OR Great risk	4416	84.0	83.1	85.0
	No risk OR Slight risk	867	16.0	15.0	16.9
	Total	5283	100.0	.	.
11th	Moderate risk OR Great risk	5253	84.6	83.7	85.5
	No risk OR Slight risk	967	15.4	14.5	16.3
	Total	6220	100.0	.	.
12th	Moderate risk OR Great risk	2455	83.6	82.2	84.9
	No risk OR Slight risk	501	16.4	15.1	17.8
	Total	2956	100.0	.	.
Total	Moderate risk OR Great risk	28763	83.7	83.3	84.1
	No risk OR Slight risk	5715	16.3	15.9	16.7
	Total	34478	100.0	.	.

RISK OF HARM
Risk of harm from prescription pain reliever misuse (Q67)

<i>Grade</i>	<i>Risk of harm from prescription pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Moderate risk OR Great risk	2293	82.1	80.7	83.5
	No risk OR Slight risk	522	17.9	16.5	19.3
	Total	2815	100.0	.	.
7th	Moderate risk OR Great risk	4395	83.4	82.4	84.4
	No risk OR Slight risk	921	16.6	15.6	17.6
	Total	5316	100.0	.	.
8th	Moderate risk OR Great risk	2582	83.9	82.6	85.2
	No risk OR Slight risk	537	16.1	14.8	17.4
	Total	3119	100.0	.	.
9th	Moderate risk OR Great risk	7296	83.8	83.0	84.5
	No risk OR Slight risk	1433	16.2	15.5	17.0
	Total	8729	100.0	.	.
10th	Moderate risk OR Great risk	4424	84.4	83.4	85.4
	No risk OR Slight risk	851	15.6	14.6	16.6
	Total	5275	100.0	.	.
11th	Moderate risk OR Great risk	5291	85.4	84.6	86.3
	No risk OR Slight risk	917	14.6	13.7	15.4
	Total	6208	100.0	.	.
12th	Moderate risk OR Great risk	2469	84.2	82.9	85.5
	No risk OR Slight risk	487	15.8	14.5	17.1
	Total	2956	100.0	.	.
Total	Moderate risk OR Great risk	28750	83.8	83.4	84.2
	No risk OR Slight risk	5668	16.2	15.8	16.6
	Total	34418	100.0	.	.

RISK BEHAVIORS
Sold drugs in past year (Q48)

<i>Grade</i>	<i>Sold drugs in past year</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	53	1.7	1.3	2.2
	No	2870	98.3	97.8	98.7
	Total	2923	100.0	.	.
7th	Yes	127	2.1	1.8	2.5
	No	5518	97.9	97.5	98.2
	Total	5645	100.0	.	.
8th	Yes	109	3.4	2.7	4.0
	No	3058	96.6	96.0	97.3
	Total	3167	100.0	.	.
9th	Yes	362	4.1	3.7	4.5
	No	8505	95.9	95.5	96.3
	Total	8867	100.0	.	.
10th	Yes	243	4.5	3.9	5.0
	No	5132	95.5	95.0	96.1
	Total	5375	100.0	.	.
11th	Yes	272	4.3	3.8	4.8
	No	5961	95.7	95.2	96.2
	Total	6233	100.0	.	.
12th	Yes	162	5.2	4.4	6.0
	No	2825	94.8	94.0	95.6
	Total	2987	100.0	.	.
Total	Yes	1328	3.5	3.3	3.7
	No	33869	96.5	96.3	96.7
	Total	35197	100.0	.	.

RISK BEHAVIORS
Attacked someone related to drugs in past year (Q49)

Grade	Attacked someone related to drugs in past year	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
6th	Yes	54	1.8	1.3	2.2
	No	2878	98.2	97.8	98.7
	Total	2932	100.0	.	.
7th	Yes	114	1.9	1.5	2.2
	No	5566	98.1	97.8	98.5
	Total	5680	100.0	.	.
8th	Yes	73	2.2	1.7	2.7
	No	3137	97.8	97.3	98.3
	Total	3210	100.0	.	.
9th	Yes	204	2.2	1.9	2.6
	No	8727	97.8	97.4	98.1
	Total	8931	100.0	.	.
10th	Yes	138	2.5	2.1	2.9
	No	5293	97.5	97.1	97.9
	Total	5431	100.0	.	.
11th	Yes	135	2.1	1.8	2.5
	No	6168	97.9	97.5	98.2
	Total	6303	100.0	.	.
12th	Yes	98	3.0	2.4	3.6
	No	2928	97.0	96.4	97.6
	Total	3026	100.0	.	.
Total	Yes	816	2.2	2.1	2.4
	No	34697	97.8	97.6	97.9
	Total	35513	100.0	.	.

RISK BEHAVIORS
Drunk or high at school in past year (Q50)

Grade	<i>Drunk or high at school in past year</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Yes	87	2.9	2.3	3.4
	No	2844	97.1	96.6	97.7
	Total	2931	100.0	.	.
7th	Yes	235	4.0	3.5	4.5
	No	5448	96.0	95.5	96.5
	Total	5683	100.0	.	.
8th	Yes	225	6.9	6.0	7.8
	No	2979	93.1	92.2	94.0
	Total	3204	100.0	.	.
9th	Yes	721	8.0	7.4	8.6
	No	8220	92.0	91.4	92.6
	Total	8941	100.0	.	.
10th	Yes	532	9.7	8.9	10.5
	No	4906	90.3	89.5	91.1
	Total	5438	100.0	.	.
11th	Yes	575	9.1	8.4	9.8
	No	5732	90.9	90.2	91.6
	Total	6307	100.0	.	.
12th	Yes	345	11.2	10.1	12.4
	No	2682	88.8	87.6	89.9
	Total	3027	100.0	.	.
Total	Yes	2720	7.1	6.8	7.4
	No	32811	92.9	92.6	93.2
	Total	35531	100.0	.	.

RISK BEHAVIORS
Rode with drinking driver in past month (Q29)

<i>Grade</i>	<i>Rode with drinking driver in past month</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	440	14.6	13.3	15.8
	No	2504	85.4	84.2	86.7
	Total	2944	100.0	.	.
7th	Yes	894	15.3	14.3	16.2
	No	4801	84.7	83.8	85.7
	Total	5695	100.0	.	.
8th	Yes	524	15.9	14.6	17.2
	No	2663	84.1	82.8	85.4
	Total	3187	100.0	.	.
9th	Yes	1211	13.5	12.8	14.2
	No	7713	86.5	85.8	87.2
	Total	8924	100.0	.	.
10th	Yes	602	10.8	10.0	11.7
	No	4804	89.2	88.3	90.0
	Total	5406	100.0	.	.
11th	Yes	650	10.2	9.5	11.0
	No	5644	89.8	89.0	90.5
	Total	6294	100.0	.	.
12th	Yes	312	10.1	9.0	11.2
	No	2692	89.9	88.8	91.0
	Total	3004	100.0	.	.
Total	Yes	4633	13.1	12.8	13.5
	No	30821	86.9	86.5	87.2
	Total	35454	100.0	.	.

RISK BEHAVIORS
Drove after drinking in past month (Q28)

<i>Grade</i>	<i>Drove after drinking in past month</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Yes	44	1.4	1.0	1.8
	No	2920	98.6	98.2	99.0
	Total	2964	100.0	.	.
7th	Yes	65	1.1	0.8	1.3
	No	5648	98.9	98.7	99.2
	Total	5713	100.0	.	.
8th	Yes	48	1.5	1.1	1.9
	No	3166	98.5	98.1	98.9
	Total	3214	100.0	.	.
9th	Yes	144	1.6	1.3	1.8
	No	8798	98.4	98.2	98.7
	Total	8942	100.0	.	.
10th	Yes	85	1.5	1.2	1.9
	No	5348	98.5	98.1	98.8
	Total	5433	100.0	.	.
11th	Yes	146	2.3	1.9	2.7
	No	6198	97.7	97.3	98.1
	Total	6344	100.0	.	.
12th	Yes	126	4.2	3.4	4.9
	No	2897	95.8	95.1	96.6
	Total	3023	100.0	.	.
Total	Yes	658	1.8	1.7	2.0
	No	34975	98.2	98.0	98.3
	Total	35633	100.0	.	.

RISK BEHAVIORS
Rode with driver using marijuana in past month (Q35)

Grade	Rode with driver using marijuana in past month	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
6th	Yes	256	8.3	7.3	9.3
	No	2685	91.7	90.7	92.7
	Total	2941	100.0	.	.
7th	Yes	566	9.3	8.6	10.1
	No	5119	90.7	89.9	91.4
	Total	5685	100.0	.	.
8th	Yes	429	12.4	11.3	13.5
	No	2775	87.6	86.5	88.7
	Total	3204	100.0	.	.
9th	Yes	987	10.9	10.3	11.5
	No	7938	89.1	88.5	89.7
	Total	8925	100.0	.	.
10th	Yes	701	12.4	11.6	13.3
	No	4730	87.6	86.7	88.4
	Total	5431	100.0	.	.
11th	Yes	849	13.2	12.4	14.1
	No	5468	86.8	85.9	87.6
	Total	6317	100.0	.	.
12th	Yes	421	13.5	12.3	14.7
	No	2589	86.5	85.3	87.7
	Total	3010	100.0	.	.
Total	Yes	4209	11.3	10.9	11.6
	No	31304	88.7	88.4	89.1
	Total	35513	100.0	.	.

RISK BEHAVIORS
Drove after using marijuana in past month (Q34)

Grade	<i>Drove after using marijuana in past month</i>	<i>Unweighted</i> N	<i>Percent</i>	<i>Lower</i> 95%CL	<i>Upper</i> 95%CL
6th	Yes	77	2.5	1.9	3.0
	No	2893	97.5	97.0	98.1
	Total	2970	100.0	.	.
7th	Yes	153	2.5	2.1	2.8
	No	5565	97.5	97.2	97.9
	Total	5718	100.0	.	.
8th	Yes	118	3.4	2.8	4.0
	No	3113	96.6	96.0	97.2
	Total	3231	100.0	.	.
9th	Yes	359	3.9	3.5	4.3
	No	8623	96.1	95.7	96.5
	Total	8982	100.0	.	.
10th	Yes	274	4.8	4.3	5.4
	No	5188	95.2	94.6	95.7
	Total	5462	100.0	.	.
11th	Yes	412	6.4	5.8	7.0
	No	5944	93.6	93.0	94.2
	Total	6356	100.0	.	.
12th	Yes	253	7.9	7.0	8.9
	No	2785	92.1	91.1	93.0
	Total	3038	100.0	.	.
Total	Yes	1646	4.3	4.1	4.5
	No	34111	95.7	95.5	95.9
	Total	35757	100.0	.	.

RISK BEHAVIORS
Drinking is central part of school social life (Q51)

<i>Grade</i>	<i>Drinking is central part of school social life</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Quite a lot OR A great deal	74	4.9	3.8	6.0
	Very little or none OR Some	1361	95.1	94.0	96.2
	Total	1435	100.0	.	.
7th	Quite a lot OR A great deal	207	6.1	5.3	7.0
	Very little or none OR Some	3039	93.9	93.0	94.7
	Total	3246	100.0	.	.
8th	Quite a lot OR A great deal	196	10.0	8.7	11.4
	Very little or none OR Some	1769	90.0	88.6	91.3
	Total	1965	100.0	.	.
9th	Quite a lot OR A great deal	991	17.4	16.4	18.4
	Very little or none OR Some	4714	82.6	81.6	83.6
	Total	5705	100.0	.	.
10th	Quite a lot OR A great deal	828	23.4	22.0	24.8
	Very little or none OR Some	2765	76.6	75.2	78.0
	Total	3593	100.0	.	.
11th	Quite a lot OR A great deal	1213	27.4	26.1	28.7
	Very little or none OR Some	3238	72.6	71.3	73.9
	Total	4451	100.0	.	.
12th	Quite a lot OR A great deal	590	28.6	26.6	30.6
	Very little or none OR Some	1563	71.4	69.4	73.4
	Total	2153	100.0	.	.
Total	Quite a lot OR A great deal	4099	16.9	16.4	17.4
	Very little or none OR Some	18449	83.1	82.6	83.6
	Total	22548	100.0	.	.

RISK BEHAVIORS
Students use alcohol at school sporting events (Q52)

<i>Grade</i>	<i>Students use alcohol at school sporting events</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Quite a lot OR A great deal	66	4.8	3.6	5.9
	Very little or none OR Some	1233	95.2	94.1	96.4
	Total	1299	100.0	.	.
7th	Quite a lot OR A great deal	190	6.1	5.2	6.9
	Very little or none OR Some	2745	93.9	93.1	94.8
	Total	2935	100.0	.	.
8th	Quite a lot OR A great deal	141	7.6	6.3	8.8
	Very little or none OR Some	1616	92.4	91.2	93.7
	Total	1757	100.0	.	.
9th	Quite a lot OR A great deal	786	15.9	14.9	17.0
	Very little or none OR Some	4149	84.1	83.0	85.1
	Total	4935	100.0	.	.
10th	Quite a lot OR A great deal	641	20.7	19.2	22.1
	Very little or none OR Some	2482	79.3	77.9	80.8
	Total	3123	100.0	.	.
11th	Quite a lot OR A great deal	944	24.3	22.9	25.6
	Very little or none OR Some	2969	75.7	74.4	77.1
	Total	3913	100.0	.	.
12th	Quite a lot OR A great deal	489	26.1	24.1	28.1
	Very little or none OR Some	1435	73.9	71.9	75.9
	Total	1924	100.0	.	.
Total	Quite a lot OR A great deal	3257	15.0	14.5	15.5
	Very little or none OR Some	16629	85.0	84.5	85.5
	Total	19886	100.0	.	.

RISK BEHAVIORS
Students use alcohol on school property (Q53)

<i>Grade</i>	<i>Students use alcohol on school property</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Quite a lot OR A great deal	56	4.1	3.0	5.1
	Very little or none OR Some	1209	95.9	94.9	97.0
	Total	1265	100.0	.	.
7th	Quite a lot OR A great deal	205	6.6	5.7	7.5
	Very little or none OR Some	2716	93.4	92.5	94.3
	Total	2921	100.0	.	.
8th	Quite a lot OR A great deal	142	7.9	6.7	9.2
	Very little or none OR Some	1604	92.1	90.8	93.3
	Total	1746	100.0	.	.
9th	Quite a lot OR A great deal	641	13.2	12.2	14.1
	Very little or none OR Some	4204	86.8	85.9	87.8
	Total	4845	100.0	.	.
10th	Quite a lot OR A great deal	449	14.6	13.4	15.9
	Very little or none OR Some	2572	85.4	84.1	86.6
	Total	3021	100.0	.	.
11th	Quite a lot OR A great deal	523	13.9	12.8	15.0
	Very little or none OR Some	3209	86.1	85.0	87.2
	Total	3732	100.0	.	.
12th	Quite a lot OR A great deal	245	13.4	11.8	15.0
	Very little or none OR Some	1532	86.6	85.0	88.2
	Total	1777	100.0	.	.
Total	Quite a lot OR A great deal	2261	10.5	10.1	11.0
	Very little or none OR Some	17046	89.5	89.0	89.9
	Total	19307	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of alcohol use (Q76)

<i>Grade</i>	<i>Parental disapproval of alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2654	94.8	94.0	95.6
	Not wrong at all OR A little bit wrong	151	5.2	4.4	6.0
	Total	2805	100.0	.	.
7th	Wrong OR Very wrong	4990	94.5	93.9	95.2
	Not wrong at all OR A little bit wrong	302	5.5	4.8	6.1
	Total	5292	100.0	.	.
8th	Wrong OR Very wrong	2845	92.2	91.2	93.1
	Not wrong at all OR A little bit wrong	244	7.8	6.9	8.8
	Total	3089	100.0	.	.
9th	Wrong OR Very wrong	7919	90.9	90.3	91.5
	Not wrong at all OR A little bit wrong	797	9.1	8.5	9.7
	Total	8716	100.0	.	.
10th	Wrong OR Very wrong	4710	89.4	88.6	90.3
	Not wrong at all OR A little bit wrong	560	10.6	9.7	11.4
	Total	5270	100.0	.	.
11th	Wrong OR Very wrong	5290	87.0	86.1	87.8
	Not wrong at all OR A little bit wrong	793	13.0	12.2	13.9
	Total	6083	100.0	.	.
12th	Wrong OR Very wrong	2443	83.1	81.8	84.5
	Not wrong at all OR A little bit wrong	500	16.9	15.5	18.2
	Total	2943	100.0	.	.
Total	Wrong OR Very wrong	30851	90.7	90.3	91.0
	Not wrong at all OR A little bit wrong	3347	9.3	9.0	9.7
	Total	34198	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of cigarette use (Q77)

<i>Grade</i>	<i>Parental disapproval of cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2709	96.5	95.8	97.1
	Not wrong at all OR A little bit wrong	104	3.5	2.9	4.2
	Total	2813	100.0	.	.
7th	Wrong OR Very wrong	5078	96.5	96.0	97.0
	Not wrong at all OR A little bit wrong	199	3.5	3.0	4.0
	Total	5277	100.0	.	.
8th	Wrong OR Very wrong	2956	96.0	95.3	96.7
	Not wrong at all OR A little bit wrong	128	4.0	3.3	4.7
	Total	3084	100.0	.	.
9th	Wrong OR Very wrong	8265	95.1	94.6	95.5
	Not wrong at all OR A little bit wrong	432	4.9	4.5	5.4
	Total	8697	100.0	.	.
10th	Wrong OR Very wrong	4953	94.1	93.4	94.7
	Not wrong at all OR A little bit wrong	316	5.9	5.3	6.6
	Total	5269	100.0	.	.
11th	Wrong OR Very wrong	5595	92.0	91.3	92.7
	Not wrong at all OR A little bit wrong	488	8.0	7.3	8.7
	Total	6083	100.0	.	.
12th	Wrong OR Very wrong	2631	89.7	88.5	90.8
	Not wrong at all OR A little bit wrong	306	10.3	9.2	11.5
	Total	2937	100.0	.	.
Total	Wrong OR Very wrong	32187	94.5	94.2	94.7
	Not wrong at all OR A little bit wrong	1973	5.5	5.3	5.8
	Total	34160	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of vaping (Q78)

<i>Grade</i>	<i>Parental disapproval of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2672	95.3	94.5	96.1
	Not wrong at all OR A little bit wrong	136	4.7	3.9	5.5
	Total	2808	100.0	.	.
7th	Wrong OR Very wrong	4983	94.5	93.9	95.1
	Not wrong at all OR A little bit wrong	300	5.5	4.9	6.1
	Total	5283	100.0	.	.
8th	Wrong OR Very wrong	2847	92.3	91.3	93.2
	Not wrong at all OR A little bit wrong	240	7.7	6.8	8.7
	Total	3087	100.0	.	.
9th	Wrong OR Very wrong	7933	91.3	90.7	91.9
	Not wrong at all OR A little bit wrong	762	8.7	8.1	9.3
	Total	8695	100.0	.	.
10th	Wrong OR Very wrong	4710	89.4	88.5	90.2
	Not wrong at all OR A little bit wrong	559	10.6	9.8	11.5
	Total	5269	100.0	.	.
11th	Wrong OR Very wrong	5292	87.0	86.2	87.9
	Not wrong at all OR A little bit wrong	786	13.0	12.1	13.8
	Total	6078	100.0	.	.
12th	Wrong OR Very wrong	2499	85.2	83.9	86.5
	Not wrong at all OR A little bit wrong	435	14.8	13.5	16.1
	Total	2934	100.0	.	.
Total	Wrong OR Very wrong	30936	91.0	90.7	91.4
	Not wrong at all OR A little bit wrong	3218	9.0	8.6	9.3
	Total	34154	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of marijuana use (Q79)

<i>Grade</i>	<i>Parental disapproval of marijuana use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Wrong OR Very wrong	2696	96.2	95.5	96.9
	Not wrong at all OR A little bit wrong	111	3.8	3.1	4.5
	Total	2807	100.0	.	.
7th	Wrong OR Very wrong	5022	95.3	94.7	95.8
	Not wrong at all OR A little bit wrong	266	4.7	4.2	5.3
	Total	5288	100.0	.	.
8th	Wrong OR Very wrong	2833	91.7	90.7	92.7
	Not wrong at all OR A little bit wrong	264	8.3	7.3	9.3
	Total	3097	100.0	.	.
9th	Wrong OR Very wrong	7723	88.8	88.1	89.4
	Not wrong at all OR A little bit wrong	981	11.2	10.6	11.9
	Total	8704	100.0	.	.
10th	Wrong OR Very wrong	4457	84.5	83.5	85.5
	Not wrong at all OR A little bit wrong	817	15.5	14.5	16.5
	Total	5274	100.0	.	.
11th	Wrong OR Very wrong	4988	82.0	81.1	83.0
	Not wrong at all OR A little bit wrong	1093	18.0	17.0	18.9
	Total	6081	100.0	.	.
12th	Wrong OR Very wrong	2329	79.4	77.9	80.8
	Not wrong at all OR A little bit wrong	613	20.6	19.2	22.1
	Total	2942	100.0	.	.
Total	Wrong OR Very wrong	30048	88.8	88.5	89.2
	Not wrong at all OR A little bit wrong	4145	11.2	10.8	11.5
	Total	34193	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of prescription drug misuse (Q80)

<i>Grade</i>	<i>Parental disapproval of prescription drug misuse</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
			<i>95%CL</i>	<i>95%CL</i>
6th	Wrong OR Very wrong	2650	94.6	93.8 95.5
	Not wrong at all OR A little bit wrong	155	5.4	4.5 6.2
	Total	2805	100.0	. .
7th	Wrong OR Very wrong	4935	93.7	93.1 94.4
	Not wrong at all OR A little bit wrong	347	6.3	5.6 6.9
	Total	5282	100.0	. .
8th	Wrong OR Very wrong	2864	93.0	92.2 93.9
	Not wrong at all OR A little bit wrong	226	7.0	6.1 7.8
	Total	3090	100.0	. .
9th	Wrong OR Very wrong	8027	92.5	91.9 93.0
	Not wrong at all OR A little bit wrong	662	7.5	7.0 8.1
	Total	8689	100.0	. .
10th	Wrong OR Very wrong	4814	91.6	90.9 92.4
	Not wrong at all OR A little bit wrong	452	8.4	7.6 9.1
	Total	5266	100.0	. .
11th	Wrong OR Very wrong	5557	91.5	90.8 92.2
	Not wrong at all OR A little bit wrong	521	8.5	7.8 9.2
	Total	6078	100.0	. .
12th	Wrong OR Very wrong	2668	91.5	90.5 92.5
	Not wrong at all OR A little bit wrong	268	8.5	7.5 9.5
	Total	2936	100.0	. .
Total	Wrong OR Very wrong	31515	92.7	92.5 93.0
	Not wrong at all OR A little bit wrong	2631	7.3	7.0 7.5
	Total	34146	100.0	. .

PARENTAL DISAPPROVAL
Parental disapproval of prescription pain reliever misuse (Q81)

<i>Grade</i>	<i>Parental disapproval of prescription pain reliever misuse</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>		<i>95%CL</i>	<i>95%CL</i>
6th	Wrong OR Very wrong	2604	93.6	92.7	94.5
	Not wrong at all OR A little bit wrong	183	6.4	5.5	7.3
	Total	2787	100.0	.	.
7th	Wrong OR Very wrong	4935	93.8	93.2	94.5
	Not wrong at all OR A little bit wrong	342	6.2	5.5	6.8
	Total	5277	100.0	.	.
8th	Wrong OR Very wrong	2857	93.2	92.3	94.1
	Not wrong at all OR A little bit wrong	221	6.8	5.9	7.7
	Total	3078	100.0	.	.
9th	Wrong OR Very wrong	8102	93.3	92.7	93.8
	Not wrong at all OR A little bit wrong	592	6.7	6.2	7.3
	Total	8694	100.0	.	.
10th	Wrong OR Very wrong	4850	92.4	91.7	93.1
	Not wrong at all OR A little bit wrong	416	7.6	6.9	8.3
	Total	5266	100.0	.	.
11th	Wrong OR Very wrong	5628	92.6	91.9	93.2
	Not wrong at all OR A little bit wrong	456	7.4	6.8	8.1
	Total	6084	100.0	.	.
12th	Wrong OR Very wrong	2703	92.7	91.8	93.6
	Not wrong at all OR A little bit wrong	233	7.3	6.4	8.2
	Total	2936	100.0	.	.
Total	Wrong OR Very wrong	31679	93.1	92.8	93.4
	Not wrong at all OR A little bit wrong	2443	6.9	6.6	7.2
	Total	34122	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of heroin or fentanyl use (Q82)

<i>Grade</i>	<i>Parental disapproval of heroin or fentanyl use</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>		<i>95%CL</i>	<i>95%CL</i>
6th	Wrong OR Very wrong	2697	97.1	96.4	97.7
	Not wrong at all OR A little bit wrong	87	2.9	2.3	3.6
	Total	2784	100.0	.	.
7th	Wrong OR Very wrong	5125	97.4	97.0	97.9
	Not wrong at all OR A little bit wrong	150	2.6	2.1	3.0
	Total	5275	100.0	.	.
8th	Wrong OR Very wrong	2990	97.2	96.6	97.8
	Not wrong at all OR A little bit wrong	91	2.8	2.2	3.4
	Total	3081	100.0	.	.
9th	Wrong OR Very wrong	8355	96.2	95.8	96.6
	Not wrong at all OR A little bit wrong	334	3.8	3.4	4.2
	Total	8689	100.0	.	.
10th	Wrong OR Very wrong	5025	95.8	95.2	96.3
	Not wrong at all OR A little bit wrong	234	4.2	3.7	4.8
	Total	5259	100.0	.	.
11th	Wrong OR Very wrong	5761	94.9	94.3	95.4
	Not wrong at all OR A little bit wrong	317	5.1	4.6	5.7
	Total	6078	100.0	.	.
12th	Wrong OR Very wrong	2788	95.2	94.5	96.0
	Not wrong at all OR A little bit wrong	152	4.8	4.0	5.5
	Total	2940	100.0	.	.
Total	Wrong OR Very wrong	32741	96.3	96.1	96.5
	Not wrong at all OR A little bit wrong	1365	3.7	3.5	3.9
	Total	34106	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of alcohol use (Q83)

<i>Grade</i>	<i>Peer disapproval of alcohol use</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
6th	Wrong OR Very wrong	2430	87.0	85.7 88.2
	Not wrong at all OR A little bit wrong	369	13.0	11.8 14.3
	Total	2799	100.0	. .
7th	Wrong OR Very wrong	4377	83.4	82.4 84.4
	Not wrong at all OR A little bit wrong	889	16.6	15.6 17.6
	Total	5266	100.0	. .
8th	Wrong OR Very wrong	2295	74.6	73.0 76.1
	Not wrong at all OR A little bit wrong	787	25.4	23.9 27.0
	Total	3082	100.0	. .
9th	Wrong OR Very wrong	6096	70.1	69.1 71.0
	Not wrong at all OR A little bit wrong	2600	29.9	29.0 30.9
	Total	8696	100.0	. .
10th	Wrong OR Very wrong	3507	66.3	65.0 67.6
	Not wrong at all OR A little bit wrong	1765	33.7	32.4 35.0
	Total	5272	100.0	. .
11th	Wrong OR Very wrong	3808	62.4	61.2 63.6
	Not wrong at all OR A little bit wrong	2270	37.6	36.4 38.8
	Total	6078	100.0	. .
12th	Wrong OR Very wrong	1782	59.9	58.1 61.7
	Not wrong at all OR A little bit wrong	1150	40.1	38.3 41.9
	Total	2932	100.0	. .
Total	Wrong OR Very wrong	24295	72.8	72.2 73.3
	Not wrong at all OR A little bit wrong	9830	27.2	26.7 27.8
	Total	34125	100.0	. .

PEER DISAPPROVAL
Peer disapproval of cigarette use (Q84)

<i>Grade</i>	<i>Peer disapproval of cigarette use</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
6th	Wrong OR Very wrong	2485	88.8	87.6
	Not wrong at all OR A little bit wrong	318	11.2	10.1
	Total	2803	100.0	.
7th	Wrong OR Very wrong	4551	86.5	85.6
	Not wrong at all OR A little bit wrong	726	13.5	12.6
	Total	5277	100.0	.
8th	Wrong OR Very wrong	2500	81.1	79.7
	Not wrong at all OR A little bit wrong	585	18.9	17.5
	Total	3085	100.0	.
9th	Wrong OR Very wrong	6950	80.0	79.1
	Not wrong at all OR A little bit wrong	1734	20.0	19.2
	Total	8684	100.0	.
10th	Wrong OR Very wrong	4151	78.3	77.1
	Not wrong at all OR A little bit wrong	1127	21.7	20.6
	Total	5278	100.0	.
11th	Wrong OR Very wrong	4594	75.5	74.5
	Not wrong at all OR A little bit wrong	1468	24.5	23.4
	Total	6062	100.0	.
12th	Wrong OR Very wrong	2148	72.1	70.4
	Not wrong at all OR A little bit wrong	788	27.9	26.2
	Total	2936	100.0	.
Total	Wrong OR Very wrong	27379	80.8	80.3
	Not wrong at all OR A little bit wrong	6746	19.2	18.7
	Total	34125	100.0	.

PEER DISAPPROVAL
Peer disapproval of vaping (Q85)

<i>Grade</i>	<i>Peer disapproval of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2344	83.9	82.6	85.3
	Not wrong at all OR A little bit wrong	454	16.1	14.7	17.4
	Total	2798	100.0	.	.
7th	Wrong OR Very wrong	4086	77.7	76.5	78.8
	Not wrong at all OR A little bit wrong	1183	22.3	21.2	23.5
	Total	5269	100.0	.	.
8th	Wrong OR Very wrong	2059	66.3	64.6	68.0
	Not wrong at all OR A little bit wrong	1032	33.7	32.0	35.4
	Total	3091	100.0	.	.
9th	Wrong OR Very wrong	5294	60.6	59.6	61.7
	Not wrong at all OR A little bit wrong	3415	39.4	38.3	40.4
	Total	8709	100.0	.	.
10th	Wrong OR Very wrong	3043	56.9	55.5	58.2
	Not wrong at all OR A little bit wrong	2242	43.1	41.8	44.5
	Total	5285	100.0	.	.
11th	Wrong OR Very wrong	3339	54.3	53.1	55.6
	Not wrong at all OR A little bit wrong	2759	45.7	44.4	46.9
	Total	6098	100.0	.	.
12th	Wrong OR Very wrong	1597	52.5	50.6	54.3
	Not wrong at all OR A little bit wrong	1352	47.5	45.7	49.4
	Total	2949	100.0	.	.
Total	Wrong OR Very wrong	21762	65.4	64.9	66.0
	Not wrong at all OR A little bit wrong	12437	34.6	34.0	35.1
	Total	34199	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of marijuana use (Q86)

<i>Grade</i>	<i>Peer disapproval of marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2488	89.2	88.0	90.3
	Not wrong at all OR A little bit wrong	310	10.8	9.7	12.0
	Total	2798	100.0	.	.
7th	Wrong OR Very wrong	4351	83.2	82.2	84.2
	Not wrong at all OR A little bit wrong	910	16.8	15.8	17.8
	Total	5261	100.0	.	.
8th	Wrong OR Very wrong	2149	70.3	68.6	71.9
	Not wrong at all OR A little bit wrong	942	29.7	28.1	31.4
	Total	3091	100.0	.	.
9th	Wrong OR Very wrong	5405	62.2	61.2	63.2
	Not wrong at all OR A little bit wrong	3305	37.8	36.8	38.8
	Total	8710	100.0	.	.
10th	Wrong OR Very wrong	2940	56.0	54.6	57.3
	Not wrong at all OR A little bit wrong	2335	44.0	42.7	45.4
	Total	5275	100.0	.	.
11th	Wrong OR Very wrong	3155	51.7	50.4	53.0
	Not wrong at all OR A little bit wrong	2938	48.3	47.0	49.6
	Total	6093	100.0	.	.
12th	Wrong OR Very wrong	1458	48.8	47.0	50.7
	Not wrong at all OR A little bit wrong	1490	51.2	49.3	53.0
	Total	2948	100.0	.	.
Total	Wrong OR Very wrong	21946	67.1	66.5	67.6
	Not wrong at all OR A little bit wrong	12230	32.9	32.4	33.5
	Total	34176	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of prescription drug misuse (Q87)

<i>Grade</i>	<i>Peer disapproval of prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2515	90.0	88.9	91.1
	Not wrong at all OR A little bit wrong	283	10.0	8.9	11.1
	Total	2798	100.0	.	.
7th	Wrong OR Very wrong	4583	87.2	86.3	88.1
	Not wrong at all OR A little bit wrong	696	12.8	11.9	13.7
	Total	5279	100.0	.	.
8th	Wrong OR Very wrong	2571	83.6	82.3	84.9
	Not wrong at all OR A little bit wrong	524	16.4	15.1	17.7
	Total	3095	100.0	.	.
9th	Wrong OR Very wrong	7147	82.1	81.3	82.9
	Not wrong at all OR A little bit wrong	1568	17.9	17.1	18.7
	Total	8715	100.0	.	.
10th	Wrong OR Very wrong	4263	80.9	79.8	82.0
	Not wrong at all OR A little bit wrong	1026	19.1	18.0	20.2
	Total	5289	100.0	.	.
11th	Wrong OR Very wrong	4952	81.5	80.5	82.4
	Not wrong at all OR A little bit wrong	1129	18.5	17.6	19.5
	Total	6081	100.0	.	.
12th	Wrong OR Very wrong	2359	80.3	78.9	81.8
	Not wrong at all OR A little bit wrong	583	19.7	18.2	21.1
	Total	2942	100.0	.	.
Total	Wrong OR Very wrong	28390	83.9	83.5	84.3
	Not wrong at all OR A little bit wrong	5809	16.1	15.7	16.5
	Total	34199	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of prescription pain reliever misuse (Q88)

<i>Grade</i>	<i>Peer disapproval of prescription pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Wrong OR Very wrong	2525	90.5	89.4	91.6
	Not wrong at all OR A little bit wrong	267	9.5	8.4	10.6
	Total	2792	100.0	.	.
7th	Wrong OR Very wrong	4597	87.3	86.4	88.2
	Not wrong at all OR A little bit wrong	688	12.7	11.8	13.6
	Total	5285	100.0	.	.
8th	Wrong OR Very wrong	2631	85.4	84.1	86.6
	Not wrong at all OR A little bit wrong	467	14.6	13.4	15.9
	Total	3098	100.0	.	.
9th	Wrong OR Very wrong	7287	83.7	82.9	84.4
	Not wrong at all OR A little bit wrong	1430	16.3	15.6	17.1
	Total	8717	100.0	.	.
10th	Wrong OR Very wrong	4403	83.5	82.5	84.5
	Not wrong at all OR A little bit wrong	883	16.5	15.5	17.5
	Total	5286	100.0	.	.
11th	Wrong OR Very wrong	5129	84.3	83.4	85.3
	Not wrong at all OR A little bit wrong	956	15.7	14.7	16.6
	Total	6085	100.0	.	.
12th	Wrong OR Very wrong	2497	84.9	83.6	86.2
	Not wrong at all OR A little bit wrong	452	15.1	13.8	16.4
	Total	2949	100.0	.	.
Total	Wrong OR Very wrong	29069	85.8	85.4	86.2
	Not wrong at all OR A little bit wrong	5143	14.2	13.8	14.6
	Total	34212	100.0	.	.

PEER DISAPPROVAL
Peer disapproval of heroin or fentanyl use (Q89)

<i>Grade</i>	<i>Peer disapproval of heroin or fentanyl use</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
6th	Wrong OR Very wrong	2616	93.7	92.8 94.6
	Not wrong at all OR A little bit wrong	181	6.3	5.4 7.2
	Total	2797	100.0	. .
7th	Wrong OR Very wrong	4866	92.4	91.6 93.1
	Not wrong at all OR A little bit wrong	421	7.6	6.9 8.4
	Total	5287	100.0	. .
8th	Wrong OR Very wrong	2813	91.6	90.6 92.6
	Not wrong at all OR A little bit wrong	273	8.4	7.4 9.4
	Total	3086	100.0	. .
9th	Wrong OR Very wrong	7918	90.9	90.3 91.5
	Not wrong at all OR A little bit wrong	798	9.1	8.5 9.7
	Total	8716	100.0	. .
10th	Wrong OR Very wrong	4844	91.8	91.0 92.5
	Not wrong at all OR A little bit wrong	445	8.2	7.5 9.0
	Total	5289	100.0	. .
11th	Wrong OR Very wrong	5522	90.9	90.2 91.6
	Not wrong at all OR A little bit wrong	559	9.1	8.4 9.8
	Total	6081	100.0	. .
12th	Wrong OR Very wrong	2688	91.5	90.5 92.5
	Not wrong at all OR A little bit wrong	259	8.5	7.5 9.5
	Total	2947	100.0	. .
Total	Wrong OR Very wrong	31267	91.9	91.5 92.2
	Not wrong at all OR A little bit wrong	2936	8.1	7.8 8.5
	Total	34203	100.0	. .

**APPENDIX A –
CTC Survey Instrument**

South Carolina Communities That Care Survey

Thank you for agreeing to participate in this survey. The survey asks your opinion about a number of things in your life, including your friends, your family, your neighborhood and your community. Your answers to these questions will be **confidential and anonymous**. This means your answers will stay secret. Your name will never be asked. Please **do not** write your name on this survey form.

This survey is completely voluntary. This means you do not have to take it. You may skip any question you don't want to answer.

Instructions

This is not a test, so there are no right or wrong answers.

Each question should be answered by marking only one of the answer spaces. If you don't find an answer that fits exactly, use one that comes closest. If any question does not apply to you, or you are not sure of what it means, just leave it blank.

Your answers will be read by a computer. Please follow these instructions carefully.

Make heavy marks inside the circles using a pencil.

Completely erase any answer you want to change.

Make no other marking or comments on the survey.

Make your marks like

this ●,

NOT like this



You will be provided with your schools

4 DIGIT CODE PLEASE BUBBLE THAT CODE IN BELOW.

0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

These questions ask for some general information about you.

1. How old are you?

- 11 16
 12 17
 13 18
 14 19 or older
 15

2. What grade are you in?

- 6th 7th 8th 9th 10th 11th 12th

3. Are you? Female
 Male

4. What is the language you use most often at home?

- English Spanish Another language

5. What do you consider yourself to be? (Choose all that apply)

- White
 Black or African American
 American Indian/Native American, Eskimo or Aleut
 Spanish/Hispanic/Latino
 Asian or Pacific Islander
 Other

6. Putting them all together, what were your grades like last year?

- Mostly F's
 Mostly D's
 Mostly C's
 Mostly B's
 Mostly A's

7. Which of the following best describes your present school program?

- Advanced placement or honors
 College prep
 General
 Vocational, technical or commercial
 Other, or don't know

8. Which of the following do you plan to do after high school? (choose all that apply)

- Attend a technical or vocational school
 Serve in the armed forces (Army, Navy, Air Force, etc)
 Graduate from a two-year college
 Graduate from a four-year college
 Attend graduate or professional school after college
 None of the above

This next section ask about your experience with tobacco, alcohol, and other drugs. It also ask some personal questions. Remember, your answers are CONFIDENTIAL. This means your answers will stay secret.

9. Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?

- A Never (SKIP TO QUESTION 11)
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

10. How frequently have you used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen during the PAST 30 DAYS?

- A Never
- B Once or Twice
- C Once or twice per week
- D About once a day
- E More than once a day

11. Have you ever smoked e-cigarettes or vaping pens?

- A Never (SKIP TO QUESTION 14)
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

12. How frequently have you smoked e-cigarettes or vapes during the PAST 30 DAYS?

- A Never (SKIP TO QUESTION 14)
- B Once or Twice
- C Once or twice per week
- D About once a day
- E More than once a day

13. During the PAST 30 DAYS, how did you usually get your own e-cigarettes or vaping pens?(Choose only one response)

- A I bought them in a store such as a convenience store gas station or supermarket
- B I gave someone else money to buy them for me
- C I borrowed (or bummed) them from somebody else
- D A person 18 years or older, gave them to me
- E I took them from a store or family member
- F I got them some other way

14. Have you ever smoked cigarettes?

- A Never (SKIP TO QUESTION 18)
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

15. How old were you when you first smoked a CIGARETTE, even just a puff?

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

16. How frequently have you smoked cigarettes during the PAST 30 DAYS?

- A Not at all (SKIP TO QUESTION 18)
- B Less than 1 cigarette per day
- C One to five cigarettes per day
- D About one half pack per day
- E About one pack per day
- F About one and one half packs per day
- G Two packs or more per day

17. During the PAST 30 DAYS, how did you usually get your own cigarettes?(Choose only one response)

- A I bought them in a store such as a convenience store gas station or supermarket
- B I bought them from a vending machine
- C I gave someone else money to buy them for me
- D I borrowed (or bummed) them from somebody else
- E A person 18 years or older, gave them to me
- F I took them from a store or family member
- G I got them some other way

18. Have you ever tried smoking cigars, cigarillos, or little cigars, such as Black and Milds, Swisher Sweets, Dutch Masters, White Owl, or Phillies Blunts, even one or two puffs?

- A Never
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

19. Which of the following tobacco products have you ever tried, even just one time? (Choose all that apply)

- A Bidis
- B Kreteks
- C Hookah
- D Snus
- E chewing tobacco
- F Never tried any of the above

20. On how many occasions, if any, have you had alcoholic beverages (beer, wine, or hard liquor) – more than just a few sips – in your LIFETIME?

- A 0 occasions (SKIP TO QUESTION 29)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

21. How old were you when you first had more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)?

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

22. Think back over the last two weeks. How many times have you had 5 or more alcoholic drinks in a row within a short period of time?

- A None
- B Once
- C Twice
- D 3-5 times
- E 6-9 times
- F 10 or more times

23. How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?

- A Never have
- B 10 or younger
- C 11
- D 12
- E 13
- F 14
- G 15
- H 16
- I 17 or older

24. On how many occasions, if any, have you had alcoholic beverages (beer, wine, or hard liquor) – more than just a few sips – in the PAST 30 DAYS?

- A 0 occasions (SKIP TO QUESTION 29)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

25. During the past 30 days, what type of alcohol did you usually drink? (Choose only one response)

- A I do not have a usual type
- B Beer
- C Malt beverages such as Smirnoff Ice, Bacardi Breezer, Mike's Hard Lemonade, Sparks, and Tilt
- D Alcohol mixed with an energy drink
- E Wine coolers, such as Seagrams and Bartles and James
- F Wine
- G Hard liquor, such as vodka, rum, scotch, or whiskey
- H Some other type

26. During the PAST 30 DAYS, how did you usually get the alcohol you drank?(Choose only one response)

- A I bought it myself from someplace like a store
- B I gave someone else money to buy it for me
- C I took it from a store
- D Someone gave it to at a party or social gathering
- E Someone gave it to me someplace else
- F I took it from a family member
- G I got it some other way

27. During the PAST 30 DAYS, who most often got alcohol for you, they either bought it for you or gave it to you?(Choose only one response)

- A Nobody got alcohol for me
- B My parent got it for me
- C A friend's parent got it for me
- D A friend or family member older than 25 got it for me
- E A friend or family member age 21-25 got it for me
- F A friend or family member under age 21 got it for me
- G Some other adult got it for me

28. During the PAST 30 DAYS, how many times did you drive a car or other vehicle when YOU had been drinking alcohol?

- A 0 times
- B 1 time
- C 2 or 3 times
- D 4 or 5 times
- E 6 or more times

29. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

- A 0 times
- B 1 time
- C 2 or 3 times
- D 4 or 5 times
- E 6 or more times

30. On how many occasions, if any, have you used marijuana (weed, pot) or hashish (hash, hash oil) – in your LIFETIME?

- A 0 occasions (SKIP TO QUESTION 34)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

31. How old were you when you first used marijuana?

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

32. On how many occasions, if any, have you used marijuana (weed, pot) or hashish (hash, hash oil) – in the PAST 30 DAYS?

- A 0 occasions (SKIP TO QUESTION 35)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

33. During the PAST 30 DAYS, how did you usually get the marijuana you used? (Choose only one response)

- A I bought it from a friend
- B I bought it from someone else
- C I gave someone else money to buy it for me
- D Someone gave it to me at a party or social gathering
- E Someone gave it to me someplace else
- F I brought it on the internet
- G I got it some other way

34. During the past 30 days, how many times did you drive a car or other vehicle when YOU had been using marijuana or other impairing substances OTHER than alcohol?

- A 0 times
- B 1 time
- C 2 or 3 times
- D 4 or 5 times
- E 6 or more times

35. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana or other impairing substances OTHER than alcohol?

- (A) 0 times
- (B) 1 time
- (C) 2 or 3 times
- (D) 4 or 5 times
- (E) 6 or more times

36. On how many occasions, if any, have you used a prescription drug without a doctor's prescription in your LIFETIME?

- (A) 0 occasions **(SKIP TO QUESTION 44)**
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

37. How old were you when you first used prescription drugs that were not prescribed to you?

- (A) 10 or younger
- (B) 11
- (C) 12
- (D) 13
- (E) 14
- (F) 15
- (G) 16
- (H) 17 or older

38. On how many occasions, if any, have you used a prescription drug without a doctor's prescription in the PAST 30 DAYS?

- (A) 0 occasions **(SKIP TO QUESTION 40)**
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

39. During the past 30 days, how did you usually get the prescription drugs you used that were not prescribed to you? (Choose only one response)

- (A) I took them from a friend without asking
- (B) I took them from a family member without asking
- (C) I bought them from a friend
- (D) I bought them from a family member
- (E) I got them from a friend for free (they gave them to me)
- (F) I got them from a family member for free (they gave them to me)
- (G) I bought them from someone else
- (H) I got them from more than one doctor and used them for non-medical reasons
- (I) I got them from just one doctor and used them for non-medical reasons
- (J) I wrote fake prescriptions
- (K) I stole them from a doctor's office, clinic, hospital or pharmacy
- (L) I bought them on the Internet
- (M) I got them some other way

40. On how many occasions, if any, have you used prescription pain pills (i.e. OxyContin, Vicodin, etc.) without a doctor's prescription in your LIFETIME?

- (A) 0 occasions **(SKIP TO QUESTION 44)**
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

41. How old were you when you first used prescription pain pills (i.e. OxyContin, Vicodin, etc.) that were not prescribed to you?

- (A) 10 or younger
- (B) 11
- (C) 12
- (D) 13
- (E) 14
- (F) 15
- (G) 16
- (H) 17 or older

42. On how many occasions, if any, have you used prescription pain pills (i.e. OxyContin, Vicodin, etc.) without a doctor's prescription in the PAST 30 DAYS?

- A 0 occasions (SKIP TO QUESTION 44)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

43. During the past 30 days, how did you usually get the prescription pain pills (i.e. OxyContin, Vicodin, etc.) you used that were not prescribed to you? (Choose only one response)

- A I took them from a friend without asking
- B I took them from a family member without asking
- C I bought them from a friend
- D I bought them from a family member
- E I got them from a friend for free (they gave them to me)
- F I got them from a family member for free (they gave them to me)
- G I bought them from someone else
- H I got them from more than one doctor and used them for non-medical reasons
- I I got them from just one doctor and used them for non-medical reasons
- J I wrote fake prescriptions
- K I stole them from a doctor's office, clinic, hospital or pharmacy
- L I bought them on the Internet
- M I got them some other way

44. On how many occasions, if any, have you used cocaine in your LIFETIME?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

45. On how many occasions, if any, have you used heroin or fentanyl in your LIFETIME?

- A 0 occasions (SKIP TO QUESTION 48)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

46. How old were you when you first used heroin or fentanyl?

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

47. On how many occasions, if any, have you used heroin or fentanyl in the PAST 30 DAYS?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

48. How many times in the past year (12 months) have you sold illegal drugs?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

49. How many times in the past year (12 months) have you attacked someone with the intent to hurt them due to alcohol or drug use, possession of alcohol or drugs or sale or alcohol or drugs?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

50. How many times in the past year (12 months) have you been drunk or high at school?

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

51. To what extent is drinking alcohol a central part in the social life of students at your school?

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

52. To what extent do students at your school use alcohol in connection with school sporting events (such as tailgate parties, post-game celebrations)?

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

53. To what extent do students at your school use alcohol on school property before, during, or after, school hours?

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

54. How wrong do you think it is for someone your age to drink beer, wine, or hard liquor (for example: vodka, whiskey or gin)?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

55. How wrong do you think it is for someone your age to smoke cigarettes?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

56. How wrong do you think it is for someone your age to smoke e-cigarettes or vaping pens?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

57. How wrong do you think it is for someone your age to use marijuana?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

58. How wrong do you think it is for someone your age to use prescription drugs not prescribed to them?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

59. How wrong do you think it is for someone your age to use prescription pain pills (i.e. OxyContin, Vicodin, etc.) not prescribed to them?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

60. How wrong do you think it is for someone your age to use LSD, cocaine, amphetamines, or another illegal drug?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

61. How wrong do you think it is for someone your age to use heroin or fentanyl?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

62. How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

63. How much do you think people risk harming themselves physically or in other ways if they use e-cigarettes or vaping pens daily?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

64. How much do you think people risk harming themselves physically or in other ways if they use marijuana once or twice per week?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

65. How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage within a short period of time once or twice a week?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

66. How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

67. How much do you think people risk harming themselves physically or in other ways if they use prescription pain pills (i.e. OxyContin, Vicodin, etc.) that are not prescribed to them?

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

68. If you wanted to get some cigarettes, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

69. If you wanted to get some e-cigarettes or vaping pens, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

70. If you wanted to get prescription drugs that were not prescribed to you, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

71. If you wanted to get prescription pain pills (i.e. OxyContin, Vicodin, etc.) that were not prescribed to you, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

72. If you wanted to get some beer, wine, or hard liquor (for example vodka, whiskey or gin), how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

73. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

74. If you wanted to get some marijuana, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

75. If you wanted to get some heroin or fentanyl, how easy would it be for you to get some?

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

76. How wrong do your parents feel it would be for YOU to have one or two drinks of an alcoholic beverage nearly every day?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

77. How wrong do your parents feel it would be for YOU to smoke cigarettes?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

78. How wrong do your parents feel it would be for YOU to smoke e-cigarettes or vaping pens?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

79. How wrong do your parents feel it would be for YOU to use marijuana?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

80. How wrong do your parents feel it would be for YOU to use prescription drugs not prescribed to you?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

81. How wrong do your parents feel it would be for YOU to use prescription pain pills (i.e. OxyContin, Vicodin, etc.) not prescribed to you?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

82. How wrong do your parents feel it would be for YOU to use heroin or fentanyl?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

83. How wrong do your friends feel it would be for YOU to have one or two drinks of an alcoholic beverage nearly every day?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

84. How wrong do your friends feel it would be for YOU to smoke cigarettes?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

85. How wrong do your friends feel it would be for YOU to smoke e-cigarettes or vaping pens?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

86 How wrong do your friends feel it would be for YOU to use marijuana?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

87. How wrong do your friends feel it would be for YOU to use prescription drugs not prescribed to you?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

88. How wrong do your friends feel it would be for YOU to use prescription pain pills (i.e. OxyContin, Vicodin, etc.) not prescribed to you?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

89. How wrong do your friends feel it would be for YOU to use heroin or fentanyl?

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

You may be asked to answer some additional questions. If so, those questions will be handed to you on a sheet of paper or written where everyone taking the survey can see them. In the space below record your answer to each additional question, if any.

- | | | | | | | | | |
|----|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| 1. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 2. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 3. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 4. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 5. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |