

# South Carolina Communities That Care (SC CTC) Survey



**South Carolina**

**2022 Results**

# Table of Contents

<b>INTRODUCTION.....</b>	<b>iii</b>
<b>DEMOGRAPHICS .....</b>	<b>1</b>
<b>SUBSTANCE USE .....</b>	<b>14</b>
<b>ACCESS.....</b>	<b>50</b>
<b>DISAPPROVAL OF USE.....</b>	<b>63</b>
<b>RISK OF HARM.....</b>	<b>71</b>
<b>RISK BEHAVIORS.....</b>	<b>77</b>
<b>PARENTAL DISAPPROVAL.....</b>	<b>87</b>
<b>PEER DISAPPROVAL .....</b>	<b>94</b>
<b>APPENDIX A – SURVEY INSTRUMENT.....</b>	<b>101</b>

## **INTRODUCTION**

This report presents results of the South Carolina Communities That Care (SC CTC) Survey for Anderson County. The SC CTC Survey was sponsored by the South Carolina Department of Alcohol and Other Drug Abuse Services (DAODAS). The survey was managed, distributed, and processed by Iron Sharpens Iron Consulting (ISI). ISI collaborated with DAODAS, the county alcohol and drug abuse authorities, and school districts to administer the survey in 26 counties in South Carolina in February and March 2022.

### **Survey Content**

The 2022 CTC survey contains 89 items, which comprise a number of domains, including student demographics, current and lifetime use of various substances, access to and sources of substances, disapproval of use, risk perceptions, risk behaviors, and perceived peer and parental attitudes. Most domains include multiple items that measure different aspects of the domain. The focus of most of the substance use-related items is on tobacco, alcohol, and marijuana, although items about other drugs and risk behaviors are included as well. This report provides frequencies and prevalence estimates for each item in the survey.

### **Notes About Data Included in This Report**

The results contained in this report are based on weighted data. The purpose of weighting the data was to better represent the larger student population in each county from which the student survey samples were drawn. The data was weighted according to characteristics that are known to be associated with substance use. For example, substance use is known to vary by grade and race/ethnicity. For this reason, the survey data was weighted by grade level and race/ethnicity (white, non-white) so that the students who were surveyed would better reflect the county's student population and the survey results would be more accurate. Students' self-reported race/ethnicity was coded into two categories, "white" and "other." The "other" category includes students who self-identified as something other than white, as well as those who indicated multiple races/ethnicities. The number of race/ethnicity categories was limited to two because the number of surveys was not sufficient for examining a larger number of categories.

Although the weighting methods were designed to help improve the accuracy of the results, they nonetheless have some limitations. To preserve as much survey data as possible, a liberal threshold for acceptable weights was used. As such, the resulting estimates may be, in some cases, heavily influenced by the responses of a small number of students. This may be particularly true with respect to the results that are broken out by grade level. This should be kept in mind when interpreting these results. The table below indicates the number of students surveyed in each grade-race/ethnicity category.

### **Data Used in Analysis**

9 <sup>th</sup> / white	9 <sup>th</sup> / other	10 <sup>th</sup> / white	10 <sup>th</sup> / other	11 <sup>th</sup> / white	11 <sup>th</sup> / other	Total*
3048	3942	1458	2187	2264	2578	15477

\*Note that the total number of students may exceed the sum of the grade-race/ethnicity cells. This is due to students who did not report a grade and/or race/ethnicity.

Because the results in this report are based on weighted data, they may differ somewhat from results that are obtained from the raw data file that was distributed by DAODAS. An additional reason there may be differences between these results and those obtained from the raw data file is due to cleaning procedures (e.g., omission of surveys that had multiple instances of logically inconsistent answers, such as reporting no lifetime alcohol use but at the same time reporting past-30-day alcohol use) that were applied to the data to help enhance the validity of the data included in the report.

### **Presenting Results by Grade and Overall**

In the report, the results are displayed by grade and for all grades combined. For each survey item, these are shown as separate tables. For each set of tables in the report, reference is made to the associated survey item number in the table header.

### **Coding of Response Categories**

The items in the survey offered multiple response options to respondents. To allow for ease of interpretation, most items were recoded. Most often, items were coded into two response categories. For example, in the case of substance use questions, frequency-of-use response options were collapsed into use vs. no use. For each item, the categories that were used in the analysis are noted in the tables in the report.

### **Empty Cells in the Tables**

Note that some tables may contain empty cells. These instances can be interpreted as 0%. The computer program used to analyze the data generates an empty cell by default whenever the estimate is 0%. Estimates of 0% are most likely to be generated when the number of students surveyed is small and/or when the question pertains to a rare behavior such as lifetime heroin use.

### **Comparing County Results to the Combined Results for the 26 Counties**

Interpretation of county results may be enhanced by comparing them to the combined results for the 26 counties that took part in the SC CTC survey (and which are presented in a separate report). The combined results for the 26 counties should not be interpreted as estimates for the entire state population but rather as estimates for only the counties that participated in the survey.

### **Inclusion of Confidence Intervals in the Tables**

The percentages presented in the tables in the report are accompanied by 95% confidence intervals (referred to in the tables as Lower and Upper 95% CL). In comparing the county's results to the combined results for the 26 counties, differences in behaviors (attitudes, etc.) between the two can be considered statistically significant if the confidence intervals for the county and the 26 counties combined (as represented in the tables) do not overlap.

Confidence intervals are taken into account because the survey results are drawn from a sample of students in the county and, as such, they can be interpreted as estimates of the true values (of the behaviors, attitudes, etc.) in the population. The 95% confidence interval indicates that the true prevalence of the behavior is 95% likely to fall within the stated confidence limits presented in the table. As noted, confidence intervals help in assessing whether results are statistically

significantly different from each other (e.g., whether the county’s prevalence of alcohol use is statistically significantly higher or lower than the prevalence of alcohol use for all 30 counties combined).

### **Survey Interpretation in Context of Covid-19**

The authors of this report caution individuals comparing this report with previous survey administration cycles. Due to the onset of COVID-19, there may be non-secular trends present. As schools suspended certain activities/events and schooling alternated between the virtual and physical environments, students in this cycle of survey administration may have a different schooling experience compared to previous years. This may impact responses especially for questions surrounding school activities and sporting events.

### **Notes on Survey Tool Content and Administration**

The survey was administered digitally and through pen and paper. During survey coordination, some errors were present in the translation of the survey to its digital format, creating discrepancies in the affected questions. Reviewers are encouraged to carefully consider the possible bias when reviewing those responses. The impacted questions are listed below:

Q12: The word “vaping pens” is used instead of “vapes.”

Possible follow-up question(s) impacted: Q13

Q25: When listing alcoholic beverages, “or” is used instead of “,”

Q26: The phrase “I bought it” is used instead of “I bought it myself.”

Q40: The question is phrased “On how many occasions have you used...” instead of, “On how many occasions, if any, have you used...”

Possible follow-up question(s) impacted: Q41

Q81: The question is phrased “How wrong do your parents feel it would be for YOU to use prescription pain pills? (i.e. OxyContin, Vicodin, etc.)” instead of, “How wrong do your parents feel it would be for YOU to use prescription pain pills? (i.e. OxyContin, Vicodin, etc.) not prescribed to you.”

Q88: The question is phrased, “How wrong do your friends feel it would be for YOU to use prescription pain pills? (i.e. OxyContin, Vicodin, etc.)” instead of, “How wrong do your friends feel it would be for YOU to use prescription pain pills? (i.e. OxyContin, Vicodin, etc.) not prescribed to you.”

**DEMOGRAPHICS**  
**Age (Q1)**

<i>Grade</i>	<i>Age</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	11	2	0.0	0.0	0.1
	12	0	.	.	.
	13	14	0.2	0.1	0.3
	14	2516	35.9	34.8	37.1
	15	3999	57.1	56.0	58.3
	16	423	6.0	5.5	6.6
	17	37	0.5	0.4	0.7
	18	2	0.0	0.0	0.1
	19 or older	7	0.1	0.0	0.2
	Total	7000	100.0	.	.
10th	11	1	0.0	0.0	0.1
	12	3	0.1	0.0	0.2
	13	1	0.0	0.0	0.1
	14	10	0.3	0.1	0.4
	15	1378	38.0	36.4	39.6
	16	2023	55.6	54.0	57.3
	17	205	5.5	4.7	6.2
	18	17	0.4	0.2	0.7
	19 or older	5	0.1	0.0	0.2
	Total	3643	100.0	.	.
11th	11	4	0.1	0.0	0.2
	12	1	0.0	0.0	0.1
	13	2	0.0	0.0	0.1
	14	1	0.0	0.0	0.1
	15	13	0.3	0.1	0.4
	16	1910	39.4	38.1	40.8
	17	2715	56.0	54.6	57.4
	18	187	3.8	3.3	4.4
	19 or older	14	0.3	0.1	0.4
	Total	4847	100.0	.	.
Total	11	7	0.0	0.0	0.1
	12	4	0.0	0.0	0.1
	13	17	0.1	0.1	0.1
	14	2527	14.2	13.7	14.8
	15	5390	34.9	34.1	35.6
	16	4356	31.5	30.8	32.3
	17	2957	17.8	17.2	18.4
	18	206	1.2	1.1	1.4

**DEMOGRAPHICS**  
**Age (Q1)**

<i>Grade</i>	<i>Age</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>95%CL</i>	<i>95%CL</i>
		<i>Percent</i>		
	19 or older	26	0.2	0.1 0.2
	Total	15490	100.0	. .

**DEMOGRAPHICS**  
**Gender (Q3)**

<i>Grade</i>	<i>Gender</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Female	3406	50.0	48.8	51.2
	Male	3409	50.0	48.8	51.2
	Total	6815	100.0	.	.
10th	Female	1813	51.2	49.5	52.8
	Male	1727	48.8	47.2	50.5
	Total	3540	100.0	.	.
11th	Female	2463	51.7	50.3	53.1
	Male	2304	48.3	46.9	49.7
	Total	4767	100.0	.	.
Total	Female	7682	50.8	50.0	51.7
	Male	7440	49.2	48.3	50.0
	Total	15122	100.0	.	.



**DEMOGRAPHICS**  
**Race (Q5)**

<i>Grade</i>	<i>Race</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	White	3048	44.0	42.8	45.2
	Other	3942	56.0	54.8	57.2
	Total	6990	100.0	.	.
10th	White	1458	46.5	44.9	48.2
	Other	2187	53.5	51.8	55.1
	Total	3645	100.0	.	.
11th	White	2264	48.4	47.0	49.8
	Other	2578	51.6	50.2	53.0
	Total	4842	100.0	.	.
Total	White	6770	46.1	45.3	46.9
	Other	8707	53.9	53.1	54.7
	Total	15477	100.0	.	.

**DEMOGRAPHICS**  
**Language used most often at home (Q4)**

<i>Grade</i>	<i>Language at home</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	English	6279	89.9	89.2	90.6
	Spanish	584	8.3	7.7	8.9
	Other	124	1.8	1.5	2.1
	Total	6987	100.0	.	.
10th	English	3348	92.7	91.9	93.5
	Spanish	235	5.8	5.0	6.5
	Other	60	1.6	1.2	2.0
	Total	3643	100.0	.	.
11th	English	4425	91.7	90.9	92.4
	Spanish	318	6.4	5.7	7.1
	Other	96	2.0	1.6	2.3
	Total	4839	100.0	.	.
Total	English	14052	91.3	90.9	91.8
	Spanish	1137	6.9	6.5	7.3
	Other	280	1.8	1.5	2.0
	Total	15469	100.0	.	.

**DEMOGRAPHICS**  
**School grades in past year (Q6)**

<i>Grade</i>	<i>School grades</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Mostly As	2259	32.5	31.4	33.6
	Mostly Bs	2370	34.0	32.9	35.1
	Mostly Cs	1604	23.0	22.0	24.0
	Mostly Ds	561	8.0	7.4	8.7
	Mostly Fs	175	2.5	2.1	2.9
	Total	6969	100.0	.	.
10th	Mostly As	1146	32.5	30.9	34.0
	Mostly Bs	1223	33.7	32.1	35.2
	Mostly Cs	862	23.2	21.8	24.6
	Mostly Ds	290	7.9	7.0	8.8
	Mostly Fs	99	2.7	2.2	3.3
	Total	3620	100.0	.	.
11th	Mostly As	1745	36.4	35.1	37.8
	Mostly Bs	1773	36.6	35.3	38.0
	Mostly Cs	981	20.2	19.0	21.3
	Mostly Ds	253	5.2	4.6	5.9
	Mostly Fs	75	1.6	1.2	1.9
	Total	4827	100.0	.	.
Total	Mostly As	5150	33.6	32.8	34.4
	Mostly Bs	5366	34.6	33.9	35.4
	Mostly Cs	3447	22.3	21.6	22.9
	Mostly Ds	1104	7.2	6.8	7.6
	Mostly Fs	349	2.3	2.1	2.6
	Total	15416	100.0	.	.

**DEMOGRAPHICS**  
**Current school program (Q7)**

<i>Grade</i>	<i>School program</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Advanced placement or honors	2254	32.5	31.4	33.6
	College prep	736	10.6	9.9	11.3
	General	1893	27.3	26.2	28.3
	Vocational, technical, or commercial	102	1.5	1.2	1.7
	Other or don't know	1956	28.1	27.1	29.2
	Total	6941	100.0	.	.
10th	Advanced placement or honors	1203	34.3	32.8	35.9
	College prep	557	15.4	14.2	16.6
	General	863	24.0	22.6	25.4
	Vocational, technical, or commercial	80	2.1	1.7	2.6
	Other or don't know	903	24.1	22.8	25.5
	Total	3606	100.0	.	.
11th	Advanced placement or honors	1752	36.8	35.4	38.1
	College prep	854	17.7	16.6	18.8
	General	1254	26.0	24.8	27.3
	Vocational, technical, or commercial	163	3.4	2.9	3.9
	Other or don't know	781	16.1	15.1	17.1
	Total	4804	100.0	.	.
Total	Advanced placement or honors	5209	34.3	33.5	35.1
	College prep	2147	14.2	13.6	14.7
	General	4010	25.9	25.1	26.6
	Vocational, technical, or commercial	345	2.2	2.0	2.5
	Other or don't know	3640	23.4	22.8	24.1
	Total	15351	100.0	.	.

**DEMOGRAPHICS**  
**Post-graduation plans: Technical or vocational school (Q8)**

<i>Grade</i>	<i>Tech or vocational school</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	6455	92.0	91.3	92.6
	Yes	563	8.0	7.4	8.7
	Total	7018	100.0	.	.
10th	No	3272	89.5	88.5	90.5
	Yes	380	10.5	9.5	11.5
	Total	3652	100.0	.	.
11th	No	4033	83.0	82.0	84.1
	Yes	820	17.0	15.9	18.0
	Total	4853	100.0	.	.
Total	No	13760	88.6	88.1	89.2
	Yes	1763	11.4	10.8	11.9
	Total	15523	100.0	.	.

**DEMOGRAPHICS**  
**Post-graduation plans: Armed forces (Q8)**

<i>Grade</i>	<i>Armed forces</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	6213	88.5	87.8	89.3
	Yes	805	11.5	10.7	12.2
	Total	7018	100.0	.	.
10th	No	3209	88.1	87.0	89.1
	Yes	443	11.9	10.9	13.0
	Total	3652	100.0	.	.
11th	No	4341	89.5	88.7	90.4
	Yes	512	10.5	9.6	11.3
	Total	4853	100.0	.	.
Total	No	13763	88.7	88.2	89.2
	Yes	1760	11.3	10.8	11.8
	Total	15523	100.0	.	.

**DEMOGRAPHICS**  
**Post-graduation plans: Two-year college (Q8)**

<i>Grade</i>	<i>Two-year college</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	5379	76.7	75.7	77.7
	Yes	1639	23.3	22.3	24.3
	Total	7018	100.0	.	.
10th	No	2834	77.9	76.6	79.3
	Yes	818	22.1	20.7	23.4
	Total	3652	100.0	.	.
11th	No	3715	76.7	75.5	77.9
	Yes	1138	23.3	22.1	24.5
	Total	4853	100.0	.	.
Total	No	11928	77.1	76.4	77.8
	Yes	3595	22.9	22.2	23.6
	Total	15523	100.0	.	.

**DEMOGRAPHICS**  
**Post-graduation plans: Four-year college (Q8)**

<i>Grade</i>	<i>Four-year college</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	3091	44.0	42.9	45.2
	Yes	3927	56.0	54.8	57.1
	Total	7018	100.0	.	.
10th	No	1624	44.2	42.6	45.8
	Yes	2028	55.8	54.2	57.4
	Total	3652	100.0	.	.
11th	No	2025	41.6	40.3	43.0
	Yes	2828	58.4	57.0	59.7
	Total	4853	100.0	.	.
Total	No	6740	43.4	42.6	44.2
	Yes	8783	56.6	55.8	57.4
	Total	15523	100.0	.	.



**DEMOGRAPHICS**

**Post-graduation plans: Graduate or professional school (Q8)**

<i>Grade</i>	<i>Graduate school</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	6051	86.2	85.4	87.0
	Yes	967	13.8	13.0	14.6
	Total	7018	100.0	.	.
10th	No	3158	86.4	85.2	87.5
	Yes	494	13.6	12.5	14.8
	Total	3652	100.0	.	.
11th	No	4176	86.0	85.0	87.0
	Yes	677	14.0	13.0	15.0
	Total	4853	100.0	.	.
Total	No	13385	86.2	85.7	86.8
	Yes	2138	13.8	13.2	14.3
	Total	15523	100.0	.	.

**DEMOGRAPHICS**  
**Post-graduation plans: None of the above (Q8)**

<i>Grade</i>	<i>No plans</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No	5911	84.2	83.4	85.1
	Yes	1107	15.8	14.9	16.6
	Total	7018	100.0	.	.
10th	No	3091	84.7	83.5	85.9
	Yes	561	15.3	14.1	16.5
	Total	3652	100.0	.	.
11th	No	4308	88.8	87.9	89.7
	Yes	545	11.2	10.3	12.1
	Total	4853	100.0	.	.
Total	No	13310	85.7	85.1	86.2
	Yes	2213	14.3	13.8	14.9
	Total	15523	100.0	.	.

**ALCOHOL USE**  
**Lifetime alcohol use (Q20)**

<i>Grade</i>	<i>Lifetime alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	1695	25.2	24.2	26.3
	No	5022	74.8	73.7	75.8
	Total	6717	100.0	.	.
10th	Yes	954	28.1	26.6	29.6
	No	2497	71.9	70.4	73.4
	Total	3451	100.0	.	.
11th	Yes	1549	33.7	32.3	35.0
	No	3070	66.3	65.0	67.7
	Total	4619	100.0	.	.
Total	Yes	4198	28.5	27.8	29.3
	No	10589	71.5	70.7	72.2
	Total	14787	100.0	.	.

**ALCOHOL USE**  
**Age of first alcohol use (Q21)**

<i>Grade</i>	<i>Age of first alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	12 or younger	814	12.2	11.4	13.0
	Never have OR 13 or older	5874	87.8	87.0	88.6
	Total	6688	100.0	.	.
10th	12 or younger	447	13.1	11.9	14.2
	Never have OR 13 or older	2967	86.9	85.8	88.1
	Total	3414	100.0	.	.
11th	12 or younger	500	10.9	10.0	11.8
	Never have OR 13 or older	4087	89.1	88.2	90.0
	Total	4587	100.0	.	.
Total	12 or younger	1761	12.1	11.6	12.6
	Never have OR 13 or older	12928	87.9	87.4	88.4
	Total	14689	100.0	.	.

**ALCOHOL USE**  
**Age of first regular alcohol use (Q23)**

<i>Grade</i>	<i>Age of first regular alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	12 or younger	199	3.0	2.6	3.4
	Never have OR 13 or older	6516	97.0	96.6	97.4
	Total	6715	100.0	.	.
10th	12 or younger	138	4.0	3.3	4.6
	Never have OR 13 or older	3304	96.0	95.4	96.7
	Total	3442	100.0	.	.
11th	12 or younger	141	3.1	2.6	3.6
	Never have OR 13 or older	4466	96.9	96.4	97.4
	Total	4607	100.0	.	.
Total	12 or younger	478	3.3	3.0	3.6
	Never have OR 13 or older	14286	96.7	96.4	97.0
	Total	14764	100.0	.	.

**ALCOHOL USE**  
**Current alcohol use (Q24)**

<i>Demographic characteristic</i>	<i>Current alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	816	11.2	10.5	12.0
	No	6509	88.8	88.0	89.5
Male	Yes	577	8.3	7.7	9.0
	No	6452	91.7	91.0	92.3
White	Yes	716	11.1	10.3	11.9
	No	5794	88.9	88.1	89.7
Other	Yes	699	8.6	8.0	9.2
	No	7484	91.4	90.8	92.0
9th	Yes	518	7.7	7.1	8.4
	No	6182	92.3	91.6	92.9
10th	Yes	337	10.0	9.0	11.0
	No	3092	90.0	89.0	91.0
11th	Yes	567	12.4	11.4	13.4
	No	4033	87.6	86.6	88.6
Total	Yes	1422	9.8	9.3	10.3
	No	13307	90.2	89.7	90.7

**ALCOHOL USE**  
**Current binge alcohol use (Q22)**

<i>Demographic characteristic</i>	<i>Current binge alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	445	6.1	5.5	6.6
	No	6895	93.9	93.4	94.5
Male	Yes	355	5.1	4.6	5.7
	No	6685	94.9	94.3	95.4
White	Yes	387	6.0	5.4	6.6
	No	6127	94.0	93.4	94.6
Other	Yes	428	5.2	4.8	5.7
	No	7779	94.8	94.3	95.2
9th	Yes	292	4.4	3.9	4.8
	No	6421	95.6	95.2	96.1
10th	Yes	193	5.6	4.9	6.4
	No	3246	94.4	93.6	95.1
11th	Yes	334	7.3	6.5	8.1
	No	4272	92.7	91.9	93.5
Total	Yes	819	5.6	5.2	6.0
	No	13939	94.4	94.0	94.8

**ALCOHOL USE**  
**Usual type of alcohol in past 30 days (Q25)**

<i>Grade</i>	<i>Usual type of alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	No usual type	180	30.7	26.9	34.4
	Beer	67	11.4	8.8	14.0
	Malt beverages	54	9.2	6.9	11.6
	Energy drinks with alcohol	24	4.1	2.5	5.7
	Wine coolers	37	6.3	4.3	8.2
	Wine	42	7.1	5.1	9.2
	Liquor	138	23.5	20.1	26.9
	Other	45	7.7	5.5	9.8
	Total	587	100.0	.	.
10th	No usual type	135	33.5	28.8	38.2
	Beer	49	13.4	9.9	16.8
	Malt beverages	43	11.7	8.4	15.0
	Energy drinks with alcohol	18	4.3	2.4	6.3
	Wine coolers	24	5.9	3.6	8.3
	Wine	15	3.6	1.8	5.4
	Liquor	93	23.2	19.0	27.4
	Other	18	4.5	2.4	6.5
	Total	395	100.0	.	.
11th	No usual type	145	23.7	20.3	27.0
	Beer	110	18.4	15.3	21.5
	Malt beverages	92	15.4	12.5	18.2
	Energy drinks with alcohol	20	3.2	1.8	4.6
	Wine coolers	37	6.0	4.1	7.9
	Wine	34	5.5	3.7	7.3
	Liquor	137	22.5	19.2	25.8
	Other	33	5.4	3.6	7.2
	Total	608	100.0	.	.
Total	No usual type	460	29.2	26.9	31.5
	Beer	226	14.5	12.7	16.2
	Malt beverages	189	12.2	10.5	13.8
	Energy drinks with alcohol	62	3.9	2.9	4.8
	Wine coolers	98	6.1	4.9	7.3
	Wine	91	5.4	4.3	6.5
	Liquor	368	23.0	20.9	25.2
	Other	96	5.8	4.6	6.9
	Total	1590	100.0	.	.



**TOBACCO USE**  
**Lifetime cigarette use (Q14)**

<i>Grade</i>	<i>Lifetime cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	386	5.7	5.2	6.3
	No	6382	94.3	93.7	94.8
	Total	6768	100.0	.	.
10th	Yes	224	6.7	5.8	7.5
	No	3258	93.3	92.5	94.2
	Total	3482	100.0	.	.
11th	Yes	387	8.4	7.6	9.2
	No	4279	91.6	90.8	92.4
	Total	4666	100.0	.	.
Total	Yes	997	6.8	6.3	7.2
	No	13919	93.2	92.8	93.7
	Total	14916	100.0	.	.

**TOBACCO USE**  
**Lifetime smokeless tobacco use (Q9)**

<i>Grade</i>	<i>Lifetime smokeless tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	309	4.5	4.0	5.0
	No	6513	95.5	95.0	96.0
	Total	6822	100.0	.	.
10th	Yes	179	5.2	4.5	6.0
	No	3351	94.8	94.0	95.5
	Total	3530	100.0	.	.
11th	Yes	251	5.4	4.7	6.0
	No	4487	94.6	94.0	95.3
	Total	4738	100.0	.	.
Total	Yes	739	5.0	4.6	5.3
	No	14351	95.0	94.7	95.4
	Total	15090	100.0	.	.

**TOBACCO USE**  
**Lifetime vaping use (Q11)**

<i>Grade</i>	<i>Lifetime vaping use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	1437	21.2	20.3	22.2
	No	5331	78.8	77.8	79.7
	Total	6768	100.0	.	.
10th	Yes	795	23.0	21.6	24.4
	No	2710	77.0	75.6	78.4
	Total	3505	100.0	.	.
11th	Yes	1239	26.5	25.2	27.8
	No	3453	73.5	72.2	74.8
	Total	4692	100.0	.	.
Total	Yes	3471	23.3	22.6	24.0
	No	11494	76.7	76.0	77.4
	Total	14965	100.0	.	.

**TOBACCO USE**  
**Lifetime cigar use (Q18)**

<i>Grade</i>	<i>Lifetime cigar use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	603	9.0	8.3	9.6
	No	6113	91.0	90.4	91.7
	Total	6716	100.0	.	.
10th	Yes	362	10.1	9.1	11.1
	No	3104	89.9	88.9	90.9
	Total	3466	100.0	.	.
11th	Yes	563	12.1	11.2	13.1
	No	4054	87.9	86.9	88.8
	Total	4617	100.0	.	.
Total	Yes	1528	10.2	9.7	10.7
	No	13271	89.8	89.3	90.3
	Total	14799	100.0	.	.

**TOBACCO USE**  
**Lifetime bidis use (Q19)**

<i>Grade</i>	<i>Lifetime bidis use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	65	1.0	0.7	1.2
	No	6504	99.0	98.8	99.3
	Total	6569	100.0	.	.
10th	Yes	37	1.1	0.8	1.5
	No	3385	98.9	98.5	99.2
	Total	3422	100.0	.	.
11th	Yes	93	2.1	1.7	2.5
	No	4425	97.9	97.5	98.3
	Total	4518	100.0	.	.
Total	Yes	195	1.3	1.2	1.5
	No	14314	98.7	98.5	98.8
	Total	14509	100.0	.	.

**TOBACCO USE**  
**Lifetime kreteks use (Q19)**

<i>Grade</i>	<i>Lifetime kreteks use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	17	0.3	0.1	0.4
	No	6552	99.7	99.6	99.9
	Total	6569	100.0	.	.
10th	Yes	7	0.2	0.1	0.4
	No	3415	99.8	99.6	99.9
	Total	3422	100.0	.	.
11th	Yes	6	0.1	0.0	0.2
	No	4512	99.9	99.8	100.0
	Total	4518	100.0	.	.
Total	Yes	30	0.2	0.1	0.3
	No	14479	99.8	99.7	99.9
	Total	14509	100.0	.	.

**TOBACCO USE**  
**Lifetime hookah use (Q19)**

<i>Grade</i>	<i>Lifetime hookah use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	122	1.9	1.5	2.2
	No	6447	98.1	97.8	98.5
	Total	6569	100.0	.	.
10th	Yes	87	2.4	1.9	2.9
	No	3335	97.6	97.1	98.1
	Total	3422	100.0	.	.
11th	Yes	115	2.5	2.1	3.0
	No	4403	97.5	97.0	97.9
	Total	4518	100.0	.	.
Total	Yes	324	2.2	2.0	2.5
	No	14185	97.8	97.5	98.0
	Total	14509	100.0	.	.

**TOBACCO USE**  
**Lifetime snus use (Q19)**

<i>Grade</i>	<i>Lifetime snus use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	24	0.4	0.2	0.5
	No	6545	99.6	99.5	99.8
	Total	6569	100.0	.	.
10th	Yes	17	0.5	0.3	0.8
	No	3405	99.5	99.2	99.7
	Total	3422	100.0	.	.
11th	Yes	25	0.6	0.3	0.8
	No	4493	99.4	99.2	99.7
	Total	4518	100.0	.	.
Total	Yes	66	0.5	0.4	0.6
	No	14443	99.5	99.4	99.6
	Total	14509	100.0	.	.



**TOBACCO USE**  
**Lifetime chewing tobacco use (Q19)**

<i>Grade</i>	<i>Lifetime chewing tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	113	1.7	1.4	2.0
	No	6456	98.3	98.0	98.6
	Total	6569	100.0	.	.
10th	Yes	66	2.1	1.6	2.6
	No	3356	97.9	97.4	98.4
	Total	3422	100.0	.	.
11th	Yes	111	2.5	2.0	3.0
	No	4407	97.5	97.0	98.0
	Total	4518	100.0	.	.
Total	Yes	290	2.1	1.8	2.3
	No	14219	97.9	97.7	98.2
	Total	14509	100.0	.	.

**TOBACCO USE**  
**Age of first cigarette use (Q15)**

<i>Grade</i>	<i>Age of first cigarette use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	12 or younger	239	3.5	3.1	4.0
	Never have OR 13 or older	6525	96.5	96.0	96.9
	Total	6764	100.0	.	.
10th	12 or younger	146	4.2	3.6	4.9
	Never have OR 13 or older	3332	95.8	95.1	96.4
	Total	3478	100.0	.	.
11th	12 or younger	214	4.6	4.0	5.2
	Never have OR 13 or older	4453	95.4	94.8	96.0
	Total	4667	100.0	.	.
Total	12 or younger	599	4.1	3.7	4.4
	Never have OR 13 or older	14310	95.9	95.6	96.3
	Total	14909	100.0	.	.

**TOBACCO USE**  
**Current cigarette use (Q16)**

<i>Demographic characteristic</i>	<i>Current cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	81	1.1	0.8	1.3
	No	7354	98.9	98.7	99.2
Male	Yes	111	1.5	1.2	1.8
	No	7025	98.5	98.2	98.8
White	Yes	115	1.7	1.3	2.0
	No	6469	98.3	98.0	98.7
Other	Yes	81	1.0	0.7	1.2
	No	8247	99.0	98.8	99.3
9th	Yes	89	1.3	1.0	1.6
	No	6688	98.7	98.4	99.0
10th	Yes	32	0.9	0.6	1.3
	No	3463	99.1	98.7	99.4
11th	Yes	77	1.7	1.3	2.0
	No	4602	98.3	98.0	98.7
Total	Yes	198	1.3	1.1	1.5
	No	14753	98.7	98.5	98.9

**TOBACCO USE**  
**Current smokeless tobacco use (Q10)**

<i>Grade</i>	<i>Current smokeless tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	131	1.9	1.6	2.2
	No	6723	98.1	97.8	98.4
	Total	6854	100.0	.	.
10th	Yes	66	1.9	1.5	2.4
	No	3482	98.1	97.6	98.5
	Total	3548	100.0	.	.
11th	Yes	100	2.1	1.7	2.5
	No	4644	97.9	97.5	98.3
	Total	4744	100.0	.	.
Total	Yes	297	2.0	1.7	2.2
	No	14849	98.0	97.8	98.3
	Total	15146	100.0	.	.

**TOBACCO USE**  
**Current vaping use (Q12)**

<i>Grade</i>	<i>Current vaping use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	825	12.2	11.4	12.9
	No	5967	87.8	87.1	88.6
	Total	6792	100.0	.	.
10th	Yes	453	13.1	12.0	14.2
	No	3059	86.9	85.8	88.0
	Total	3512	100.0	.	.
11th	Yes	724	15.5	14.4	16.5
	No	3975	84.5	83.5	85.6
	Total	4699	100.0	.	.
Total	Yes	2002	13.4	12.8	13.9
	No	13001	86.6	86.1	87.2
	Total	15003	100.0	.	.

**MARIJUANA USE**  
**Lifetime marijuana use (Q30)**

<i>Grade</i>	<i>Lifetime marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	874	13.2	12.4	14.0
	No	5756	86.8	86.0	87.6
	Total	6630	100.0	.	.
10th	Yes	566	16.7	15.4	18.0
	No	2804	83.3	82.0	84.6
	Total	3370	100.0	.	.
11th	Yes	908	20.0	18.8	21.1
	No	3640	80.0	78.9	81.2
	Total	4548	100.0	.	.
Total	Yes	2348	16.2	15.6	16.8
	No	12200	83.8	83.2	84.4
	Total	14548	100.0	.	.

**MARIJUANA USE**  
**Age of first marijuana use (Q31)**

<i>Grade</i>	<i>Age of first marijuana use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	12 or younger	278	4.2	3.7	4.7
	Never have OR 13 or older	6322	95.8	95.3	96.3
	Total	6600	100.0	.	.
10th	12 or younger	198	5.7	5.0	6.5
	Never have OR 13 or older	3164	94.3	93.5	95.0
	Total	3362	100.0	.	.
11th	12 or younger	217	4.7	4.1	5.4
	Never have OR 13 or older	4311	95.3	94.6	95.9
	Total	4528	100.0	.	.
Total	12 or younger	693	4.8	4.5	5.2
	Never have OR 13 or older	13797	95.2	94.8	95.5
	Total	14490	100.0	.	.

**MARIJUANA USE**  
**Current marijuana use (Q32)**

<i>Demographic characteristic</i>	<i>Current marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Female	Yes	697	9.7	9.0	10.4
	No	6539	90.3	89.6	91.0
Male	Yes	564	8.1	7.4	8.7
	No	6375	91.9	91.3	92.6
White	Yes	496	7.8	7.1	8.4
	No	5952	92.2	91.6	92.9
Other	Yes	797	9.9	9.3	10.6
	No	7262	90.1	89.4	90.7
9th	Yes	473	7.1	6.5	7.7
	No	6150	92.9	92.3	93.5
10th	Yes	309	9.0	8.0	10.0
	No	3063	91.0	90.0	92.0
11th	Yes	514	11.3	10.4	12.2
	No	4035	88.7	87.8	89.6
Total	Yes	1296	8.9	8.4	9.4
	No	13248	91.1	90.6	91.6



**OTHER DRUG USE**  
**Lifetime prescription drug misuse (Q36)**

<i>Grade</i>	<i>Lifetime Rx drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	527	8.0	7.3	8.7
	No	6065	92.0	91.3	92.7
	Total	6592	100.0	.	.
10th	Yes	267	7.9	7.0	8.8
	No	3086	92.1	91.2	93.0
	Total	3353	100.0	.	.
11th	Yes	320	7.1	6.3	7.8
	No	4211	92.9	92.2	93.7
	Total	4531	100.0	.	.
Total	Yes	1114	7.7	7.3	8.2
	No	13362	92.3	91.8	92.7
	Total	14476	100.0	.	.

**OTHER DRUG USE**  
**Age of first prescription drug misuse (Q37)**

<i>Grade</i>	<i>Age of first Rx misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	12 or younger	308	4.7	4.2	5.2
	Never have OR 13 or older	6257	95.3	94.8	95.8
	Total	6565	100.0	.	.
10th	12 or younger	142	4.2	3.5	4.9
	Never have OR 13 or older	3200	95.8	95.1	96.5
	Total	3342	100.0	.	.
11th	12 or younger	135	3.0	2.5	3.5
	Never have OR 13 or older	4388	97.0	96.5	97.5
	Total	4523	100.0	.	.
Total	12 or younger	585	4.0	3.7	4.4
	Never have OR 13 or older	13845	96.0	95.6	96.3
	Total	14430	100.0	.	.

**OTHER DRUG USE**  
**Current prescription drug misuse (Q38)**

<i>Grade</i>	<i>Current prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	204	3.1	2.7	3.5
	No	6383	96.9	96.5	97.3
	Total	6587	100.0	.	.
10th	Yes	96	2.8	2.2	3.3
	No	3254	97.2	96.7	97.8
	Total	3350	100.0	.	.
11th	Yes	111	2.5	2.0	2.9
	No	4422	97.5	97.1	98.0
	Total	4533	100.0	.	.
Total	Yes	411	2.8	2.5	3.1
	No	14059	97.2	96.9	97.5
	Total	14470	100.0	.	.

**OTHER DRUG USE**  
**Source of prescription drugs (Q39)**

Grade	Source of prescription drugs	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
9th	I took them from a friend without asking	5	2.4	0.3	4.4
	I took them from a family member without asking	21	10.0	5.9	14.0
	I bought them from a friend	30	14.2	9.5	19.0
	I bought them from a family member	3	1.4	0.0	3.0
	I got them from a friend for free (they gave them to me)	16	7.5	4.0	11.1
	I got them from a family member for free (they gave them to me)	68	32.2	25.9	38.6
	I bought them from someone else	5	2.4	0.3	4.5
	I got them from more than one doctor and used them for non-medical reasons	7	3.3	0.9	5.7
	I got them from just one doctor and used them for non-medical reasons	5	2.4	0.3	4.4
	I wrote fake prescriptions	3	1.4	0.0	3.1
	I stole them from a doctor's office, clinic, hospital, or pharmacy	3	1.4	0.0	3.0
	I bought them on the Internet	1	0.5	0.0	1.4
	I got them some other way	44	20.8	15.3	26.3
Total		211	100.0	.	.
10th	I took them from a friend without asking	6	5.8	1.2	10.3
	I took them from a family member without asking	13	12.7	6.2	19.2
	I bought them from a friend	15	13.9	7.3	20.5
	I bought them from a family member	1	0.9	0.0	2.6
	I got them from a friend for free (they gave them to me)	9	8.7	3.2	14.1
	I got them from a family member for free (they gave them to me)	31	29.5	20.7	38.3
	I bought them from someone else	5	4.6	0.6	8.6
	I got them from more than one doctor and used them for non-medical reasons	2	2.0	0.0	4.8
	I got them from just one doctor and used them for non-medical reasons	2	1.7	0.0	4.2
	I wrote fake prescriptions	2	1.7	0.0	4.2
	I stole them from a doctor's office, clinic, hospital, or pharmacy	1	1.1	0.0	3.4
	I bought them on the Internet	0	.	.	.
	I got them some other way	18	17.3	10.0	24.7
Total		105	100.0	.	.
11th	I took them from a friend without asking	4	3.3	0.1	6.4
	I took them from a family member without asking	17	14.2	7.9	20.4
	I bought them from a friend	17	13.8	7.7	19.9
	I bought them from a family member	6	4.9	1.0	8.7
	I got them from a friend for free (they gave them to me)	7	5.7	1.6	9.9
	I got them from a family member for free (they gave them to me)	32	26.5	18.6	34.4
	I bought them from someone else	6	5.0	1.1	8.9
	I got them from more than one doctor and used them for non-medical reasons	3	2.5	0.0	5.2
	I got them from just one doctor and used them for non-medical reasons	2	1.6	0.0	3.8
	I wrote fake prescriptions	0	.	.	.

**OTHER DRUG USE**  
**Source of prescription drugs (Q39)**

<i>Grade</i>	<i>Source of prescription drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	I stole them from a doctor's office, clinic, hospital, or pharmacy	2	1.7	0.0	3.9
	I bought them on the Internet	1	0.8	0.0	2.4
	I got them some other way	24	20.2	13.0	27.4
	Total	121	100.0	.	.
Total	I took them from a friend without asking	15	3.7	1.8	5.6
	I took them from a family member without asking	51	11.9	8.8	15.1
	I bought them from a friend	62	14.0	10.7	17.3
	I bought them from a family member	10	2.1	0.8	3.4
	I got them from a friend for free (they gave them to me)	32	7.4	4.9	10.0
	I got them from a family member for free (they gave them to me)	131	29.9	25.5	34.3
	I bought them from someone else	16	3.8	1.9	5.6
	I got them from more than one doctor and used them for non-medical reasons	12	2.7	1.1	4.2
	I got them from just one doctor and used them for non-medical reasons	9	2.0	0.7	3.3
	I wrote fake prescriptions	5	1.2	0.1	2.2
	I stole them from a doctor's office, clinic, hospital, or pharmacy	6	1.4	0.2	2.5
	I bought them on the Internet	2	0.4	0.0	1.0
	I got them some other way	86	19.5	15.7	23.3
	Total	437	100.0	.	.

**OTHER DRUG USE**  
**Source of prescription pain relievers (Q43)**

Grade	Source of prescription pain relievers	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
9th	I took them from a friend without asking	6	4.9	1.1	8.8
	I took them from a family member without asking	11	9.2	4.0	14.5
	I bought them from a friend	21	17.3	10.5	24.1
	I bought them from a family member	2	1.6	0.0	3.9
	I got them from a friend for free (they gave them to me)	17	14.0	7.8	20.2
	I got them from a family member for free (they gave them to me)	34	28.1	20.0	36.2
	I bought them from someone else	8	6.6	2.2	11.1
	I got them from more than one doctor and used them for non-medical reasons	4	3.3	0.1	6.5
	I got them from just one doctor and used them for non-medical reasons	1	0.8	0.0	2.5
	I wrote fake prescriptions	1	0.8	0.0	2.4
	I stole them from a doctor's office, clinic, hospital, or pharmacy	2	1.7	0.0	3.9
	I bought them on the Internet	0	.	.	.
	I got them some other way	14	11.5	5.8	17.3
Total	121	100.0	.	.	
10th	I took them from a friend without asking	6	8.5	1.9	15.1
	I took them from a family member without asking	7	10.6	3.1	18.2
	I bought them from a friend	13	18.3	9.1	27.4
	I bought them from a family member	6	8.5	1.9	15.1
	I got them from a friend for free (they gave them to me)	3	4.9	0.0	10.3
	I got them from a family member for free (they gave them to me)	12	17.4	8.3	26.4
	I bought them from someone else	6	8.5	1.9	15.1
	I got them from more than one doctor and used them for non-medical reasons	2	3.1	0.0	7.4
	I got them from just one doctor and used them for non-medical reasons	1	1.8	0.0	5.2
	I wrote fake prescriptions	1	1.3	0.0	4.0
	I stole them from a doctor's office, clinic, hospital, or pharmacy	2	3.1	0.0	7.4
	I bought them on the Internet	0	.	.	.
	I got them some other way	9	14.1	5.5	22.8
Total	68	100.0	.	.	
11th	I took them from a friend without asking	4	5.8	0.2	11.3
	I took them from a family member without asking	11	15.9	7.2	24.6
	I bought them from a friend	10	14.4	6.1	22.8
	I bought them from a family member	1	1.4	0.0	4.2
	I got them from a friend for free (they gave them to me)	7	10.0	2.9	17.1
	I got them from a family member for free (they gave them to me)	13	18.8	9.5	28.0
	I bought them from someone else	2	2.9	0.0	6.9
	I got them from more than one doctor and used them for non-medical reasons	2	2.8	0.0	6.7
	I got them from just one doctor and used them for non-medical reasons	3	4.3	0.0	9.2
	I wrote fake prescriptions	2	2.8	0.0	6.7

**OTHER DRUG USE**  
**Source of prescription pain relievers (Q43)**

<i>Grade</i>	<i>Source of prescription pain relievers</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	I stole them from a doctor's office, clinic, hospital, or pharmacy	1	1.4	0.0	4.2
	I bought them on the Internet	1	1.5	0.0	4.5
	I got them some other way	12	17.8	8.6	27.0
	Total	69	100.0	.	.
Total	I took them from a friend without asking	16	6.4	3.3	9.5
	I took them from a family member without asking	29	11.3	7.3	15.3
	I bought them from a friend	44	17.0	12.3	21.7
	I bought them from a family member	9	4.0	1.4	6.6
	I got them from a friend for free (they gave them to me)	27	9.8	6.2	13.4
	I got them from a family member for free (they gave them to me)	59	22.1	16.9	27.2
	I bought them from someone else	16	6.4	3.3	9.5
	I got them from more than one doctor and used them for non-medical reasons	8	3.1	0.9	5.3
	I got them from just one doctor and used them for non-medical reasons	5	2.0	0.2	3.8
	I wrote fake prescriptions	4	1.5	0.0	3.0
	I stole them from a doctor's office, clinic, hospital, or pharmacy	5	2.1	0.2	4.0
	I bought them on the Internet	1	0.4	0.0	1.1
	I got them some other way	35	14.0	9.5	18.4
	Total	258	100.0	.	.

**OTHER DRUG USE**  
**Lifetime Rx pain reliever misuse (Q40)**

<i>Grade</i>	<i>Lifetime Rx pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	218	3.3	2.9	3.7
	No	6370	96.7	96.3	97.1
	Total	6588	100.0	.	.
10th	Yes	133	3.9	3.3	4.6
	No	3222	96.1	95.4	96.7
	Total	3355	100.0	.	.
11th	Yes	133	2.9	2.4	3.4
	No	4394	97.1	96.6	97.6
	Total	4527	100.0	.	.
Total	Yes	484	3.4	3.1	3.7
	No	13986	96.6	96.3	96.9
	Total	14470	100.0	.	.



**OTHER DRUG USE**  
**Age of first Rx pain reliever misuse (Q41)**

<i>Grade</i>	<i>Age of first Rx pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	12 or younger	118	1.8	1.5	2.1
	Never have OR 13 or older	6464	98.2	97.9	98.5
	Total	6582	100.0	.	.
10th	12 or younger	61	1.8	1.3	2.2
	Never have OR 13 or older	3286	98.2	97.8	98.7
	Total	3347	100.0	.	.
11th	12 or younger	52	1.1	0.8	1.4
	Never have OR 13 or older	4473	98.9	98.6	99.2
	Total	4525	100.0	.	.
Total	12 or younger	231	1.6	1.4	1.8
	Never have OR 13 or older	14223	98.4	98.2	98.6
	Total	14454	100.0	.	.

**OTHER DRUG USE**  
**Current Rx pain reliever misuse (Q42)**

<i>Grade</i>	<i>Current prescription pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	108	1.6	1.3	1.9
	No	6484	98.4	98.1	98.7
	Total	6592	100.0	.	.
10th	Yes	65	1.9	1.4	2.3
	No	3294	98.1	97.7	98.6
	Total	3359	100.0	.	.
11th	Yes	58	1.3	0.9	1.6
	No	4475	98.7	98.4	99.1
	Total	4533	100.0	.	.
Total	Yes	231	1.6	1.4	1.8
	No	14253	98.4	98.2	98.6
	Total	14484	100.0	.	.

**OTHER DRUG USE**  
**Lifetime cocaine use (Q44)**

<i>Grade</i>	<i>Lifetime cocaine use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	89	1.4	1.1	1.6
	No	6458	98.6	98.4	98.9
	Total	6547	100.0	.	.
10th	Yes	56	1.6	1.2	2.1
	No	3289	98.4	97.9	98.8
	Total	3345	100.0	.	.
11th	Yes	70	1.6	1.2	1.9
	No	4423	98.4	98.1	98.8
	Total	4493	100.0	.	.
Total	Yes	215	1.5	1.3	1.7
	No	14170	98.5	98.3	98.7
	Total	14385	100.0	.	.

**OTHER DRUG USE**  
**Lifetime heroin or fentanyl use (Q45)**

<i>Grade</i>	<i>Lifetime heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	68	1.0	0.8	1.3
	No	6479	99.0	98.7	99.2
	Total	6547	100.0	.	.
10th	Yes	46	1.4	1.0	1.7
	No	3260	98.6	98.3	99.0
	Total	3306	100.0	.	.
11th	Yes	34	0.8	0.5	1.0
	No	4441	99.2	99.0	99.5
	Total	4475	100.0	.	.
Total	Yes	148	1.1	0.9	1.2
	No	14180	98.9	98.8	99.1
	Total	14328	100.0	.	.

**OTHER DRUG USE**  
**Age of first heroin or fentanyl use (Q46)**

<i>Grade</i>	<i>Age of first heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	12 or younger	30	0.5	0.3	0.6
	Never have OR 13 or older	6504	99.5	99.4	99.7
	Total	6534	100.0	.	.
10th	12 or younger	30	0.9	0.6	1.2
	Never have OR 13 or older	3272	99.1	98.8	99.4
	Total	3302	100.0	.	.
11th	12 or younger	31	0.7	0.4	0.9
	Never have OR 13 or older	4442	99.3	99.1	99.6
	Total	4473	100.0	.	.
Total	12 or younger	91	0.7	0.5	0.8
	Never have OR 13 or older	14218	99.3	99.2	99.5
	Total	14309	100.0	.	.

**OTHER DRUG USE**  
**Current heroin or fentanyl use (Q47)**

<i>Grade</i>	<i>Current heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	36	0.6	0.4	0.7
	No	6517	99.4	99.3	99.6
	Total	6553	100.0	.	.
10th	Yes	26	0.8	0.5	1.0
	No	3292	99.2	99.0	99.5
	Total	3318	100.0	.	.
11th	Yes	25	0.6	0.3	0.8
	No	4459	99.4	99.2	99.7
	Total	4484	100.0	.	.
Total	Yes	87	0.6	0.5	0.7
	No	14268	99.4	99.3	99.5
	Total	14355	100.0	.	.

**ACCESS TO SUBSTANCES**  
**Ease of obtaining alcohol (Q72)**

<i>Grade</i>	<i>Ease of obtaining alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Sort of hard OR Very hard	3441	56.0	54.7	57.2
	Very easy OR Sort of easy	2704	44.0	42.8	45.3
	Total	6145	100.0	.	.
10th	Sort of hard OR Very hard	1666	52.5	50.7	54.3
	Very easy OR Sort of easy	1462	47.5	45.7	49.3
	Total	3128	100.0	.	.
11th	Sort of hard OR Very hard	2039	47.5	46.0	49.0
	Very easy OR Sort of easy	2236	52.5	51.0	54.0
	Total	4275	100.0	.	.
Total	Sort of hard OR Very hard	7146	52.4	51.6	53.3
	Very easy OR Sort of easy	6402	47.6	46.7	48.4
	Total	13548	100.0	.	.

**ACCESS TO SUBSTANCES**  
**Source of alcohol (Q26)**

<i>Grade</i>	<i>Source of alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	I bought it in a store	32	8.1	5.4	10.7
	I gave someone money to buy for me	22	5.5	3.3	7.8
	I took it from a store	12	3.0	1.3	4.7
	Someone gave it to me at a party	129	32.6	28.0	37.3
	Someone gave it to me someplace else	47	11.8	8.6	15.0
	I took it from a family member	16	4.1	2.1	6.0
	I got it some other way	138	34.8	30.1	39.5
	Total	396	100.0	.	.
10th	I bought it in a store	27	10.1	6.5	13.8
	I gave someone money to buy for me	24	8.7	5.3	12.0
	I took it from a store	5	1.7	0.2	3.2
	Someone gave it to me at a party	90	33.2	27.5	38.8
	Someone gave it to me someplace else	30	10.6	7.0	14.2
	I took it from a family member	16	5.7	3.0	8.5
	I got it some other way	82	30.0	24.5	35.5
	Total	274	100.0	.	.
11th	I bought it in a store	57	13.0	9.9	16.2
	I gave someone money to buy for me	66	15.3	11.9	18.7
	I took it from a store	6	1.4	0.3	2.5
	Someone gave it to me at a party	149	33.8	29.4	38.2
	Someone gave it to me someplace else	43	9.8	7.0	12.6
	I took it from a family member	12	2.7	1.2	4.2
	I got it some other way	106	24.0	20.0	28.0
	Total	439	100.0	.	.
Total	I bought it in a store	116	10.5	8.7	12.4
	I gave someone money to buy for me	112	10.1	8.2	11.9
	I took it from a store	23	2.0	1.2	2.8
	Someone gave it to me at a party	368	33.2	30.4	36.1
	Someone gave it to me someplace else	120	10.7	8.8	12.5
	I took it from a family member	44	4.1	2.9	5.4
	I got it some other way	326	29.4	26.6	32.1
	Total	1109	100.0	.	.



**ACCESS TO SUBSTANCES**  
**Who provided alcohol (Q27)**

<i>Grade</i>	<i>Who provided alcohol</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Nobody got it for me	304	53.6	49.5	57.7
	My parent	57	10.1	7.6	12.6
	Parent of friend	25	4.4	2.7	6.1
	Friend or family member older than 25	43	7.6	5.4	9.8
	Friend or family member age 21-25	50	8.8	6.5	11.1
	Friend or family member under age 21	36	6.3	4.3	8.4
	Some other adult	52	9.2	6.8	11.5
	Total	567	100.0	.	.
10th	Nobody got it for me	232	55.6	50.8	60.5
	My parent	33	8.4	5.6	11.1
	Parent of friend	13	3.3	1.5	5.1
	Friend or family member older than 25	34	7.9	5.3	10.4
	Friend or family member age 21-25	32	7.8	5.2	10.5
	Friend or family member under age 21	26	6.4	4.0	8.8
	Some other adult	43	10.5	7.5	13.5
	Total	413	100.0	.	.
11th	Nobody got it for me	286	47.1	43.1	51.1
	My parent	55	9.2	6.9	11.5
	Parent of friend	23	3.8	2.3	5.4
	Friend or family member older than 25	56	9.2	6.9	11.5
	Friend or family member age 21-25	57	9.5	7.1	11.8
	Friend or family member under age 21	67	11.2	8.7	13.7
	Some other adult	60	10.0	7.6	12.4
	Total	604	100.0	.	.
Total	Nobody got it for me	822	52.1	49.6	54.6
	My parent	145	9.2	7.7	10.6
	Parent of friend	61	3.8	2.9	4.8
	Friend or family member older than 25	133	8.2	6.9	9.6
	Friend or family member age 21-25	139	8.7	7.3	10.1
	Friend or family member under age 21	129	8.0	6.7	9.4
	Some other adult	155	9.9	8.4	11.5
	Total	1584	100.0	.	.

**ACCESS TO SUBSTANCES**  
**Ease of obtaining cigarettes (Q68)**

<i>Grade</i>	<i>Ease of obtaining cigarettes</i>	<i>Unweighted</i>		<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
		<i>N</i>	<i>Percent</i>		
9th	Sort of hard OR Very hard	3926	64.2	63.0	65.4
	Very easy OR Sort of easy	2188	35.8	34.6	37.0
	Total	6114	100.0	.	.
10th	Sort of hard OR Very hard	1859	59.4	57.6	61.1
	Very easy OR Sort of easy	1238	40.6	38.9	42.4
	Total	3097	100.0	.	.
11th	Sort of hard OR Very hard	2371	55.4	53.9	56.9
	Very easy OR Sort of easy	1897	44.6	43.1	46.1
	Total	4268	100.0	.	.
Total	Sort of hard OR Very hard	8156	60.1	59.3	61.0
	Very easy OR Sort of easy	5323	39.9	39.0	40.7
	Total	13479	100.0	.	.

**ACCESS TO SUBSTANCES**  
**Ease of obtaining e-cigarettes or vaping pens (Q69)**

<i>Grade</i>	<i>Ease of obtaining e-cigarettes or vaping pens</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Sort of hard OR Very hard	3090	50.3	49.0	51.5
	Very easy OR Sort of easy	3054	49.7	48.5	51.0
	Total	6144	100.0	.	.
10th	Sort of hard OR Very hard	1498	47.3	45.5	49.1
	Very easy OR Sort of easy	1620	52.7	50.9	54.5
	Total	3118	100.0	.	.
11th	Sort of hard OR Very hard	1850	43.2	41.7	44.7
	Very easy OR Sort of easy	2419	56.8	55.3	58.3
	Total	4269	100.0	.	.
Total	Sort of hard OR Very hard	6438	47.3	46.4	48.2
	Very easy OR Sort of easy	7093	52.7	51.8	53.6
	Total	13531	100.0	.	.

**ACCESS TO SUBSTANCES**  
**Source of cigarettes (Q17)**

<i>Grade</i>	<i>Source of cigarettes</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	I bought them in a store	6	5.4	1.2	9.7
	I bought them from a vending machine	5	4.5	0.6	8.4
	I gave someone money to buy for me	16	14.6	8.0	21.3
	I borrowed them	18	16.4	9.4	23.4
	An adult gave them to me	14	12.7	6.4	18.9
	I took them from a store or family member	13	11.8	5.8	17.9
	Other	38	34.5	25.6	43.5
	Total	110	100.0	.	.
10th	I bought them in a store	11	20.5	9.5	31.4
	I bought them from a vending machine	6	11.1	2.6	19.6
	I gave someone money to buy for me	5	8.9	1.3	16.4
	I borrowed them	10	19.3	8.4	30.2
	An adult gave them to me	7	13.8	4.2	23.3
	I took them from a store or family member	3	6.0	0.0	12.8
	Other	11	20.5	9.5	31.4
	Total	53	100.0	.	.
11th	I bought them in a store	14	13.5	6.9	20.2
	I bought them from a vending machine	3	2.9	0.0	6.1
	I gave someone money to buy for me	13	12.5	6.1	18.9
	I borrowed them	21	20.7	12.7	28.6
	An adult gave them to me	8	7.8	2.6	13.0
	I took them from a store or family member	13	12.7	6.2	19.1
	Other	31	30.0	21.1	38.9
	Total	103	100.0	.	.
Total	I bought them in a store	31	12.5	8.3	16.7
	I bought them from a vending machine	14	5.8	2.7	8.8
	I gave someone money to buy for me	34	12.3	8.3	16.2
	I borrowed them	49	18.7	13.9	23.6
	An adult gave them to me	29	11.2	7.3	15.2
	I took them from a store or family member	29	10.5	6.8	14.2
	Other	80	29.0	23.5	34.5
	Total	266	100.0	.	.

**ACCESS TO SUBSTANCES**  
**Source of vaping (Q13)**

<i>Grade</i>	<i>Source of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Store	83	10.4	8.3	12.6
	Someone bought them for me	146	18.4	15.7	21.1
	Borrowed them	255	32.0	28.8	35.2
	Someone 18 years or older gave them to me	58	7.3	5.5	9.1
	Took them from store or family member	27	3.4	2.1	4.7
	Got them some other way	227	28.5	25.4	31.6
	Total	796	100.0	.	.
10th	Store	95	21.0	17.2	24.8
	Someone bought them for me	83	18.7	15.0	22.3
	Borrowed them	114	25.0	21.0	29.1
	Someone 18 years or older gave them to me	39	8.9	6.2	11.6
	Took them from store or family member	8	1.6	0.5	2.6
	Got them some other way	113	24.9	20.8	28.9
	Total	452	100.0	.	.
11th	Store	161	22.8	19.7	25.9
	Someone bought them for me	117	16.6	13.8	19.3
	Borrowed them	155	21.9	18.9	25.0
	Someone 18 years or older gave them to me	56	7.9	5.9	9.9
	Took them from store or family member	16	2.2	1.1	3.3
	Got them some other way	203	28.6	25.3	32.0
	Total	708	100.0	.	.
Total	Store	339	17.8	16.1	19.6
	Someone bought them for me	346	17.9	16.1	19.6
	Borrowed them	524	26.5	24.5	28.5
	Someone 18 years or older gave them to me	153	8.0	6.7	9.2
	Took them from store or family member	51	2.4	1.8	3.1
	Got them some other way	543	27.4	25.4	29.4
	Total	1956	100.0	.	.

**ACCESS TO SUBSTANCES**  
**Source of marijuana (Q33)**

<i>Grade</i>	<i>Source of marijuana</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	I bought it from a friend	87	17.8	14.4	21.2
	I bought it from someone else	68	13.9	10.9	17.0
	I gave someone else money to buy it for me	33	6.8	4.5	9.0
	Someone gave it to me at a party or social gathering	62	12.7	9.7	15.7
	Someone gave it to me someplace else	65	13.3	10.3	16.4
	I bought it on the internet	7	1.4	0.4	2.5
	I got it some other way	166	34.0	29.8	38.2
	Total	488	100.0	.	.
10th	I bought it from a friend	60	18.4	14.1	22.6
	I bought it from someone else	63	19.6	15.2	24.0
	I gave someone else money to buy it for me	18	5.4	3.0	7.8
	Someone gave it to me at a party or social gathering	38	12.1	8.5	15.8
	Someone gave it to me someplace else	36	11.1	7.6	14.5
	I bought it on the internet	4	1.2	0.0	2.4
	I got it some other way	104	32.2	27.1	37.4
	Total	323	100.0	.	.
11th	I bought it from a friend	100	19.3	15.9	22.7
	I bought it from someone else	121	23.3	19.6	26.9
	I gave someone else money to buy it for me	15	2.9	1.4	4.3
	Someone gave it to me at a party or social gathering	60	11.7	8.9	14.4
	Someone gave it to me someplace else	58	11.2	8.5	13.9
	I bought it on the internet	9	1.7	0.6	2.8
	I got it some other way	156	30.0	26.1	34.0
	Total	519	100.0	.	.
Total	I bought it from a friend	247	18.5	16.4	20.7
	I bought it from someone else	252	19.1	16.9	21.3
	I gave someone else money to buy it for me	66	4.9	3.8	6.1
	Someone gave it to me at a party or social gathering	160	12.1	10.3	14.0
	Someone gave it to me someplace else	159	11.8	10.1	13.6
	I bought it on the internet	20	1.5	0.8	2.1
	I got it some other way	426	32.0	29.4	34.6
	Total	1330	100.0	.	.

**ACCESS TO SUBSTANCES**  
**Ease of obtaining marijuana (Q74)**

<i>Grade</i>	<i>Ease of obtaining marijuana</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Sort of hard OR Very hard	3914	63.8	62.6	65.1
	Very easy OR Sort of easy	2218	36.2	34.9	37.4
	Total	6132	100.0	.	.
10th	Sort of hard OR Very hard	1785	57.0	55.3	58.8
	Very easy OR Sort of easy	1339	43.0	41.2	44.7
	Total	3124	100.0	.	.
11th	Sort of hard OR Very hard	2176	51.0	49.5	52.5
	Very easy OR Sort of easy	2085	49.0	47.5	50.5
	Total	4261	100.0	.	.
Total	Sort of hard OR Very hard	7875	58.0	57.2	58.9
	Very easy OR Sort of easy	5642	42.0	41.1	42.8
	Total	13517	100.0	.	.

**ACCESS TO SUBSTANCES**  
**Ease of obtaining heroin or fentanyl (Q75)**

<i>Grade</i>	<i>Ease of obtaining heroin or fentanyl</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Sort of hard OR Very hard	5555	90.7	89.9	91.4
	Very easy OR Sort of easy	572	9.3	8.6	10.1
	Total	6127	100.0	.	.
10th	Sort of hard OR Very hard	2772	88.9	87.8	90.0
	Very easy OR Sort of easy	347	11.1	10.0	12.2
	Total	3119	100.0	.	.
11th	Sort of hard OR Very hard	3799	89.3	88.4	90.2
	Very easy OR Sort of easy	455	10.7	9.8	11.6
	Total	4254	100.0	.	.
Total	Sort of hard OR Very hard	12126	89.7	89.2	90.2
	Very easy OR Sort of easy	1374	10.3	9.8	10.8
	Total	13500	100.0	.	.



**ACCESS TO SUBSTANCES**  
**Ease of obtaining prescription drugs (Q70)**

<i>Grade</i>	<i>Ease of obtaining prescription drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Sort of hard OR Very hard	4581	74.8	73.7	75.9
	Very easy OR Sort of easy	1542	25.2	24.1	26.3
	Total	6123	100.0	.	.
10th	Sort of hard OR Very hard	2286	73.4	71.8	75.0
	Very easy OR Sort of easy	823	26.6	25.0	28.2
	Total	3109	100.0	.	.
11th	Sort of hard OR Very hard	3100	72.8	71.5	74.1
	Very easy OR Sort of easy	1157	27.2	25.9	28.5
	Total	4257	100.0	.	.
Total	Sort of hard OR Very hard	9967	73.8	73.0	74.6
	Very easy OR Sort of easy	3522	26.2	25.4	27.0
	Total	13489	100.0	.	.

**ACCESS TO SUBSTANCES**  
**Ease of obtaining prescription pain relievers (Q71)**

<i>Grade</i>	<i>Ease of obtaining prescription pain relievers</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Sort of hard OR Very hard	4770	77.9	76.9	78.9
	Very easy OR Sort of easy	1353	22.1	21.1	23.1
	Total	6123	100.0	.	.
10th	Sort of hard OR Very hard	2379	76.7	75.2	78.3
	Very easy OR Sort of easy	717	23.3	21.7	24.8
	Total	3096	100.0	.	.
11th	Sort of hard OR Very hard	3253	76.5	75.2	77.8
	Very easy OR Sort of easy	1001	23.5	22.2	24.8
	Total	4254	100.0	.	.
Total	Sort of hard OR Very hard	10402	77.1	76.4	77.9
	Very easy OR Sort of easy	3071	22.9	22.1	23.6
	Total	13473	100.0	.	.

**ACCESS TO SUBSTANCES**  
**Ease of obtaining other illicit drugs (Q73)**

<i>Grade</i>	<i>Ease of obtaining other illicit drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Sort of hard OR Very hard	5403	88.3	87.5	89.1
	Very easy OR Sort of easy	718	11.7	10.9	12.5
	Total	6121	100.0	.	.
10th	Sort of hard OR Very hard	2695	86.4	85.2	87.6
	Very easy OR Sort of easy	426	13.6	12.4	14.8
	Total	3121	100.0	.	.
11th	Sort of hard OR Very hard	3638	85.2	84.2	86.3
	Very easy OR Sort of easy	630	14.8	13.7	15.8
	Total	4268	100.0	.	.
Total	Sort of hard OR Very hard	11736	86.8	86.2	87.4
	Very easy OR Sort of easy	1774	13.2	12.6	13.8
	Total	13510	100.0	.	.

**DISAPPROVAL OF USE**  
**Disapproval of alcohol use (Q54)**

<i>Grade</i>	<i>Disapproval of alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Wrong OR Very wrong	3157	67.9	66.5	69.2
	Not wrong at all OR A little bit wrong	1493	32.1	30.8	33.5
	Total	4650	100.0	.	.
10th	Wrong OR Very wrong	962	64.9	62.5	67.4
	Not wrong at all OR A little bit wrong	511	35.1	32.6	37.5
	Total	1473	100.0	.	.
11th	Wrong OR Very wrong	1710	56.2	54.4	58.0
	Not wrong at all OR A little bit wrong	1323	43.8	42.0	45.6
	Total	3033	100.0	.	.
Total	Wrong OR Very wrong	5829	63.6	62.6	64.6
	Not wrong at all OR A little bit wrong	3327	36.4	35.4	37.4
	Total	9156	100.0	.	.

**DISAPPROVAL OF USE**  
**Disapproval of cigarette use (Q55)**

<i>Grade</i>	<i>Disapproval of cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Wrong OR Very wrong	5214	83.5	82.6	84.5
	Not wrong at all OR A little bit wrong	1028	16.5	15.5	17.4
	Total	6242	100.0	.	.
10th	Wrong OR Very wrong	2554	80.5	79.1	81.9
	Not wrong at all OR A little bit wrong	606	19.5	18.1	20.9
	Total	3160	100.0	.	.
11th	Wrong OR Very wrong	3303	76.7	75.5	78.0
	Not wrong at all OR A little bit wrong	996	23.3	22.0	24.5
	Total	4299	100.0	.	.
Total	Wrong OR Very wrong	11071	80.6	80.0	81.3
	Not wrong at all OR A little bit wrong	2630	19.4	18.7	20.0
	Total	13701	100.0	.	.

**DISAPPROVAL OF USE**  
**Disapproval of vaping (Q56)**

<i>Grade</i>	<i>Disapproval of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Wrong OR Very wrong	4269	68.5	67.3	69.6
	Not wrong at all OR A little bit wrong	1968	31.5	30.4	32.7
	Total	6237	100.0	.	.
10th	Wrong OR Very wrong	2079	66.1	64.4	67.8
	Not wrong at all OR A little bit wrong	1066	33.9	32.2	35.6
	Total	3145	100.0	.	.
11th	Wrong OR Very wrong	2680	62.3	60.8	63.7
	Not wrong at all OR A little bit wrong	1621	37.7	36.3	39.2
	Total	4301	100.0	.	.
Total	Wrong OR Very wrong	9028	65.9	65.1	66.8
	Not wrong at all OR A little bit wrong	4655	34.1	33.2	34.9
	Total	13683	100.0	.	.

**DISAPPROVAL OF USE**  
**Disapproval of marijuana use (Q57)**

<i>Grade</i>	<i>Disapproval of marijuana use</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
9th	Wrong OR Very wrong	4224	68.0	66.8 69.1
	Not wrong at all OR A little bit wrong	1993	32.0	30.9 33.2
	Total	6217	100.0	. .
10th	Wrong OR Very wrong	1920	61.6	59.8 63.3
	Not wrong at all OR A little bit wrong	1215	38.4	36.7 40.2
	Total	3135	100.0	. .
11th	Wrong OR Very wrong	2336	54.4	52.9 55.8
	Not wrong at all OR A little bit wrong	1965	45.6	44.2 47.1
	Total	4301	100.0	. .
Total	Wrong OR Very wrong	8480	62.0	61.2 62.9
	Not wrong at all OR A little bit wrong	5173	38.0	37.1 38.8
	Total	13653	100.0	. .

**DISAPPROVAL OF USE**  
**Disapproval of prescription drug misuse (Q58)**

<i>Grade</i>	<i>Disapproval of prescription drug misuse</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
			<i>95%CL</i>	<i>95%CL</i>
9th	Wrong OR Very wrong	5252	84.2	83.3 85.1
	Not wrong at all OR A little bit wrong	990	15.8	14.9 16.7
	Total	6242	100.0	. .
10th	Wrong OR Very wrong	2645	84.5	83.2 85.7
	Not wrong at all OR A little bit wrong	499	15.5	14.3 16.8
	Total	3144	100.0	. .
11th	Wrong OR Very wrong	3626	84.4	83.3 85.5
	Not wrong at all OR A little bit wrong	675	15.6	14.5 16.7
	Total	4301	100.0	. .
Total	Wrong OR Very wrong	11523	84.3	83.7 84.9
	Not wrong at all OR A little bit wrong	2164	15.7	15.1 16.3
	Total	13687	100.0	. .



**DISAPPROVAL OF USE**  
**Disapproval of prescription pain reliever misuse (Q59)**

<i>Grade</i>	<i>Disapproval of prescription pain reliever misuse</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
			<i>95%CL</i>	<i>95%CL</i>
9th	Wrong OR Very wrong	5071	81.6	80.6 82.5
	Not wrong at all OR A little bit wrong	1147	18.4	17.5 19.4
	Total	6218	100.0	. .
10th	Wrong OR Very wrong	2554	82.0	80.7 83.4
	Not wrong at all OR A little bit wrong	577	18.0	16.6 19.3
	Total	3131	100.0	. .
11th	Wrong OR Very wrong	3556	83.3	82.2 84.5
	Not wrong at all OR A little bit wrong	716	16.7	15.5 17.8
	Total	4272	100.0	. .
Total	Wrong OR Very wrong	11181	82.2	81.6 82.9
	Not wrong at all OR A little bit wrong	2440	17.8	17.1 18.4
	Total	13621	100.0	. .

**DISAPPROVAL OF USE**  
**Disapproval of heroin or fentanyl use (Q61)**

<i>Grade</i>	<i>Disapproval of heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Wrong OR Very wrong	5797	93.1	92.5	93.8
	Not wrong at all OR A little bit wrong	428	6.9	6.2	7.5
	Total	6225	100.0	.	.
10th	Wrong OR Very wrong	2900	92.7	91.8	93.6
	Not wrong at all OR A little bit wrong	239	7.3	6.4	8.2
	Total	3139	100.0	.	.
11th	Wrong OR Very wrong	3964	92.3	91.5	93.1
	Not wrong at all OR A little bit wrong	332	7.7	6.9	8.5
	Total	4296	100.0	.	.
Total	Wrong OR Very wrong	12661	92.8	92.3	93.2
	Not wrong at all OR A little bit wrong	999	7.2	6.8	7.7
	Total	13660	100.0	.	.

**DISAPPROVAL OF USE**  
**Disapproval of other illicit drug use (Q60)**

<i>Grade</i>	<i>Disapproval of other illicit drug use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Wrong OR Very wrong	5716	91.7	91.0	92.4
	Not wrong at all OR A little bit wrong	520	8.3	7.6	9.0
	Total	6236	100.0	.	.
10th	Wrong OR Very wrong	2877	91.0	90.0	92.0
	Not wrong at all OR A little bit wrong	290	9.0	8.0	10.0
	Total	3167	100.0	.	.
11th	Wrong OR Very wrong	3884	90.2	89.4	91.1
	Not wrong at all OR A little bit wrong	422	9.8	8.9	10.6
	Total	4306	100.0	.	.
Total	Wrong OR Very wrong	12477	91.1	90.6	91.5
	Not wrong at all OR A little bit wrong	1232	8.9	8.5	9.4
	Total	13709	100.0	.	.

**RISK OF HARM**  
**Risk of harm from binge use (Q65)**

<i>Grade</i>	<i>Risk of harm from binge use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Moderate risk OR Great risk	4847	78.2	77.2	79.3
	No risk OR Slight risk	1348	21.8	20.7	22.8
	Total	6195	100.0	.	.
10th	Moderate risk OR Great risk	2392	76.1	74.6	77.6
	No risk OR Slight risk	746	23.9	22.4	25.4
	Total	3138	100.0	.	.
11th	Moderate risk OR Great risk	3257	75.6	74.4	76.9
	No risk OR Slight risk	1046	24.4	23.1	25.6
	Total	4303	100.0	.	.
Total	Moderate risk OR Great risk	10496	76.8	76.1	77.6
	No risk OR Slight risk	3140	23.2	22.4	23.9
	Total	13636	100.0	.	.

**RISK OF HARM**  
**Risk of harm from cigarette use (Q62)**

<i>Grade</i>	<i>Risk of harm from cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Moderate risk OR Great risk	5348	86.0	85.1	86.8
	No risk OR Slight risk	874	14.0	13.2	14.9
	Total	6222	100.0	.	.
10th	Moderate risk OR Great risk	2699	85.2	84.0	86.4
	No risk OR Slight risk	482	14.8	13.6	16.0
	Total	3181	100.0	.	.
11th	Moderate risk OR Great risk	3698	85.8	84.8	86.8
	No risk OR Slight risk	615	14.2	13.2	15.2
	Total	4313	100.0	.	.
Total	Moderate risk OR Great risk	11745	85.7	85.1	86.3
	No risk OR Slight risk	1971	14.3	13.7	14.9
	Total	13716	100.0	.	.

**RISK OF HARM**  
**Risk of harm from vaping (Q63)**

<i>Grade</i>	<i>Risk of harm from vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Moderate risk OR Great risk	4679	75.2	74.2	76.3
	No risk OR Slight risk	1542	24.8	23.7	25.8
	Total	6221	100.0	.	.
10th	Moderate risk OR Great risk	2334	74.0	72.4	75.5
	No risk OR Slight risk	834	26.0	24.5	27.6
	Total	3168	100.0	.	.
11th	Moderate risk OR Great risk	3184	73.7	72.4	75.1
	No risk OR Slight risk	1134	26.3	24.9	27.6
	Total	4318	100.0	.	.
Total	Moderate risk OR Great risk	10197	74.4	73.7	75.2
	No risk OR Slight risk	3510	25.6	24.8	26.3
	Total	13707	100.0	.	.

**RISK OF HARM**  
**Risk of harm from marijuana use (Q64)**

<i>Grade</i>	<i>Risk of harm from marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Moderate risk OR Great risk	3913	63.1	61.9	64.3
	No risk OR Slight risk	2292	36.9	35.7	38.1
	Total	6205	100.0	.	.
10th	Moderate risk OR Great risk	1795	57.1	55.4	58.9
	No risk OR Slight risk	1360	42.9	41.1	44.6
	Total	3155	100.0	.	.
11th	Moderate risk OR Great risk	2286	53.1	51.6	54.5
	No risk OR Slight risk	2022	46.9	45.5	48.4
	Total	4308	100.0	.	.
Total	Moderate risk OR Great risk	7994	58.3	57.5	59.2
	No risk OR Slight risk	5674	41.7	40.8	42.5
	Total	13668	100.0	.	.

**RISK OF HARM**  
**Risk of harm from prescription drug misuse (Q66)**

<i>Grade</i>	<i>Risk of harm from prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Moderate risk OR Great risk	5198	84.0	83.1	84.9
	No risk OR Slight risk	994	16.0	15.1	16.9
	Total	6192	100.0	.	.
10th	Moderate risk OR Great risk	2629	84.4	83.1	85.7
	No risk OR Slight risk	497	15.6	14.3	16.9
	Total	3126	100.0	.	.
11th	Moderate risk OR Great risk	3642	85.1	84.0	86.1
	No risk OR Slight risk	644	14.9	13.9	16.0
	Total	4286	100.0	.	.
Total	Moderate risk OR Great risk	11469	84.4	83.8	85.1
	No risk OR Slight risk	2135	15.6	14.9	16.2
	Total	13604	100.0	.	.



**RISK OF HARM**  
**Risk of harm from prescription pain reliever misuse (Q67)**

<i>Grade</i>	<i>Risk of harm from prescription pain reliever misuse</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
			<i>95%CL</i>	<i>95%CL</i>
9th	Moderate risk OR Great risk	5242	84.7	83.8 85.6
	No risk OR Slight risk	951	15.3	14.4 16.2
	Total	6193	100.0	. .
10th	Moderate risk OR Great risk	2624	84.3	83.0 85.6
	No risk OR Slight risk	505	15.7	14.4 17.0
	Total	3129	100.0	. .
11th	Moderate risk OR Great risk	3679	85.5	84.4 86.5
	No risk OR Slight risk	629	14.5	13.5 15.6
	Total	4308	100.0	. .
Total	Moderate risk OR Great risk	11545	84.8	84.2 85.4
	No risk OR Slight risk	2085	15.2	14.6 15.8
	Total	13630	100.0	. .

**RISK BEHAVIORS**  
**Sold drugs in past year (Q48)**

<i>Grade</i>	<i>Sold drugs in past year</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	156	2.5	2.1	2.9
	No	6142	97.5	97.1	97.9
	Total	6298	100.0	.	.
10th	Yes	88	2.7	2.1	3.2
	No	3134	97.3	96.8	97.9
	Total	3222	100.0	.	.
11th	Yes	156	3.6	3.0	4.1
	No	4189	96.4	95.9	97.0
	Total	4345	100.0	.	.
Total	Yes	400	2.8	2.6	3.1
	No	13465	97.2	96.9	97.4
	Total	13865	100.0	.	.

**RISK BEHAVIORS**  
**Attacked someone related to drugs in past year (Q49)**

<i>Grade</i>	<i>Attacked someone related to drugs in past year</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
		<i>N</i>			
9th	Yes	94	1.5	1.2	1.8
	No	6200	98.5	98.2	98.8
	Total	6294	100.0	.	.
10th	Yes	45	1.4	1.0	1.8
	No	3186	98.6	98.2	99.0
	Total	3231	100.0	.	.
11th	Yes	78	1.8	1.4	2.2
	No	4274	98.2	97.8	98.6
	Total	4352	100.0	.	.
Total	Yes	217	1.5	1.3	1.7
	No	13660	98.5	98.3	98.7
	Total	13877	100.0	.	.

**RISK BEHAVIORS**  
**Drunk or high at school in past year (Q50)**

<i>Grade</i>	<i>Drunk or high at school in past year</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Yes	411	6.5	5.9	7.1
	No	5890	93.5	92.9	94.1
	Total	6301	100.0	.	.
10th	Yes	235	7.2	6.3	8.1
	No	2983	92.8	91.9	93.7
	Total	3218	100.0	.	.
11th	Yes	362	8.3	7.5	9.1
	No	3979	91.7	90.9	92.5
	Total	4341	100.0	.	.
Total	Yes	1008	7.2	6.8	7.7
	No	12852	92.8	92.3	93.2
	Total	13860	100.0	.	.

**RISK BEHAVIORS**  
**Rode with drinking driver in past month (Q29)**

<i>Grade</i>	<i>Rode with drinking driver in past month</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	792	12.0	11.2	12.7
	No	5824	88.0	87.3	88.8
	Total	6616	100.0	.	.
10th	Yes	360	10.4	9.4	11.5
	No	3023	89.6	88.5	90.6
	Total	3383	100.0	.	.
11th	Yes	438	9.6	8.8	10.5
	No	4104	90.4	89.5	91.2
	Total	4542	100.0	.	.
Total	Yes	1590	10.8	10.3	11.3
	No	12951	89.2	88.7	89.7
	Total	14541	100.0	.	.

**RISK BEHAVIORS**  
***Drove after drinking in past month (Q28)***

<i>Grade</i>	<i>Drove after drinking in past month</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	53	0.8	0.6	1.0
	No	6650	99.2	99.0	99.4
	Total	6703	100.0	.	.
10th	Yes	41	1.1	0.8	1.5
	No	3395	98.9	98.5	99.2
	Total	3436	100.0	.	.
11th	Yes	57	1.2	0.9	1.6
	No	4532	98.8	98.4	99.1
	Total	4589	100.0	.	.
Total	Yes	151	1.0	0.9	1.2
	No	14577	99.0	98.8	99.1
	Total	14728	100.0	.	.

**RISK BEHAVIORS**  
**Rode with driver using marijuana in past month (Q35)**

Grade	Rode with driver using marijuana in past month	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
9th	Yes	775	11.8	11.0	12.6
	No	5779	88.2	87.4	89.0
	Total	6554	100.0	.	.
10th	Yes	400	11.5	10.5	12.6
	No	2963	88.5	87.4	89.5
	Total	3363	100.0	.	.
11th	Yes	612	13.5	12.5	14.4
	No	3907	86.5	85.6	87.5
	Total	4519	100.0	.	.
Total	Yes	1787	12.2	11.6	12.7
	No	12649	87.8	87.3	88.4
	Total	14436	100.0	.	.

**RISK BEHAVIORS**  
**Drove after using marijuana in past month (Q34)**

<i>Grade</i>	<i>Drove after using marijuana in past month</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Yes	134	2.1	1.8	2.5
	No	6207	97.9	97.5	98.2
	Total	6341	100.0	.	.
10th	Yes	102	2.9	2.4	3.5
	No	3189	97.1	96.5	97.6
	Total	3291	100.0	.	.
11th	Yes	203	4.6	3.9	5.2
	No	4228	95.4	94.8	96.1
	Total	4431	100.0	.	.
Total	Yes	439	3.1	2.8	3.4
	No	13624	96.9	96.6	97.2
	Total	14063	100.0	.	.



**RISK BEHAVIORS**  
**Drinking is central part of school social life (Q51)**

<i>Grade</i>	<i>Drinking is central part of school social life</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Quite a lot OR A great deal	386	8.3	7.5	9.1
	Very little or none OR Some	4264	91.7	90.9	92.5
	Total	4650	100.0	.	.
10th	Quite a lot OR A great deal	130	9.1	7.6	10.6
	Very little or none OR Some	1343	90.9	89.4	92.4
	Total	1473	100.0	.	.
11th	Quite a lot OR A great deal	401	13.4	12.1	14.6
	Very little or none OR Some	2632	86.6	85.4	87.9
	Total	3033	100.0	.	.
Total	Quite a lot OR A great deal	917	10.1	9.4	10.7
	Very little or none OR Some	8239	89.9	89.3	90.6
	Total	9156	100.0	.	.

**RISK BEHAVIORS**  
**Students use alcohol at school sporting events (Q52)**

<i>Grade</i>	<i>Students use alcohol at school sporting events</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Quite a lot OR A great deal	410	6.8	6.2	7.4
	Very little or none OR Some	5621	93.2	92.6	93.8
	Total	6031	100.0	.	.
10th	Quite a lot OR A great deal	241	8.4	7.4	9.4
	Very little or none OR Some	2673	91.6	90.6	92.6
	Total	2914	100.0	.	.
11th	Quite a lot OR A great deal	408	9.9	9.0	10.8
	Very little or none OR Some	3739	90.1	89.2	91.0
	Total	4147	100.0	.	.
Total	Quite a lot OR A great deal	1059	8.2	7.7	8.7
	Very little or none OR Some	12033	91.8	91.3	92.3
	Total	13092	100.0	.	.

**RISK BEHAVIORS**  
**Students use alcohol on school property (Q53)**

<i>Grade</i>	<i>Students use alcohol on school property</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Quite a lot OR A great deal	424	7.1	6.4	7.7
	Very little or none OR Some	5583	92.9	92.3	93.6
	Total	6007	100.0	.	.
10th	Quite a lot OR A great deal	248	8.5	7.5	9.5
	Very little or none OR Some	2665	91.5	90.5	92.5
	Total	2913	100.0	.	.
11th	Quite a lot OR A great deal	324	7.9	7.1	8.7
	Very little or none OR Some	3805	92.1	91.3	92.9
	Total	4129	100.0	.	.
Total	Quite a lot OR A great deal	996	7.7	7.3	8.2
	Very little or none OR Some	12053	92.3	91.8	92.7
	Total	13049	100.0	.	.

**PARENTAL DISAPPROVAL**  
**Parental disapproval of alcohol use (Q76)**

<i>Grade</i>	<i>Parental disapproval of alcohol use</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
9th	Wrong OR Very wrong	5615	91.0	90.3 91.7
	Not wrong at all OR A little bit wrong	554	9.0	8.3 9.7
	Total	6169	100.0	. .
10th	Wrong OR Very wrong	2767	89.1	88.0 90.2
	Not wrong at all OR A little bit wrong	344	10.9	9.8 12.0
	Total	3111	100.0	. .
11th	Wrong OR Very wrong	3720	87.3	86.3 88.3
	Not wrong at all OR A little bit wrong	542	12.7	11.7 13.7
	Total	4262	100.0	. .
Total	Wrong OR Very wrong	12102	89.3	88.8 89.9
	Not wrong at all OR A little bit wrong	1440	10.7	10.1 11.2
	Total	13542	100.0	. .

**PARENTAL DISAPPROVAL**  
**Parental disapproval of cigarette use (Q77)**

<i>Grade</i>	<i>Parental disapproval of cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Wrong OR Very wrong	5860	95.2	94.7	95.7
	Not wrong at all OR A little bit wrong	296	4.8	4.3	5.3
	Total	6156	100.0	.	.
10th	Wrong OR Very wrong	2924	94.0	93.2	94.9
	Not wrong at all OR A little bit wrong	188	6.0	5.1	6.8
	Total	3112	100.0	.	.
11th	Wrong OR Very wrong	3962	93.4	92.6	94.1
	Not wrong at all OR A little bit wrong	281	6.6	5.9	7.4
	Total	4243	100.0	.	.
Total	Wrong OR Very wrong	12746	94.3	93.9	94.7
	Not wrong at all OR A little bit wrong	765	5.7	5.3	6.1
	Total	13511	100.0	.	.

**PARENTAL DISAPPROVAL**  
**Parental disapproval of vaping (Q78)**

<i>Grade</i>	<i>Parental disapproval of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Wrong OR Very wrong	5584	90.8	90.0	91.5
	Not wrong at all OR A little bit wrong	569	9.2	8.5	10.0
	Total	6153	100.0	.	.
10th	Wrong OR Very wrong	2778	89.7	88.6	90.8
	Not wrong at all OR A little bit wrong	320	10.3	9.2	11.4
	Total	3098	100.0	.	.
11th	Wrong OR Very wrong	3713	87.5	86.5	88.5
	Not wrong at all OR A little bit wrong	530	12.5	11.5	13.5
	Total	4243	100.0	.	.
Total	Wrong OR Very wrong	12075	89.5	89.0	90.0
	Not wrong at all OR A little bit wrong	1419	10.5	10.0	11.0
	Total	13494	100.0	.	.

**PARENTAL DISAPPROVAL**  
**Parental disapproval of marijuana use (Q79)**

<i>Grade</i>	<i>Parental disapproval of marijuana use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Wrong OR Very wrong	5414	88.1	87.3	88.9
	Not wrong at all OR A little bit wrong	734	11.9	11.1	12.7
	Total	6148	100.0	.	.
10th	Wrong OR Very wrong	2627	84.9	83.7	86.2
	Not wrong at all OR A little bit wrong	470	15.1	13.8	16.3
	Total	3097	100.0	.	.
11th	Wrong OR Very wrong	3533	83.2	82.0	84.3
	Not wrong at all OR A little bit wrong	716	16.8	15.7	18.0
	Total	4249	100.0	.	.
Total	Wrong OR Very wrong	11574	85.7	85.1	86.3
	Not wrong at all OR A little bit wrong	1920	14.3	13.7	14.9
	Total	13494	100.0	.	.

**PARENTAL DISAPPROVAL**  
**Parental disapproval of prescription drug misuse (Q80)**

<i>Grade</i>	<i>Parental disapproval of prescription drug misuse</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>		<i>95%CL</i>	<i>95%CL</i>
9th	Wrong OR Very wrong	5752	93.2	92.6	93.9
	Not wrong at all OR A little bit wrong	417	6.8	6.1	7.4
	Total	6169	100.0	.	.
10th	Wrong OR Very wrong	2856	92.1	91.2	93.1
	Not wrong at all OR A little bit wrong	251	7.9	6.9	8.8
	Total	3107	100.0	.	.
11th	Wrong OR Very wrong	3940	92.8	92.1	93.6
	Not wrong at all OR A little bit wrong	305	7.2	6.4	7.9
	Total	4245	100.0	.	.
Total	Wrong OR Very wrong	12548	92.8	92.3	93.2
	Not wrong at all OR A little bit wrong	973	7.2	6.8	7.7
	Total	13521	100.0	.	.



**PARENTAL DISAPPROVAL**  
**Parental disapproval of prescription pain reliever misuse (Q81)**

<i>Grade</i>	<i>Parental disapproval of prescription pain reliever misuse</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
			<i>95%CL</i>	<i>95%CL</i>
9th	Wrong OR Very wrong	5575	90.8	90.1 91.6
	Not wrong at all OR A little bit wrong	563	9.2	8.4 9.9
	Total	6138	100.0	. .
10th	Wrong OR Very wrong	2792	90.2	89.2 91.3
	Not wrong at all OR A little bit wrong	310	9.8	8.7 10.8
	Total	3102	100.0	. .
11th	Wrong OR Very wrong	3860	91.2	90.4 92.1
	Not wrong at all OR A little bit wrong	375	8.8	7.9 9.6
	Total	4235	100.0	. .
Total	Wrong OR Very wrong	12227	90.7	90.2 91.2
	Not wrong at all OR A little bit wrong	1248	9.3	8.8 9.8
	Total	13475	100.0	. .

**PARENTAL DISAPPROVAL**  
**Parental disapproval of heroin or fentanyl use (Q82)**

<i>Grade</i>	<i>Parental disapproval of heroin or fentanyl use</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>		<i>95%CL</i>	<i>95%CL</i>
9th	Wrong OR Very wrong	5922	96.7	96.2	97.1
	Not wrong at all OR A little bit wrong	205	3.3	2.9	3.8
	Total	6127	100.0	.	.
10th	Wrong OR Very wrong	2964	95.8	95.1	96.5
	Not wrong at all OR A little bit wrong	134	4.2	3.5	4.9
	Total	3098	100.0	.	.
11th	Wrong OR Very wrong	4080	96.1	95.6	96.7
	Not wrong at all OR A little bit wrong	166	3.9	3.3	4.4
	Total	4246	100.0	.	.
Total	Wrong OR Very wrong	12966	96.3	95.9	96.6
	Not wrong at all OR A little bit wrong	505	3.7	3.4	4.1
	Total	13471	100.0	.	.

**PEER DISAPPROVAL**  
**Peer disapproval of alcohol use (Q83)**

<i>Grade</i>	<i>Peer disapproval of alcohol use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
9th	Wrong OR Very wrong	4362	71.2	70.1	72.3
	Not wrong at all OR A little bit wrong	1763	28.8	27.7	29.9
	Total	6125	100.0	.	.
10th	Wrong OR Very wrong	2099	67.5	65.8	69.1
	Not wrong at all OR A little bit wrong	1003	32.5	30.9	34.2
	Total	3102	100.0	.	.
11th	Wrong OR Very wrong	2843	66.9	65.5	68.3
	Not wrong at all OR A little bit wrong	1401	33.1	31.7	34.5
	Total	4244	100.0	.	.
Total	Wrong OR Very wrong	9304	68.8	68.0	69.6
	Not wrong at all OR A little bit wrong	4167	31.2	30.4	32.0
	Total	13471	100.0	.	.

**PEER DISAPPROVAL**  
**Peer disapproval of cigarette use (Q84)**

<i>Grade</i>	<i>Peer disapproval of cigarette use</i>	<i>Unweighted</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>
				<i>95%CL</i>
9th	Wrong OR Very wrong	4892	79.9	78.8 80.9
	Not wrong at all OR A little bit wrong	1233	20.1	19.1 21.2
	Total	6125	100.0	. .
10th	Wrong OR Very wrong	2423	78.1	76.6 79.5
	Not wrong at all OR A little bit wrong	665	21.9	20.5 23.4
	Total	3088	100.0	. .
11th	Wrong OR Very wrong	3273	77.2	75.9 78.5
	Not wrong at all OR A little bit wrong	961	22.8	21.5 24.1
	Total	4234	100.0	. .
Total	Wrong OR Very wrong	10588	78.5	77.8 79.2
	Not wrong at all OR A little bit wrong	2859	21.5	20.8 22.2
	Total	13447	100.0	. .

**PEER DISAPPROVAL**  
**Peer disapproval of vaping (Q85)**

<i>Grade</i>	<i>Peer disapproval of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Wrong OR Very wrong	3753	61.1	59.8	62.3
	Not wrong at all OR A little bit wrong	2393	38.9	37.7	40.2
	Total	6146	100.0	.	.
10th	Wrong OR Very wrong	1825	58.4	56.6	60.1
	Not wrong at all OR A little bit wrong	1279	41.6	39.9	43.4
	Total	3104	100.0	.	.
11th	Wrong OR Very wrong	2412	56.5	55.0	58.0
	Not wrong at all OR A little bit wrong	1848	43.5	42.0	45.0
	Total	4260	100.0	.	.
Total	Wrong OR Very wrong	7990	58.9	58.1	59.8
	Not wrong at all OR A little bit wrong	5520	41.1	40.2	41.9
	Total	13510	100.0	.	.

**PEER DISAPPROVAL**  
**Peer disapproval of marijuana use (Q86)**

<i>Grade</i>	<i>Peer disapproval of marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Wrong OR Very wrong	4002	65.0	63.8	66.1
	Not wrong at all OR A little bit wrong	2161	35.0	33.9	36.2
	Total	6163	100.0	.	.
10th	Wrong OR Very wrong	1812	58.4	56.6	60.1
	Not wrong at all OR A little bit wrong	1287	41.6	39.9	43.4
	Total	3099	100.0	.	.
11th	Wrong OR Very wrong	2335	54.7	53.2	56.2
	Not wrong at all OR A little bit wrong	1931	45.3	43.8	46.8
	Total	4266	100.0	.	.
Total	Wrong OR Very wrong	8149	60.0	59.1	60.8
	Not wrong at all OR A little bit wrong	5379	40.0	39.2	40.9
	Total	13528	100.0	.	.

**PEER DISAPPROVAL**  
**Peer disapproval of prescription drug misuse (Q87)**

<i>Grade</i>	<i>Peer disapproval of prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Wrong OR Very wrong	5125	83.3	82.4	84.3
	Not wrong at all OR A little bit wrong	1025	16.7	15.7	17.6
	Total	6150	100.0	.	.
10th	Wrong OR Very wrong	2573	83.2	81.9	84.5
	Not wrong at all OR A little bit wrong	524	16.8	15.5	18.1
	Total	3097	100.0	.	.
11th	Wrong OR Very wrong	3559	83.9	82.8	85.0
	Not wrong at all OR A little bit wrong	683	16.1	15.0	17.2
	Total	4242	100.0	.	.
Total	Wrong OR Very wrong	11257	83.5	82.8	84.1
	Not wrong at all OR A little bit wrong	2232	16.5	15.9	17.2
	Total	13489	100.0	.	.

**PEER DISAPPROVAL**  
**Peer disapproval of prescription pain reliever misuse (Q88)**

<i>Grade</i>	<i>Peer disapproval of prescription pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
9th	Wrong OR Very wrong	5056	82.2	81.2	83.1
	Not wrong at all OR A little bit wrong	1097	17.8	16.9	18.8
	Total	6153	100.0	.	.
10th	Wrong OR Very wrong	2568	83.1	81.8	84.4
	Not wrong at all OR A little bit wrong	525	16.9	15.6	18.2
	Total	3093	100.0	.	.
11th	Wrong OR Very wrong	3599	84.7	83.7	85.8
	Not wrong at all OR A little bit wrong	650	15.3	14.2	16.3
	Total	4249	100.0	.	.
Total	Wrong OR Very wrong	11223	83.2	82.6	83.8
	Not wrong at all OR A little bit wrong	2272	16.8	16.2	17.4
	Total	13495	100.0	.	.



**PEER DISAPPROVAL**  
**Peer disapproval of heroin or fentanyl use (Q89)**

<i>Grade</i>	<i>Peer disapproval of heroin or fentanyl use</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>		<i>95%CL</i>	<i>95%CL</i>
9th	Wrong OR Very wrong	5627	91.4	90.7	92.1
	Not wrong at all OR A little bit wrong	532	8.6	7.9	9.3
	Total	6159	100.0	.	.
10th	Wrong OR Very wrong	2825	90.9	89.9	91.9
	Not wrong at all OR A little bit wrong	291	9.1	8.1	10.1
	Total	3116	100.0	.	.
11th	Wrong OR Very wrong	3929	92.3	91.5	93.1
	Not wrong at all OR A little bit wrong	327	7.7	6.9	8.5
	Total	4256	100.0	.	.
Total	Wrong OR Very wrong	12381	91.5	91.0	92.0
	Not wrong at all OR A little bit wrong	1150	8.5	8.0	9.0
	Total	13531	100.0	.	.

# South Carolina Communities That Care Survey

Thank you for agreeing to participate in this survey. The survey asks your opinion about a number of things in your life, including your friends, your family, your neighborhood and your community. Your answers to these questions will be **confidential and anonymous**. This means your answers will stay secret. Your name will never be asked. Please **do not** write your name on this survey form.

**This survey is completely voluntary. This means you do not have to take it. You may skip any question you don't want to answer.**

## Instructions

This is not a test, so there are no right or wrong answers.

Each question should be answered by marking only one of the answer spaces. If you don't find an answer that fits exactly, use one that comes closest. If any question does not apply to you, or you are not sure of what it means, just leave it blank.

Your answers will be read by a computer. Please follow these instructions carefully.

Make heavy marks inside the circles using a pencil.

Completely erase any answer you want to change.

Make no other marking or comments on the survey.

Make your marks like

this ●,

NOT like this



You will be provided with your schools

**4 DIGIT CODE PLEASE BUBBLE THAT CODE IN BELOW.**

0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

These questions ask for some general information about you.

1. How old are you?

- 11       16  
 12       17  
 13       18  
 14       19 or older  
 15

2. What grade are you in?

- 6<sup>th</sup>     7<sup>th</sup>     8<sup>th</sup>     9<sup>th</sup>     10<sup>th</sup>     11<sup>th</sup>     12<sup>th</sup>

3. Are you?  Female  
 Male

4. What is the language you use most often at home?

- English     Spanish     Another language

5. What do you consider yourself to be? (Choose all that apply)

- White  
 Black or African American  
 American Indian/Native American, Eskimo or Aleut  
 Spanish/Hispanic/Latino  
 Asian or Pacific Islander  
 Other

6. Putting them all together, what were your grades like last year?

- Mostly F's  
 Mostly D's  
 Mostly C's  
 Mostly B's  
 Mostly A's

7. Which of the following best describes your present school program?

- Advanced placement or honors  
 College prep  
 General  
 Vocational, technical or commercial  
 Other, or don't know

8. Which of the following do you plan to do after high school? (choose all that apply)

- Attend a technical or vocational school  
 Serve in the armed forces (Army, Navy, Air Force, etc)  
 Graduate from a two-year college  
 Graduate from a four-year college  
 Attend graduate or professional school after college  
 None of the above

This next section ask about your experience with tobacco, alcohol, and other drugs. It also ask some personal questions. Remember, your answers are CONFIDENTIAL. This means your answers will stay secret.

**9. Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen?**

- A Never (SKIP TO QUESTION 11)
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

**10. How frequently have you used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Bandits, or Copenhagen during the PAST 30 DAYS?**

- A Never
- B Once or Twice
- C Once or twice per week
- D About once a day
- E More than once a day

**11. Have you ever smoked e-cigarettes or vaping pens?**

- A Never (SKIP TO QUESTION 14)
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

**12. How frequently have you smoked e-cigarettes or vapes during the PAST 30 DAYS?**

- A Never (SKIP TO QUESTION 14)
- B Once or Twice
- C Once or twice per week
- D About once a day
- E More than once a day

**13. During the PAST 30 DAYS, how did you usually get your own e-cigarettes or vaping pens?(Choose only one response)**

- A I bought them in a store such as a convenience store gas station or supermarket
- B I gave someone else money to buy them for me
- C I borrowed (or bummed) them from somebody else
- D A person 18 years or older, gave them to me
- E I took them from a store or family member
- F I got them some other way

**14. Have you ever smoked cigarettes?**

- A Never (SKIP TO QUESTION 18)
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

**15. How old were you when you first smoked a CIGARETTE, even just a puff?**

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

**16. How frequently have you smoked cigarettes during the PAST 30 DAYS?**

- A Not at all (SKIP TO QUESTION 18)
- B Less than 1 cigarette per day
- C One to five cigarettes per day
- D About one half pack per day
- E About one pack per day
- F About one and one half packs per day
- G Two packs or more per day

**17. During the PAST 30 DAYS, how did you usually get your own cigarettes?(Choose only one response)**

- A I bought them in a store such as a convenience store gas station or supermarket
- B I bought them from a vending machine
- C I gave someone else money to buy them for me
- D I borrowed (or bummed) them from somebody else
- E A person 18 years or older, gave them to me
- F I took them from a store or family member
- G I got them some other way

**18. Have you ever tried smoking cigars, cigarillos, or little cigars, such as Black and Milds, Swisher Sweets, Dutch Masters, White Owl, or Phillies Blunts, even one or two puffs?**

- A Never
- B Once or Twice
- C Once in a while but not regularly
- D Regularly but in the past
- E Regularly now

**19. Which of the following tobacco products have you ever tried, even just one time? (Choose all that apply)**

- A Bidis
- B Kreteks
- C Hookah
- D Snus
- E chewing tobacco
- F Never tried any of the above

**20. On how many occasions, if any, have you had alcoholic beverages (beer, wine, or hard liquor) – more than just a few sips – in your LIFETIME?**

- A 0 occasions (SKIP TO QUESTION 29)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

**21. How old were you when you first had more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)?**

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

**22. Think back over the last two weeks. How many times have you had 5 or more alcoholic drinks in a row within a short period of time?**

- A None
- B Once
- C Twice
- D 3-5 times
- E 6-9 times
- F 10 or more times

**23. How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?**

- A Never have
- B 10 or younger
- C 11
- D 12
- E 13
- F 14
- G 15
- H 16
- I 17 or older

**24. On how many occasions, if any, have you had alcoholic beverages (beer, wine, or hard liquor) – more than just a few sips – in the PAST 30 DAYS?**

- A 0 occasions (SKIP TO QUESTION 29)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

**25. During the past 30 days, what type of alcohol did you usually drink? (Choose only one response)**

- A I do not have a usual type
- B Beer
- C Malt beverages such as Smirnoff Ice, Bacardi Breezer, Mike's Hard Lemonade, Sparks, and Tilt
- D Alcohol mixed with an energy drink
- E Wine coolers, such as Seagrams and Bartles and James
- F Wine
- G Hard liquor, such as vodka, rum, scotch, or whiskey
- H Some other type

**26. During the PAST 30 DAYS, how did you usually get the alcohol you drank?(Choose only one response)**

- A I bought it myself from someplace like a store
- B I gave someone else money to buy it for me
- C I took it from a store
- D Someone gave it to at a party or social gathering
- E Someone gave it to me someplace else
- F I took it from a family member
- G I got it some other way

**27. During the PAST 30 DAYS, who most often got alcohol for you, they either bought it for you or gave it to you?(Choose only one response)**

- A Nobody got alcohol for me
- B My parent got it for me
- C A friend's parent got it for me
- D A friend or family member older than 25 got it for me
- E A friend or family member age 21-25 got it for me
- F A friend or family member under age 21 got it for me
- G Some other adult got it for me

**28. During the PAST 30 DAYS, how many times did you drive a car or other vehicle when YOU had been drinking alcohol?**

- A 0 times
- B 1 time
- C 2 or 3 times
- D 4 or 5 times
- E 6 or more times

**29. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?**

- A 0 times
- B 1 time
- C 2 or 3 times
- D 4 or 5 times
- E 6 or more times

**30. On how many occasions, if any, have you used marijuana (weed, pot) or hashish (hash, hash oil) – in your LIFETIME?**

- A 0 occasions (SKIP TO QUESTION 34)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

**31. How old were you when you first used marijuana?**

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

**32. On how many occasions, if any, have you used marijuana (weed, pot) or hashish (hash, hash oil) – in the PAST 30 DAYS?**

- A 0 occasions (SKIP TO QUESTION 35)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

**33. During the PAST 30 DAYS, how did you usually get the marijuana you used? (Choose only one response)**

- A I bought it from a friend
- B I bought it from someone else
- C I gave someone else money to buy it for me
- D Someone gave it to me at a party or social gathering
- E Someone gave it to me someplace else
- F I brought it on the internet
- G I got it some other way

**34. During the past 30 days, how many times did you drive a car or other vehicle when YOU had been using marijuana or other impairing substances OTHER than alcohol?**

- A 0 times
- B 1 time
- C 2 or 3 times
- D 4 or 5 times
- E 6 or more times

**35. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana or other impairing substances OTHER than alcohol?**

- (A) 0 times
- (B) 1 time
- (C) 2 or 3 times
- (D) 4 or 5 times
- (E) 6 or more times

**36. On how many occasions, if any, have you used a prescription drug without a doctor's prescription in your LIFETIME?**

- (A) 0 occasions **(SKIP TO QUESTION 44)**
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

**37. How old were you when you first used prescription drugs that were not prescribed to you?**

- (A) 10 or younger
- (B) 11
- (C) 12
- (D) 13
- (E) 14
- (F) 15
- (G) 16
- (H) 17 or older

**38. On how many occasions, if any, have you used a prescription drug without a doctor's prescription in the PAST 30 DAYS?**

- (A) 0 occasions **(SKIP TO QUESTION 40)**
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

**39. During the past 30 days, how did you usually get the prescription drugs you used that were not prescribed to you? (Choose only one response)**

- (A) I took them from a friend without asking
- (B) I took them from a family member without asking
- (C) I bought them from a friend
- (D) I bought them from a family member
- (E) I got them from a friend for free (they gave them to me)
- (F) I got them from a family member for free (they gave them to me)
- (G) I bought them from someone else
- (H) I got them from more than one doctor and used them for non-medical reasons
- (I) I got them from just one doctor and used them for non-medical reasons
- (J) I wrote fake prescriptions
- (K) I stole them from a doctor's office, clinic, hospital or pharmacy
- (L) I bought them on the Internet
- (M) I got them some other way

**40. On how many occasions, if any, have you used prescription pain pills (i.e. OxyContin, Vicodin, etc.) without a doctor's prescription in your LIFETIME?**

- (A) 0 occasions **(SKIP TO QUESTION 44)**
- (B) 1 or 2 occasions
- (C) 3 to 5 occasions
- (D) 6 to 9 occasions
- (E) 10 to 19 occasions
- (F) 20 to 39 occasions
- (G) 40 or more occasions

**41. How old were you when you first used prescription pain pills (i.e. OxyContin, Vicodin, etc.) that were not prescribed to you?**

- (A) 10 or younger
- (B) 11
- (C) 12
- (D) 13
- (E) 14
- (F) 15
- (G) 16
- (H) 17 or older

**42. On how many occasions, if any, have you used prescription pain pills (i.e. OxyContin, Vicodin, etc.) without a doctor's prescription in the PAST 30 DAYS?**

- A 0 occasions (SKIP TO QUESTION 44)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

**43. During the past 30 days, how did you usually get the prescription pain pills (i.e. OxyContin, Vicodin, etc.) you used that were not prescribed to you? (Choose only one response)**

- A I took them from a friend without asking
- B I took them from a family member without asking
- C I bought them from a friend
- D I bought them from a family member
- E I got them from a friend for free (they gave them to me)
- F I got them from a family member for free (they gave them to me)
- G I bought them from someone else
- H I got them from more than one doctor and used them for non-medical reasons
- I I got them from just one doctor and used them for non-medical reasons
- J I wrote fake prescriptions
- K I stole them from a doctor's office, clinic, hospital or pharmacy
- L I bought them on the Internet
- M I got them some other way

**44. On how many occasions, if any, have you used cocaine in your LIFETIME?**

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

**45. On how many occasions, if any, have you used heroin or fentanyl in your LIFETIME?**

- A 0 occasions (SKIP TO QUESTION 48)
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

**46. How old were you when you first used heroin or fentanyl?**

- A 10 or younger
- B 11
- C 12
- D 13
- E 14
- F 15
- G 16
- H 17 or older

**47. On how many occasions, if any, have you used heroin or fentanyl in the PAST 30 DAYS?**

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

**48. How many times in the past year (12 months) have you sold illegal drugs?**

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

**49. How many times in the past year (12 months) have you attacked someone with the intent to hurt them due to alcohol or drug use, possession of alcohol or drugs or sale or alcohol or drugs?**

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

**50. How many times in the past year (12 months) have you been drunk or high at school?**

- A 0 occasions
- B 1 or 2 occasions
- C 3 to 5 occasions
- D 6 to 9 occasions
- E 10 to 19 occasions
- F 20 to 39 occasions
- G 40 or more occasions

**51. To what extent is drinking alcohol a central part in the social life of students at your school?**

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

**52. To what extent do students at your school use alcohol in connection with school sporting events (such as tailgate parties, post-game celebrations)?**

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

**53. To what extent do students at your school use alcohol on school property before, during, or after, school hours?**

- A Very little or none
- B Some
- C Quite a lot
- D A great deal
- E Don't know

**54. How wrong do you think it is for someone your age to drink beer, wine, or hard liquor (for example: vodka, whiskey or gin)?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**55. How wrong do you think it is for someone your age to smoke cigarettes?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**56. How wrong do you think it is for someone your age to smoke e-cigarettes or vaping pens?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**57. How wrong do you think it is for someone your age to use marijuana?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**58. How wrong do you think it is for someone your age to use prescription drugs not prescribed to them?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**59. How wrong do you think it is for someone your age to use prescription pain pills (i.e. OxyContin, Vicodin, etc.) not prescribed to them?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong



**60. How wrong do you think it is for someone your age to use LSD, cocaine, amphetamines, or another illegal drug?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**61. How wrong do you think it is for someone your age to use heroin or fentanyl?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**62. How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?**

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

**63. How much do you think people risk harming themselves physically or in other ways if they use e-cigarettes or vaping pens daily?**

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

**64. How much do you think people risk harming themselves physically or in other ways if they use marijuana once or twice per week?**

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

**65. How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage within a short period of time once or twice a week?**

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

**66. How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?**

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

**67. How much do you think people risk harming themselves physically or in other ways if they use prescription pain pills (i.e. OxyContin, Vicodin, etc.) that are not prescribed to them?**

- A No risk
- B Slight risk
- C Moderate risk
- D Great risk

**68. If you wanted to get some cigarettes, how easy would it be for you to get some?**

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

**69. If you wanted to get some e-cigarettes or vaping pens, how easy would it be for you to get some?**

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

**70. If you wanted to get prescription drugs that were not prescribed to you, how easy would it be for you to get some?**

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

**71. If you wanted to get prescription pain pills (i.e. OxyContin, Vicodin, etc.) that were not prescribed to you, how easy would it be for you to get some?**

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

**72. If you wanted to get some beer, wine, or hard liquor (for example vodka, whiskey or gin), how easy would it be for you to get some?**

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

**73. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?**

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

**74. If you wanted to get some marijuana, how easy would it be for you to get some?**

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

**75. If you wanted to get some heroin or fentanyl, how easy would it be for you to get some?**

- A Very easy
- B Sort of easy
- C Sort of hard
- D Very hard

**76. How wrong do your parents feel it would be for YOU to have one or two drinks of an alcoholic beverage nearly every day?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**77. How wrong do your parents feel it would be for YOU to smoke cigarettes?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**78. How wrong do your parents feel it would be for YOU to smoke e-cigarettes or vaping pens?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**79. How wrong do your parents feel it would be for YOU to use marijuana?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**80. How wrong do your parents feel it would be for YOU to use prescription drugs not prescribed to you?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**81. How wrong do your parents feel it would be for YOU to use prescription pain pills (i.e. OxyContin, Vicodin, etc.) not prescribed to you?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**82. How wrong do your parents feel it would be for YOU to use heroin or fentanyl?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**83. How wrong do your friends feel it would be for YOU to have one or two drinks of an alcoholic beverage nearly every day?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**84. How wrong do your friends feel it would be for YOU to smoke cigarettes?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**85. How wrong do your friends feel it would be for YOU to smoke e-cigarettes or vaping pens?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**86 How wrong do your friends feel it would be for YOU to use marijuana?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**87. How wrong do your friends feel it would be for YOU to use prescription drugs not prescribed to you?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**88. How wrong do your friends feel it would be for YOU to use prescription pain pills (i.e. OxyContin, Vicodin, etc.) not prescribed to you?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**89. How wrong do your friends feel it would be for YOU to use heroin or fentanyl?**

- A Not wrong at all
- B A little bit wrong
- C Wrong
- D Very wrong

**You may be asked to answer some additional questions. If so, those questions will be handed to you on a sheet of paper or written where everyone taking the survey can see them. In the space below record your answer to each additional question, if any.**

- |    |                         |                         |                         |                         |                         |                         |                         |                         |
|----|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| 1. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 2. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 3. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 4. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |
| 5. | <input type="radio"/> A | <input type="radio"/> B | <input type="radio"/> C | <input type="radio"/> D | <input type="radio"/> E | <input type="radio"/> F | <input type="radio"/> G | <input type="radio"/> H |