

South Carolina Communities That Care (SC CTC) Survey



South Carolina

2024 Results

Table of Contents

INTRODUCTION	iii
DEMOGRAPHICS.....	1-17
TOBACCO USE	18-31
ALCOHOL USE	32-45
MARIJUANA USE.....	46-52
HEMP PRODUCE USE.....	53-59
RX DRUG MISUSE	60-73
OTHER DRUG USE	74-77
OTHER DRUG BEHAVIORS	78-83
SELF DISAPPROVAL OF USE.....	84-91
RISK OF HARM.....	92-98
EASE OF ACCESS	99-106
PARENTAL DISAPPROVAL.....	107-113
FRIEND DISAPPROVAL.....	114-120
APPENDIX A – SURVEY INSTRUMENT	121

INTRODUCTION

This report presents results of the South Carolina Communities That Care (SC CTC) Survey for the state of South Carolina aggregated across all 25 participating counties. The SC CTC Survey was sponsored by the South Carolina Department of Alcohol and Other Drug Abuse Services (DAODAS). The survey was managed, distributed, and processed by DAODAS in collaboration with the county prevention agencies and school districts in 25 counties in South Carolina in Spring 2024. This report was prepared by the Pacific Institute for Research and Evaluation (PIRE).

Survey Content

The 2024 CTC survey contains 96 items which comprise a number of domains, including student demographics, current and lifetime use of various substances, access to and sources of substances, disapproval of use, risk perceptions, risk behaviors, and perceived peer and parental attitudes. Most domains include multiple items that measure different aspects of the domain. The focus of most of the substance use-related items is on tobacco, alcohol, and marijuana, although items about other drugs and risk behaviors are included as well. This report provides frequencies and prevalence estimates for each item in the survey.

Notes about Data Included in This Report

The results contained in this report are for the 25 participating counties combined and should not be interpreted as estimates for the entire state population. Rather, they should be interpreted as estimates for only the schools, grades, and counties that participated in the survey.

The results contained in this report are based on weighted data. The purpose of weighting the data was to better represent the larger student population in each county from which the student survey samples were drawn. For this reason, we weighted the survey data by grade level so that the students who were surveyed would better reflect the county's student population and the survey results would be more accurate than if weighting was not used.

Although the weighting methods were designed to help improve the accuracy of the results, they nonetheless have some limitations. To preserve as much survey data as possible, we used a liberal threshold for acceptable weights. As such, the resulting estimates may be, in some cases, influenced by the responses of a small number of students. This may be particularly true with respect to the results that are broken out by grade level. This should be kept in mind when interpreting these results. The table below indicates the number of students surveyed in each grade.

Data used in analysis:

6th	7th	8th	9th	10th	11th	12th	Total*
3767	6623	4249	5865	4756	4062	2616	32098

*Note that the total number of students may exceed the sum of the grade cells. This is due to students who did not report a grade.

Because the results in this report are based on weighted data, they may differ somewhat from results that are obtained from the raw data file which was distributed by DAODAS. An additional reason there may be differences between these results and those obtained from the raw data file is due to cleaning procedures (e.g., omission of surveys that had multiple instances of logically inconsistent answers, such as reporting no lifetime alcohol use but at the same time reporting past 30 day alcohol use) that were applied to the data to help enhance the validity of the data included in the report.

Presenting Results by Grade and Overall

In the report, the results are displayed by grade and for all grades combined. For each survey item, these are shown as separate tables. For each set of tables in the report, reference is made to the associated survey item number in the table header.

Coding of Response Categories

The items in the survey offered multiple response options to respondents. To allow for ease of interpretation, we recoded most items. Most often, items were coded into two response categories. For example, in the case of substance use questions, frequency-of-use response options were collapsed into use vs. no use. For each item, the categories that were used in the analysis are noted in the tables in the report.

Empty Cells in the Tables

Note that some tables may contain empty cells. These instances can be interpreted as 0%. The computer program used to analyze the data generates an empty cell by default whenever the estimate is 0%. Estimates of 0% are most likely to be generated when the number of students surveyed is small and/or when the question pertains to a rare behavior such as lifetime heroin use.

Inclusion of Confidence Intervals in the Tables

The percentages presented in the tables in the report are accompanied by 95% confidence intervals (referred to in the tables as Lower and Upper 95% CL). In comparing the statewide results to those of a particular county, differences in behaviors (attitudes, etc.) between the two can be considered statistically significant if the confidence intervals for the county and the 25 counties combined (as represented in the tables) do not overlap.

Confidence intervals are taken into account because the survey results are drawn from a sample of students and, as such, they can be interpreted as estimates of the true values (of the behaviors, attitudes, etc.) in the population. The 95% confidence interval indicates that the true prevalence of the behavior is 95% likely to fall within the stated confidence limits presented in the table. As noted, confidence intervals help in assessing whether results are statistically significantly different from each other (e.g., whether a county's prevalence of alcohol use is statistically significantly higher or lower than the prevalence of alcohol use for all of the counties combined).

DEMOGRAPHICS
Age (Q1)

<i>Grade</i>	<i>Age</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	11	1602	40.9	39.0	42.8
	12	2005	54.3	52.4	56.2
	13	130	3.9	3.1	4.7
	14	7	0.2	0.0	0.3
	15	3	0.1	0.0	0.3
	16	1	0.1	0.0	0.3
	17	1	0.0	0.0	0.1
	18	1	0.0	0.0	0.1
	19 or older	13	0.5	0.1	0.8
	Total	3763	100.0	.	.
7th	11	20	0.3	0.2	0.4
	12	2493	38.2	36.9	39.4
	13	3782	57.0	55.7	58.2
	14	289	4.2	3.7	4.7
	15	15	0.2	0.1	0.3
	16	3	0.0	0.0	0.1
	17	1	0.0	0.0	0.1
	18	1	0.0	0.0	0.0
	19 or older	6	0.1	0.0	0.2
	Total	6610	100.0	.	.
8th	11	0	.	.	.
	12	10	0.2	0.1	0.4
	13	1733	40.8	39.3	42.3
	14	2269	53.7	52.1	55.2
	15	213	5.0	4.4	5.7
	16	8	0.2	0.0	0.3
	17	0	.	.	.
	18	2	0.1	0.0	0.1
	19 or older	2	0.1	0.0	0.1
	Total	4237	100.0	.	.
9th	11	2	0.0	0.0	0.1
	12	2	0.0	0.0	0.1
	13	11	0.2	0.1	0.3
	14	2392	41.0	39.7	42.3
	15	3102	52.8	51.5	54.2
	16	313	5.4	4.8	6.0

STATEWIDE

DEMOGRAPHICS
Age (Q1)

<i>Grade</i>	<i>Age</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	17	20	0.3	0.1	0.4
	18	8	0.1	0.0	0.2
	19 or older	5	0.1	0.0	0.2
	Total	5855	100.0	.	.
10th	11	4	0.1	0.0	0.1
	12	0	.	.	.
	13	2	0.0	0.0	0.1
	14	11	0.2	0.1	0.3
	15	1969	41.5	40.0	42.9
	16	2523	53.1	51.6	54.6
	17	231	4.8	4.2	5.5
	18	8	0.2	0.0	0.3
	19 or older	4	0.1	0.0	0.2
	Total	4752	100.0	.	.
11th	11	6	0.2	0.0	0.3
	12	2	0.1	0.0	0.1
	13	0	.	.	.
	14	2	0.1	0.0	0.1
	15	13	0.3	0.1	0.4
	16	1751	43.3	41.7	44.9
	17	2120	52.3	50.7	53.9
	18	148	3.6	3.0	4.2
	19 or older	11	0.2	0.1	0.4
	Total	4053	100.0	.	.
12th	11	7	0.3	0.1	0.6
	12	5	0.2	0.0	0.5
	13	0	.	.	.
	14	1	0.0	0.0	0.1
	15	0	.	.	.
	16	48	1.9	1.3	2.6
	17	1191	45.8	43.6	48.0
	18	1226	46.0	43.8	48.2
	19 or older	136	5.7	4.6	6.8
	Total	2614	100.0	.	.
Total	11	1653	4.5	4.2	4.7
	12	4549	12.0	11.6	12.3

DEMOGRAPHICS
Age (Q1)

<i>Grade</i>	<i>Age</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	13	5699	14.3	13.9	14.7
	14	4971	14.5	14.1	14.8
	15	5315	17.0	16.6	17.5
	16	4647	16.1	15.7	16.6
	17	3564	14.4	13.9	14.8
	18	1394	6.4	6.1	6.8
	19 or older	177	0.9	0.7	1.0
	Total	31969	100.0	.	.

DEMOGRAPHICS
Gender (Q3)

<i>Grade</i>	<i>Gender</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Female	1801	49.2	47.2	51.1
	Male	1862	50.8	48.9	52.8
	Total	3663	100.0	.	.
7th	Female	3192	49.5	48.2	50.8
	Male	3236	50.5	49.2	51.8
	Total	6428	100.0	.	.
8th	Female	2026	48.3	46.8	49.9
	Male	2144	51.7	50.1	53.2
	Total	4170	100.0	.	.
9th	Female	2925	51.4	50.1	52.8
	Male	2831	48.6	47.2	49.9
	Total	5756	100.0	.	.
10th	Female	2361	50.3	48.8	51.8
	Male	2304	49.7	48.2	51.2
	Total	4665	100.0	.	.
11th	Female	2029	51.1	49.4	52.7
	Male	1948	48.9	47.3	50.6
	Total	3977	100.0	.	.
12th	Female	1309	50.8	48.5	53.0
	Male	1254	49.2	47.0	51.5
	Total	2563	100.0	.	.
Total	Female	15675	50.2	49.6	50.8
	Male	15624	49.8	49.2	50.4
	Total	31299	100.0	.	.

DEMOGRAPHICS
Language used most often at home (Q4)

<i>Grade</i>	<i>Language at home</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	English	3362	90.1	89.0	91.2
	Spanish	250	6.4	5.5	7.4
	Other	137	3.5	2.8	4.1
	Total	3749	100.0	.	.
7th	English	5934	90.2	89.5	91.0
	Spanish	480	6.8	6.2	7.5
	Other	187	3.0	2.5	3.4
	Total	6601	100.0	.	.
8th	English	3781	89.5	88.6	90.5
	Spanish	347	8.0	7.2	8.8
	Other	104	2.4	2.0	2.9
	Total	4232	100.0	.	.
9th	English	5328	91.4	90.7	92.2
	Spanish	391	6.4	5.8	7.0
	Other	117	2.2	1.8	2.6
	Total	5836	100.0	.	.
10th	English	4331	91.6	90.8	92.4
	Spanish	299	6.1	5.4	6.9
	Other	103	2.3	1.8	2.7
	Total	4733	100.0	.	.
11th	English	3700	91.6	90.7	92.5
	Spanish	270	6.5	5.8	7.3
	Other	72	1.8	1.4	2.3
	Total	4042	100.0	.	.
12th	English	2363	90.5	89.2	91.9
	Spanish	163	6.0	4.9	7.0
	Other	68	3.5	2.6	4.5
	Total	2594	100.0	.	.
Total	English	28885	90.8	90.5	91.2
	Spanish	2205	6.6	6.3	6.9
	Other	791	2.6	2.4	2.8
	Total	31881	100.0	.	.

DEMOGRAPHICS
Race (Q5)

Grade	Race	Unweighted		Lower	Upper	F_outcome2
		N	Percent	95%CL	95%CL	
6th	White	1878	51.1	49.1	53.1	
	Black	957	27.9	26.1	29.6	
	Hisp.	320	8.9	7.8	10.0	
	Other	413	12.1	10.8	13.5	
	Total	3568	100.0	.	.	
7th	White	3138	49.8	48.5	51.1	
	Black	1767	28.2	27.0	29.3	
	Hisp.	640	9.4	8.7	10.2	
	Other	812	12.6	11.8	13.5	
	Total	6357	100.0	.	.	
8th	White	1898	45.8	44.2	47.3	
	Black	1277	31.1	29.7	32.6	
	Hisp.	442	10.4	9.5	11.4	
	Other	524	12.7	11.6	13.7	
	Total	4141	100.0	.	.	
9th	White	2722	47.2	45.8	48.5	
	Black	1797	31.8	30.5	33.0	
	Hisp.	524	8.8	8.0	9.5	
	Other	695	12.3	11.4	13.2	
	Total	5738	100.0	.	.	
10th	White	2087	45.3	43.8	46.8	
	Black	1597	33.7	32.3	35.1	
	Hisp.	403	8.3	7.5	9.1	
	Other	580	12.6	11.6	13.6	
	Total	4667	100.0	.	.	
11th	White	1897	48.2	46.6	49.8	
	Black	1262	30.7	29.2	32.2	
	Hisp.	377	9.3	8.3	10.2	
	Other	466	11.8	10.8	12.9	
	Total	4002	100.0	.	.	
12th	White	1101	43.7	41.5	45.9	
	Black	963	34.7	32.7	36.8	
	Hisp.	220	8.6	7.4	9.9	
	Other	284	12.9	11.3	14.5	
	Total	2568	100.0	.	.	
Total	White	14760	47.2	46.6	47.8	

DEMOGRAPHICS
Race (Q5)

<i>Grade</i>	<i>Race</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>	<i>F_outcome2</i>
	Black	9651	31.3	30.7	31.8	
	Hisp.	2934	9.1	8.7	9.4	
	Other	3790	12.4	12.0	12.9	
	Total	31135	100.0	.	.	

DEMOGRAPHICS
Academic grades (Q6)

<i>Grade</i>	<i>School grades</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Mostly As	1905	49.8	47.9	51.8
	Mostly Bs	1193	32.4	30.6	34.2
	Mostly Cs	477	13.6	12.2	15.0
	Mostly Ds	105	3.1	2.4	3.8
	Mostly Fs	30	1.1	0.6	1.6
	Total	3710	100.0	.	.
7th	Mostly As	2624	41.0	39.8	42.3
	Mostly Bs	2384	36.1	34.8	37.3
	Mostly Cs	1199	17.6	16.6	18.6
	Mostly Ds	298	4.3	3.8	4.8
	Mostly Fs	69	1.0	0.7	1.2
	Total	6574	100.0	.	.
8th	Mostly As	1535	36.3	34.8	37.8
	Mostly Bs	1588	37.8	36.3	39.3
	Mostly Cs	858	20.3	19.0	21.5
	Mostly Ds	198	4.6	4.0	5.3
	Mostly Fs	39	1.0	0.7	1.3
	Total	4218	100.0	.	.
9th	Mostly As	2283	40.1	38.8	41.4
	Mostly Bs	2183	37.5	36.1	38.8
	Mostly Cs	1057	17.9	16.8	18.9
	Mostly Ds	238	3.7	3.2	4.2
	Mostly Fs	56	0.9	0.6	1.1
	Total	5817	100.0	.	.
10th	Mostly As	1786	38.6	37.1	40.0
	Mostly Bs	1775	37.4	36.0	38.9
	Mostly Cs	917	18.9	17.8	20.1
	Mostly Ds	218	4.4	3.8	5.0
	Mostly Fs	32	0.7	0.4	0.9
	Total	4728	100.0	.	.
11th	Mostly As	1586	39.9	38.3	41.5
	Mostly Bs	1508	37.6	36.0	39.2
	Mostly Cs	760	18.4	17.2	19.7
	Mostly Ds	151	3.6	3.0	4.1
	Mostly Fs	24	0.5	0.3	0.7
	Total	4029	100.0	.	.

STATEWIDE

DEMOGRAPHICS
Academic grades (Q6)

<i>Grade</i>	<i>School grades</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
12th	Mostly As	1095	43.5	41.3	45.7
	Mostly Bs	922	35.6	33.4	37.7
	Mostly Cs	452	16.7	15.1	18.3
	Mostly Ds	94	3.2	2.5	3.9
	Mostly Fs	19	1.0	0.5	1.5
	Total	2582	100.0	.	.
Total	Mostly As	12855	41.0	40.4	41.6
	Mostly Bs	11589	36.5	35.9	37.1
	Mostly Cs	5737	17.8	17.3	18.2
	Mostly Ds	1307	3.9	3.7	4.1
	Mostly Fs	270	0.9	0.7	1.0
	Total	31758	100.0	.	.

DEMOGRAPHICS
Current school program (Q7)

<i>Grade</i>	<i>School program</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Advanced placement or honors	612	17.1	15.6	18.6
	College prep	1436	34.9	33.1	36.6
	General	442	14.1	12.6	15.6
	Vocational, technical, or commercial	1060	30.8	29.0	32.6
	Other or don't know	117	3.1	2.5	3.8
	Total	3667	100.0	.	.
7th	Advanced placement or honors	1303	19.6	18.6	20.6
	College prep	2290	36.0	34.7	37.2
	General	436	7.2	6.5	7.9
	Vocational, technical, or commercial	2268	34.7	33.5	35.9
	Other or don't know	163	2.6	2.2	3.0
	Total	6460	100.0	.	.
8th	Advanced placement or honors	520	12.6	11.6	13.7
	College prep	1789	42.0	40.5	43.6
	General	430	10.2	9.3	11.2
	Vocational, technical, or commercial	1308	32.2	30.7	33.6
	Other or don't know	135	2.9	2.4	3.4
	Total	4182	100.0	.	.
9th	Advanced placement or honors	714	11.9	11.0	12.8
	College prep	2339	41.1	39.7	42.4
	General	837	14.9	13.9	15.9
	Vocational, technical, or commercial	1705	29.1	27.9	30.4
	Other or don't know	201	3.0	2.6	3.4
	Total	5796	100.0	.	.
10th	Advanced placement or honors	563	11.4	10.4	12.3
	College prep	1881	40.8	39.3	42.3
	General	780	16.6	15.4	17.7
	Vocational, technical, or commercial	1288	27.4	26.1	28.8
	Other or don't know	197	3.8	3.2	4.3
	Total	4709	100.0	.	.
11th	Advanced placement or honors	372	8.9	8.0	9.8
	College prep	1697	43.1	41.5	44.7
	General	723	18.3	17.0	19.5
	Vocational, technical, or commercial	1049	26.0	24.5	27.4
	Other or don't know	170	3.8	3.2	4.4
	Total	4011	100.0	.	.

DEMOGRAPHICS
Current school program (Q7)

<i>Grade</i>	<i>School program</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
12th	Advanced placement or honors	238	8.5	7.3	9.7
	College prep	1039	41.7	39.5	43.9
	General	497	20.2	18.3	22.0
	Vocational, technical, or commercial	680	25.8	23.8	27.7
	Other or don't know	117	3.9	3.1	4.6
	Total		2571	100.0	.
Total	Advanced placement or honors	4346	12.8	12.4	13.2
	College prep	12493	40.0	39.4	40.6
	General	4164	14.5	14.1	15.0
	Vocational, technical, or commercial	9388	29.4	28.8	29.9
	Other or don't know	1104	3.3	3.1	3.5
	Total		31495	100.0	.

DEMOGRAPHICS

Post-graduation plans: Technical or vocational school (Q8)

<i>Grade</i>	<i>Tech or vocational school</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3414	91.8	90.6	93.0
	Yes	255	8.2	7.0	9.4
	Total	3669	100.0	.	.
7th	No	6104	93.7	93.0	94.3
	Yes	390	6.3	5.7	7.0
	Total	6494	100.0	.	.
8th	No	3875	92.6	91.9	93.4
	Yes	324	7.4	6.6	8.1
	Total	4199	100.0	.	.
9th	No	5331	92.5	91.8	93.2
	Yes	458	7.5	6.8	8.2
	Total	5789	100.0	.	.
10th	No	4209	89.4	88.5	90.3
	Yes	498	10.6	9.7	11.5
	Total	4707	100.0	.	.
11th	No	3447	85.4	84.2	86.6
	Yes	579	14.6	13.4	15.8
	Total	4026	100.0	.	.
12th	No	2132	82.6	80.9	84.3
	Yes	440	17.4	15.7	19.1
	Total	2572	100.0	.	.
Total	No	28611	89.8	89.5	90.2
	Yes	2947	10.2	9.8	10.5
	Total	31558	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Armed forces (Q8)

Grade	Armed forces	Unweighted N	Percent	Lower 95%CL	Upper 95%CL
6th	No	3272	88.8	87.5	90.0
	Yes	397	11.2	10.0	12.5
	Total	3669	100.0	.	.
7th	No	5704	88.0	87.2	88.8
	Yes	790	12.0	11.2	12.8
	Total	6494	100.0	.	.
8th	No	3686	87.8	86.8	88.8
	Yes	513	12.2	11.2	13.2
	Total	4199	100.0	.	.
9th	No	5158	89.1	88.3	90.0
	Yes	631	10.9	10.0	11.7
	Total	5789	100.0	.	.
10th	No	4183	88.8	87.9	89.8
	Yes	524	11.2	10.2	12.1
	Total	4707	100.0	.	.
11th	No	3624	90.3	89.4	91.3
	Yes	402	9.7	8.7	10.6
	Total	4026	100.0	.	.
12th	No	2309	89.4	87.9	90.8
	Yes	263	10.6	9.2	12.1
	Total	2572	100.0	.	.
Total	No	28028	88.9	88.5	89.3
	Yes	3530	11.1	10.7	11.5
	Total	31558	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Two-year college (Q8)

Grade	Two-year college	Unweighted N	Percent	Lower 95%CL	Upper 95%CL
6th	No	2816	76.0	74.3	77.6
	Yes	853	24.0	22.4	25.7
	Total	3669	100.0	.	.
7th	No	5005	77.7	76.6	78.7
	Yes	1489	22.3	21.3	23.4
	Total	6494	100.0	.	.
8th	No	3270	78.0	76.7	79.3
	Yes	929	22.0	20.7	23.3
	Total	4199	100.0	.	.
9th	No	4423	76.7	75.6	77.9
	Yes	1366	23.3	22.1	24.4
	Total	5789	100.0	.	.
10th	No	3560	76.8	75.5	78.0
	Yes	1147	23.2	22.0	24.5
	Total	4707	100.0	.	.
11th	No	3114	77.7	76.3	79.0
	Yes	912	22.3	21.0	23.7
	Total	4026	100.0	.	.
12th	No	2050	79.5	77.7	81.3
	Yes	522	20.5	18.7	22.3
	Total	2572	100.0	.	.
Total	No	24318	77.5	76.9	78.0
	Yes	7240	22.5	22.0	23.1
	Total	31558	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: Four-year college (Q8)

<i>Grade</i>	<i>Four-year college</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	1957	54.5	52.6	56.4
	Yes	1712	45.5	43.6	47.4
	Total	3669	100.0	.	.
7th	No	3396	51.6	50.3	52.9
	Yes	3098	48.4	47.1	49.7
	Total	6494	100.0	.	.
8th	No	1809	42.6	41.1	44.1
	Yes	2390	57.4	55.9	58.9
	Total	4199	100.0	.	.
9th	No	2492	41.8	40.5	43.1
	Yes	3297	58.2	56.9	59.5
	Total	5789	100.0	.	.
10th	No	2098	43.0	41.5	44.5
	Yes	2609	57.0	55.5	58.5
	Total	4707	100.0	.	.
11th	No	1705	41.3	39.7	42.9
	Yes	2321	58.7	57.1	60.3
	Total	4026	100.0	.	.
12th	No	1190	44.4	42.2	46.6
	Yes	1382	55.6	53.4	57.8
	Total	2572	100.0	.	.
Total	No	14702	45.2	44.6	45.9
	Yes	16856	54.8	54.1	55.4
	Total	31558	100.0	.	.

DEMOGRAPHICS

Post-graduation plans: Graduate or professional school (Q8)

<i>Grade</i>	<i>Graduate school</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	2890	79.3	77.7	80.8
	Yes	779	20.7	19.2	22.3
	Total	3669	100.0	.	.
7th	No	5126	78.4	77.3	79.4
	Yes	1368	21.6	20.6	22.7
	Total	6494	100.0	.	.
8th	No	3354	79.9	78.7	81.1
	Yes	845	20.1	18.9	21.3
	Total	4199	100.0	.	.
9th	No	4720	81.2	80.1	82.3
	Yes	1069	18.8	17.7	19.9
	Total	5789	100.0	.	.
10th	No	3898	82.3	81.1	83.4
	Yes	809	17.7	16.6	18.9
	Total	4707	100.0	.	.
11th	No	3329	82.2	81.0	83.4
	Yes	697	17.8	16.6	19.0
	Total	4026	100.0	.	.
12th	No	2180	84.6	83.0	86.1
	Yes	392	15.4	13.9	17.0
	Total	2572	100.0	.	.
Total	No	25587	81.2	80.7	81.6
	Yes	5971	18.8	18.4	19.3
	Total	31558	100.0	.	.

DEMOGRAPHICS
Post-graduation plans: None of the above (Q8)

<i>Grade</i>	<i>No plans</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3669	100	100	100
	Total	3669	100	.	.
7th	No	6494	100	100	100
	Total	6494	100	.	.
8th	No	4199	100	100	100
	Total	4199	100	.	.
9th	No	5789	100	100	100
	Total	5789	100	.	.
10th	No	4707	100	100	100
	Total	4707	100	.	.
11th	No	4026	100	100	100
	Total	4026	100	.	.
12th	No	2572	100	100	100
	Total	2572	100	.	.
Total	No	31558	100	100	100
	Total	31558	100	.	.

TOBACCO USE
Lifetime smokeless tobacco use (Q9)

<i>Grade</i>	<i>Lifetime smokeless tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3570	95.9	95.0	96.7
	Yes	127	4.1	3.3	5.0
	Total	3697	100.0	.	.
7th	No	6271	96.0	95.5	96.5
	Yes	264	4.0	3.5	4.5
	Total	6535	100.0	.	.
8th	No	4019	96.6	96.1	97.2
	Yes	142	3.4	2.8	3.9
	Total	4161	100.0	.	.
9th	No	5519	96.5	96.1	97.0
	Yes	206	3.5	3.0	3.9
	Total	5725	100.0	.	.
10th	No	4489	96.2	95.6	96.7
	Yes	175	3.8	3.3	4.4
	Total	4664	100.0	.	.
11th	No	3802	95.5	94.9	96.2
	Yes	188	4.5	3.8	5.1
	Total	3990	100.0	.	.
12th	No	2410	95.2	94.2	96.1
	Yes	122	4.8	3.9	5.8
	Total	2532	100.0	.	.
Total	No	30178	96.0	95.8	96.2
	Yes	1231	4.0	3.8	4.2
	Total	31409	100.0	.	.

TOBACCO USE
Current smokeless tobacco use (Q10)

<i>Grade</i>	<i>Current smokeless tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3657	98.0	97.3	98.6
	Yes	59	2.0	1.4	2.7
	Total	3716	100.0	.	.
7th	No	6440	98.3	97.9	98.6
	Yes	115	1.7	1.4	2.1
	Total	6555	100.0	.	.
8th	No	4116	98.5	98.2	98.9
	Yes	61	1.5	1.1	1.8
	Total	4177	100.0	.	.
9th	No	5649	98.4	98.1	98.7
	Yes	95	1.6	1.3	1.9
	Total	5744	100.0	.	.
10th	No	4590	98.2	97.8	98.6
	Yes	82	1.8	1.4	2.2
	Total	4672	100.0	.	.
11th	No	3895	97.9	97.4	98.3
	Yes	93	2.1	1.7	2.6
	Total	3988	100.0	.	.
12th	No	2484	97.5	96.7	98.2
	Yes	60	2.5	1.8	3.3
	Total	2544	100.0	.	.
Total	No	30951	98.1	97.9	98.3
	Yes	568	1.9	1.7	2.1
	Total	31519	100.0	.	.

TOBACCO USE
Lifetime vaping use (Q11)

<i>Grade</i>	<i>Lifetime vaping use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3409	92.1	91.0	93.3
	Yes	259	7.9	6.7	9.0
	Total	3668	100.0	.	.
7th	No	5810	89.5	88.7	90.3
	Yes	724	10.5	9.7	11.3
	Total	6534	100.0	.	.
8th	No	3605	87.2	86.1	88.3
	Yes	519	12.8	11.7	13.9
	Total	4124	100.0	.	.
9th	No	4883	86.0	85.1	87.0
	Yes	803	14.0	13.0	14.9
	Total	5686	100.0	.	.
10th	No	3837	84.6	83.5	85.7
	Yes	722	15.4	14.3	16.5
	Total	4559	100.0	.	.
11th	No	3268	83.4	82.2	84.6
	Yes	671	16.6	15.4	17.8
	Total	3939	100.0	.	.
12th	No	1995	80.6	78.9	82.4
	Yes	503	19.4	17.6	21.1
	Total	2498	100.0	.	.
Total	No	26912	86.1	85.6	86.5
	Yes	4221	13.9	13.5	14.4
	Total	31133	100.0	.	.

TOBACCO USE
Current vaping use (Q12)

<i>Grade</i>	<i>Current vaping use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3602	97.0	96.3	97.7
	Yes	97	3.0	2.3	3.7
	Total	3699	100.0	.	.
7th	No	6266	95.9	95.4	96.4
	Yes	284	4.1	3.6	4.6
	Total	6550	100.0	.	.
8th	No	3959	95.3	94.7	96.0
	Yes	188	4.7	4.0	5.3
	Total	4147	100.0	.	.
9th	No	5372	94.2	93.5	94.8
	Yes	336	5.8	5.2	6.5
	Total	5708	100.0	.	.
10th	No	4286	93.8	93.1	94.5
	Yes	298	6.2	5.5	6.9
	Total	4584	100.0	.	.
11th	No	3636	92.2	91.4	93.1
	Yes	312	7.8	6.9	8.6
	Total	3948	100.0	.	.
12th	No	2273	91.6	90.4	92.7
	Yes	238	8.4	7.3	9.6
	Total	2511	100.0	.	.
Total	No	29510	94.2	93.9	94.5
	Yes	1761	5.8	5.5	6.1
	Total	31271	100.0	.	.

TOBACCO USE
Source of vaping products (Q13)

<i>Grade</i>	<i>Source of vaping</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Store	16	17.2	7.6	26.8
	Someone bought them for me	17	13.0	6.4	19.5
	Borrowed them	23	20.9	11.6	30.2
	Someone 18 years or older gave them to me	9	11.5	3.0	20.0
	Took them from store or family member	8	8.4	1.9	14.8
	Got them some other way	29	29.1	18.4	39.9
	Total	102	100.0	.	.
7th	Store	15	5.3	2.6	8.0
	Someone bought them for me	32	10.6	6.8	14.4
	Borrowed them	86	31.3	25.2	37.3
	Someone 18 years or older gave them to me	31	12.2	7.5	16.9
	Took them from store or family member	28	10.6	6.8	14.4
	Got them some other way	85	30.1	24.2	35.9
	Total	277	100.0	.	.
8th	Store	20	10.1	5.8	14.5
	Someone bought them for me	24	12.9	7.8	17.9
	Borrowed them	55	31.9	24.7	39.1
	Someone 18 years or older gave them to me	23	10.7	6.5	14.9
	Took them from store or family member	9	4.3	1.5	7.1
	Got them some other way	57	30.0	23.2	36.9
	Total	188	100.0	.	.
9th	Store	26	7.5	4.6	10.3
	Someone bought them for me	55	16.5	12.3	20.7
	Borrowed them	108	32.5	27.2	37.9
	Someone 18 years or older gave them to me	18	5.4	2.9	7.9
	Took them from store or family member	18	5.7	3.1	8.3
	Got them some other way	102	32.4	26.9	37.8
	Total	327	100.0	.	.
10th	Store	47	17.2	12.5	21.8
	Someone bought them for me	49	16.2	11.8	20.6
	Borrowed them	80	26.3	21.1	31.5
	Someone 18 years or older gave them to me	29	10.0	6.4	13.6
	Took them from store or family member	10	3.2	1.1	5.4
	Got them some other way	88	27.1	21.9	32.3
	Total	303	100.0	.	.
11th	Store	75	25.1	19.9	30.3

TOBACCO USE
Source of vaping products (Q13)

<i>Grade</i>	<i>Source of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Someone bought them for me	46	14.2	10.1	18.3
	Borrowed them	70	23.1	18.2	28.0
	Someone 18 years or older gave them to me	30	8.7	5.6	11.9
	Took them from store or family member	10	3.2	1.2	5.2
	Got them some other way	82	25.7	20.6	30.9
	Total	313	100.0	.	.
12th	Store	78	35.3	28.5	42.2
	Someone bought them for me	30	12.8	8.1	17.5
	Borrowed them	51	22.4	16.6	28.2
	Someone 18 years or older gave them to me	8	3.3	0.7	5.9
	Took them from store or family member	3	1.0	0.0	2.1
	Got them some other way	63	25.2	19.4	31.1
	Total	233	100.0	.	.
Total	Store	277	18.2	16.1	20.3
	Someone bought them for me	256	14.2	12.4	16.0
	Borrowed them	475	26.9	24.6	29.1
	Someone 18 years or older gave them to me	150	8.2	6.8	9.6
	Took them from store or family member	86	4.5	3.5	5.4
	Got them some other way	507	28.1	25.8	30.4
	Total	1751	100.0	.	.

TOBACCO USE
Lifetime cigarette use (Q14)

<i>Grade</i>	<i>Lifetime cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3604	97.2	96.5	97.9
	Yes	91	2.8	2.1	3.5
	Total	3695	100.0	.	.
7th	No	6332	96.7	96.2	97.2
	Yes	218	3.3	2.8	3.8
	Total	6550	100.0	.	.
8th	No	4029	96.9	96.3	97.5
	Yes	125	3.1	2.5	3.7
	Total	4154	100.0	.	.
9th	No	5501	96.2	95.7	96.7
	Yes	226	3.8	3.3	4.3
	Total	5727	100.0	.	.
10th	No	4393	95.3	94.7	96.0
	Yes	219	4.7	4.0	5.3
	Total	4612	100.0	.	.
11th	No	3704	93.7	92.9	94.4
	Yes	258	6.3	5.6	7.1
	Total	3962	100.0	.	.
12th	No	2305	92.1	91.0	93.3
	Yes	203	7.9	6.7	9.0
	Total	2508	100.0	.	.
Total	No	29981	95.4	95.2	95.7
	Yes	1350	4.6	4.3	4.8
	Total	31331	100.0	.	.

TOBACCO USE
Age of first cigarette use (Q15)

<i>Grade</i>	<i>Age of first cigarette use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Never have OR 13 or older	3608	97.4	96.7	98.0
	12 or younger	86	2.6	2.0	3.3
	Total	3694	100.0	.	.
7th	Never have OR 13 or older	6360	97.1	96.7	97.6
	12 or younger	191	2.9	2.4	3.3
	Total	6551	100.0	.	.
8th	Never have OR 13 or older	4082	98.0	97.6	98.5
	12 or younger	78	2.0	1.5	2.4
	Total	4160	100.0	.	.
9th	Never have OR 13 or older	5615	98.2	97.8	98.5
	12 or younger	114	1.8	1.5	2.2
	Total	5729	100.0	.	.
10th	Never have OR 13 or older	4527	98.1	97.7	98.5
	12 or younger	91	1.9	1.5	2.3
	Total	4618	100.0	.	.
11th	Never have OR 13 or older	3889	98.3	97.9	98.7
	12 or younger	72	1.7	1.3	2.1
	Total	3961	100.0	.	.
12th	Never have OR 13 or older	2458	98.1	97.5	98.6
	12 or younger	50	1.9	1.4	2.5
	Total	2508	100.0	.	.
Total	Never have OR 13 or older	30658	97.9	97.7	98.1
	12 or younger	687	2.1	1.9	2.3
	Total	31345	100.0	.	.

TOBACCO USE
Current cigarette use (Q16)

<i>Grade</i>	<i>Current cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3693	99.4	99.1	99.7
	Yes	20	0.6	0.3	0.9
	Total	3713	100.0	.	.
7th	No	6528	99.5	99.3	99.7
	Yes	33	0.5	0.3	0.7
	Total	6561	100.0	.	.
8th	No	4148	99.5	99.3	99.7
	Yes	20	0.5	0.3	0.7
	Total	4168	100.0	.	.
9th	No	5705	99.3	99.1	99.5
	Yes	40	0.7	0.5	0.9
	Total	5745	100.0	.	.
10th	No	4584	98.8	98.5	99.2
	Yes	52	1.2	0.8	1.5
	Total	4636	100.0	.	.
11th	No	3911	98.7	98.3	99.0
	Yes	56	1.3	1.0	1.7
	Total	3967	100.0	.	.
12th	No	2479	98.6	98.1	99.1
	Yes	37	1.4	0.9	1.9
	Total	2516	100.0	.	.
Total	No	31168	99.1	99.0	99.2
	Yes	261	0.9	0.8	1.0
	Total	31429	100.0	.	.

TOBACCO USE
Source of cigarettes (Q17)

<i>Grade</i>	<i>Source of cigarettes</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	I bought them in a store	5	25.9	1.5	50.3
	I bought them from a vending machine	2	5.9	0.0	14.1
	I gave someone money to buy for me	5	22.6	1.4	43.8
	I borrowed them	4	18.4	0.0	37.7
	An adult gave them to me	0	.	.	.
	I took them from a store or family member	3	9.2	0.0	19.7
	Other	4	18.0	0.0	37.2
	Total	23	100.0	.	.
7th	I bought them in a store	2	5.8	0.0	13.7
	I bought them from a vending machine	9	21.4	7.0	35.7
	I gave someone money to buy for me	4	10.2	0.1	20.4
	I borrowed them	4	13.8	0.7	26.8
	An adult gave them to me	4	15.2	0.0	32.6
	I took them from a store or family member	6	15.4	3.4	27.4
	Other	8	18.3	5.4	31.2
	Total	37	100.0	.	.
8th	I bought them in a store	1	3.3	0.0	9.8
	I bought them from a vending machine	2	8.7	0.0	20.3
	I gave someone money to buy for me	2	7.7	0.0	18.2
	I borrowed them	6	27.5	7.2	47.8
	An adult gave them to me	2	8.3	0.0	19.5
	I took them from a store or family member	5	20.0	3.7	36.2
	Other	5	24.5	4.5	44.6
	Total	23	100.0	.	.
9th	I bought them in a store	4	10.8	0.8	20.9
	I bought them from a vending machine	5	9.6	1.3	17.9
	I gave someone money to buy for me	6	13.9	2.8	24.9
	I borrowed them	9	18.9	7.4	30.3
	An adult gave them to me	4	7.5	0.2	14.8
	I took them from a store or family member	5	9.8	1.2	18.5
	Other	14	29.6	16.2	43.0
	Total	47	100.0	.	.
10th	I bought them in a store	10	18.9	7.4	30.4
	I bought them from a vending machine	2	3.2	0.0	7.9
	I gave someone money to buy for me	6	7.9	1.5	14.3
	I borrowed them	9	16.9	6.5	27.4

TOBACCO USE
Source of cigarettes (Q17)

<i>Grade</i>	<i>Source of cigarettes</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	An adult gave them to me	13	22.5	11.3	33.6
	I took them from a store or family member	8	11.0	3.5	18.6
	Other	10	19.6	8.0	31.1
	Total	58	100.0	.	.
11th	I bought them in a store	16	28.1	16.1	40.1
	I bought them from a vending machine	4	6.7	0.2	13.1
	I gave someone money to buy for me	11	15.4	6.4	24.4
	I borrowed them	12	20.8	10.1	31.5
	An adult gave them to me	4	6.3	0.1	12.5
	I took them from a store or family member	8	11.7	3.6	19.7
	Other	7	11.1	3.1	19.2
	Total	62	100.0	.	.
12th	I bought them in a store	7	15.9	3.9	27.9
	I bought them from a vending machine	2	8.0	0.0	18.8
	I gave someone money to buy for me	5	13.7	1.7	25.7
	I borrowed them	10	19.9	8.2	31.6
	An adult gave them to me	4	8.2	0.2	16.2
	I took them from a store or family member	8	16.4	4.5	28.3
	Other	9	17.9	6.5	29.3
	Total	45	100.0	.	.
Total	I bought them in a store	45	17.1	12.1	22.1
	I bought them from a vending machine	26	8.0	4.5	11.4
	I gave someone money to buy for me	41	13.4	9.1	17.7
	I borrowed them	55	19.2	14.3	24.0
	An adult gave them to me	31	10.5	6.7	14.2
	I took them from a store or family member	44	13.1	9.0	17.1
	Other	57	18.8	14.0	23.6
	Total	299	100.0	.	.

TOBACCO USE
Lifetime cigar use (Q18)

<i>Grade</i>	<i>Lifetime cigar use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3544	96.1	95.3	97.0
	Yes	119	3.9	3.0	4.7
	Total	3663	100.0	.	.
7th	No	6233	95.9	95.4	96.5
	Yes	270	4.1	3.5	4.6
	Total	6503	100.0	.	.
8th	No	3928	95.2	94.6	95.9
	Yes	196	4.8	4.1	5.4
	Total	4124	100.0	.	.
9th	No	5416	95.0	94.4	95.6
	Yes	281	5.0	4.4	5.6
	Total	5697	100.0	.	.
10th	No	4321	94.2	93.5	94.9
	Yes	276	5.8	5.1	6.5
	Total	4597	100.0	.	.
11th	No	3635	92.6	91.8	93.5
	Yes	299	7.4	6.5	8.2
	Total	3934	100.0	.	.
12th	No	2224	90.1	88.8	91.4
	Yes	256	9.9	8.6	11.2
	Total	2480	100.0	.	.
Total	No	29414	94.2	93.9	94.5
	Yes	1707	5.8	5.5	6.1
	Total	31121	100.0	.	.

TOBACCO USE
Lifetime other tobacco use (Q19)

<i>Grade</i>	<i>Lifetime other tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	None	3503	97.1	96.4	97.8
	Bidis	27	0.9	0.5	1.3
	Kreteks	10	0.2	0.1	0.4
	Hookah	19	0.5	0.2	0.8
	Zyn	16	0.5	0.2	0.8
	Chewing tobacco	22	0.7	0.3	1.1
	Total	3597	100.0	.	.
7th	None	6182	96.9	96.4	97.3
	Bidis	37	0.6	0.4	0.8
	Kreteks	16	0.3	0.1	0.4
	Hookah	31	0.5	0.3	0.7
	Zyn	40	0.6	0.4	0.8
	Chewing tobacco	77	1.2	0.9	1.5
	Total	6383	100.0	.	.
8th	None	3928	96.4	95.8	97.0
	Bidis	31	0.8	0.5	1.1
	Kreteks	1	0.0	0.0	0.1
	Hookah	27	0.6	0.4	0.9
	Zyn	51	1.3	0.9	1.6
	Chewing tobacco	39	0.9	0.6	1.2
	Total	4077	100.0	.	.
9th	None	5431	96.2	95.7	96.7
	Bidis	39	0.7	0.4	0.9
	Kreteks	8	0.2	0.0	0.3
	Hookah	38	0.7	0.5	0.9
	Zyn	110	1.9	1.5	2.2
	Chewing tobacco	26	0.4	0.3	0.6
	Total	5652	100.0	.	.
10th	None	4291	94.5	93.8	95.2
	Bidis	41	0.9	0.6	1.2
	Kreteks	10	0.3	0.1	0.4
	Hookah	49	1.0	0.7	1.3
	Zyn	112	2.5	2.0	2.9
	Chewing tobacco	39	0.8	0.5	1.1
	Total	4542	100.0	.	.
11th	None	3631	93.6	92.9	94.4

TOBACCO USE
Lifetime other tobacco use (Q19)

<i>Grade</i>	<i>Lifetime other tobacco use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Bidis	49	1.2	0.9	1.5
	Kreteks	10	0.3	0.1	0.5
	Hookah	37	0.9	0.6	1.3
	Zyn	133	3.2	2.7	3.8
	Chewing tobacco	31	0.7	0.4	0.9
	Total	3891	100.0	.	.
12th	None	2265	92.4	91.2	93.6
	Bidis	26	1.2	0.7	1.8
	Kreteks	3	0.1	0.0	0.2
	Hookah	39	1.5	1.0	2.1
	Zyn	104	4.0	3.2	4.9
	Chewing tobacco	17	0.7	0.3	1.1
	Total	2454	100.0	.	.
Total	None	29342	95.3	95.0	95.6
	Bidis	251	0.9	0.8	1.0
	Kreteks	58	0.2	0.1	0.2
	Hookah	242	0.8	0.7	1.0
	Zyn	569	2.0	1.8	2.2
	Chewing tobacco	252	0.8	0.7	0.9
	Total	30714	100.0	.	.

ALCOHOL USE
Lifetime alcohol use (Q20)

<i>Grade</i>	<i>Lifetime alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3058	83.5	82.0	85.0
	Yes	572	16.5	15.0	18.0
	Total	3630	100.0	.	.
7th	No	5225	81.0	80.0	82.0
	Yes	1239	19.0	18.0	20.0
	Total	6464	100.0	.	.
8th	No	3264	80.3	79.1	81.5
	Yes	812	19.7	18.5	20.9
	Total	4076	100.0	.	.
9th	No	4411	78.8	77.7	79.9
	Yes	1228	21.2	20.1	22.3
	Total	5639	100.0	.	.
10th	No	3420	75.4	74.1	76.7
	Yes	1128	24.6	23.3	25.9
	Total	4548	100.0	.	.
11th	No	2861	73.6	72.1	75.0
	Yes	1048	26.4	25.0	27.9
	Total	3909	100.0	.	.
12th	No	1652	66.5	64.3	68.6
	Yes	803	33.5	31.4	35.7
	Total	2455	100.0	.	.
Total	No	23983	77.0	76.4	77.5
	Yes	6861	23.0	22.5	23.6
	Total	30844	100.0	.	.

ALCOHOL USE
Age of first alcohol use (Q21)

<i>Grade</i>	<i>Age of first alcohol use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Never have OR 13 or older	3079	83.2	81.7	84.7
	12 or younger	597	16.8	15.3	18.3
	Total	3676	100.0	.	.
7th	Never have OR 13 or older	5366	82.7	81.7	83.6
	12 or younger	1131	17.3	16.4	18.3
	Total	6497	100.0	.	.
8th	Never have OR 13 or older	3553	86.5	85.4	87.5
	12 or younger	565	13.5	12.5	14.6
	Total	4118	100.0	.	.
9th	Never have OR 13 or older	5147	91.1	90.4	91.9
	12 or younger	528	8.9	8.1	9.6
	Total	5675	100.0	.	.
10th	Never have OR 13 or older	4203	92.1	91.3	92.9
	12 or younger	368	7.9	7.1	8.7
	Total	4571	100.0	.	.
11th	Never have OR 13 or older	3680	94.0	93.3	94.8
	12 or younger	235	6.0	5.2	6.7
	Total	3915	100.0	.	.
12th	Never have OR 13 or older	2310	93.7	92.7	94.8
	12 or younger	156	6.3	5.2	7.3
	Total	2466	100.0	.	.
Total	Never have OR 13 or older	27439	89.3	88.9	89.6
	12 or younger	3600	10.7	10.4	11.1
	Total	31039	100.0	.	.

ALCOHOL USE
Current binge alcohol use (Q22)

<i>Grade</i>	<i>Current binge alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3614	98.5	98.0	99.0
	Yes	49	1.5	1.0	2.0
	Total	3663	100.0	.	.
7th	No	6365	98.4	98.1	98.8
	Yes	103	1.6	1.2	1.9
	Total	6468	100.0	.	.
8th	No	3998	97.7	97.2	98.1
	Yes	96	2.3	1.9	2.8
	Total	4094	100.0	.	.
9th	No	5487	97.4	97.0	97.8
	Yes	154	2.6	2.2	3.0
	Total	5641	100.0	.	.
10th	No	4382	96.2	95.6	96.8
	Yes	169	3.8	3.2	4.4
	Total	4551	100.0	.	.
11th	No	3681	94.9	94.2	95.6
	Yes	202	5.1	4.4	5.8
	Total	3883	100.0	.	.
12th	No	2258	91.9	90.7	93.2
	Yes	186	8.1	6.8	9.3
	Total	2444	100.0	.	.
Total	No	29899	96.5	96.2	96.7
	Yes	967	3.5	3.3	3.8
	Total	30866	100.0	.	.

ALCOHOL USE
Age of first regular alcohol use (Q23)

<i>Grade</i>	<i>Age of first regular alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Never have OR 13 or older	3085	84.1	82.7	85.6
	12 or younger	564	15.9	14.4	17.3
	Total	3649	100.0	.	.
7th	Never have OR 13 or older	5362	84.0	83.0	84.9
	12 or younger	1029	16.0	15.1	17.0
	Total	6391	100.0	.	.
8th	Never have OR 13 or older	3429	87.9	86.8	88.9
	12 or younger	483	12.1	11.1	13.2
	Total	3912	100.0	.	.
9th	Never have OR 13 or older	4742	92.8	92.1	93.5
	12 or younger	390	7.2	6.5	7.9
	Total	5132	100.0	.	.
10th	Never have OR 13 or older	3767	93.5	92.7	94.3
	12 or younger	270	6.5	5.7	7.3
	Total	4037	100.0	.	.
11th	Never have OR 13 or older	3280	95.7	95.0	96.4
	12 or younger	148	4.3	3.6	5.0
	Total	3428	100.0	.	.
12th	Never have OR 13 or older	2003	95.6	94.7	96.6
	12 or younger	92	4.4	3.4	5.3
	Total	2095	100.0	.	.
Total	Never have OR 13 or older	25767	90.5	90.1	90.8
	12 or younger	2994	9.5	9.2	9.9
	Total	28761	100.0	.	.

ALCOHOL USE
Current alcohol use (Q24)

<i>Grade</i>	<i>Current alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3526	96.2	95.4	97.0
	Yes	127	3.8	3.0	4.6
	Total	3653	100.0	.	.
7th	No	6142	95.4	94.9	96.0
	Yes	299	4.6	4.0	5.1
	Total	6441	100.0	.	.
8th	No	3867	94.9	94.2	95.6
	Yes	208	5.1	4.4	5.8
	Total	4075	100.0	.	.
9th	No	5269	93.9	93.2	94.5
	Yes	353	6.1	5.5	6.8
	Total	5622	100.0	.	.
10th	No	4171	92.0	91.1	92.8
	Yes	355	8.0	7.2	8.9
	Total	4526	100.0	.	.
11th	No	3480	89.7	88.8	90.7
	Yes	398	10.3	9.3	11.2
	Total	3878	100.0	.	.
12th	No	2098	86.0	84.5	87.6
	Yes	335	14.0	12.4	15.5
	Total	2433	100.0	.	.
Total	No	28663	92.6	92.3	92.9
	Yes	2088	7.4	7.1	7.7
	Total	30751	100.0	.	.

ALCOHOL USE
Usual type of alcohol (Q25)

Grade	Usual type of alcohol	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
6th	No usual type	50	32.2	22.9	41.4
	Beer	17	11.3	5.5	17.0
	Malt beverages	8	8.2	1.3	15.2
	Hard seltzer	3	1.6	0.0	3.4
	Energy drinks with alcohol	7	6.2	1.0	11.4
	Wine coolers	5	4.0	0.0	8.0
	Wine	17	12.0	5.4	18.5
	Liquor	13	15.4	6.3	24.5
	Other	10	9.2	2.8	15.5
	Total	130	100.0	.	.
7th	No usual type	96	32.2	26.4	37.9
	Beer	36	11.3	7.6	15.0
	Malt beverages	20	6.2	3.5	8.9
	Hard seltzer	17	5.8	3.0	8.5
	Energy drinks with alcohol	20	7.3	3.9	10.8
	Wine coolers	16	6.5	2.8	10.2
	Wine	32	11.8	7.7	16.0
	Liquor	39	11.4	7.8	15.0
	Other	26	7.5	4.6	10.4
	Total	302	100.0	.	.
8th	No usual type	67	29.6	23.5	35.7
	Beer	19	8.3	4.7	11.9
	Malt beverages	14	5.7	2.8	8.7
	Hard seltzer	14	6.3	3.1	9.5
	Energy drinks with alcohol	14	6.5	3.1	9.8
	Wine coolers	11	5.0	1.9	8.1
	Wine	19	8.0	4.5	11.5
	Liquor	49	23.5	17.6	29.4
	Other	15	7.1	3.5	10.7
	Total	222	100.0	.	.
9th	No usual type	97	26.8	22.1	31.6
	Beer	40	10.6	7.4	13.9
	Malt beverages	37	9.7	6.7	12.8
	Hard seltzer	30	8.5	5.5	11.5
	Energy drinks with alcohol	12	3.6	1.5	5.7
	Wine coolers	13	3.4	1.5	5.3

ALCOHOL USE
Usual type of alcohol (Q25)

Grade	Usual type of alcohol	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
	Wine	17	4.7	2.4	6.9
	Liquor	93	24.6	20.1	29.2
	Other	26	8.1	4.9	11.3
	Total	365	100.0	.	.
10th	No usual type	82	22.4	18.0	26.9
	Beer	46	13.7	9.9	17.5
	Malt beverages	48	13.2	9.6	16.9
	Hard seltzer	36	10.4	7.1	13.6
	Energy drinks with alcohol	13	3.5	1.5	5.4
	Wine coolers	12	3.4	1.3	5.6
	Wine	15	4.5	2.2	6.9
	Liquor	88	22.5	18.1	26.9
	Other	23	6.4	3.7	9.0
	Total	363	100.0	.	.
11th	No usual type	82	21.7	17.4	26.0
	Beer	74	17.4	13.6	21.3
	Malt beverages	54	14.1	10.4	17.7
	Hard seltzer	35	9.6	6.6	12.7
	Energy drinks with alcohol	11	2.8	1.1	4.5
	Wine coolers	14	2.8	1.3	4.3
	Wine	17	4.7	2.4	6.9
	Liquor	93	24.0	19.6	28.4
	Other	13	2.9	1.3	4.5
	Total	393	100.0	.	.
12th	No usual type	66	17.9	13.4	22.4
	Beer	62	17.1	12.8	21.4
	Malt beverages	31	10.7	6.7	14.7
	Hard seltzer	38	12.2	8.1	16.2
	Energy drinks with alcohol	4	1.0	0.0	2.0
	Wine coolers	12	3.6	1.2	6.0
	Wine	20	5.6	2.9	8.4
	Liquor	90	26.2	20.9	31.5
	Other	21	5.8	3.1	8.4
	Total	344	100.0	.	.
Total	No usual type	541	24.0	22.0	25.9
	Beer	296	14.0	12.3	15.6

ALCOHOL USE
Usual type of alcohol (Q25)

<i>Grade</i>	<i>Usual type of alcohol</i>	<i>Unweighted</i>	<i>Percent</i>	<i>Lower</i>	<i>Upper</i>
		<i>N</i>		<i>95%CL</i>	<i>95%CL</i>
	Malt beverages	212	10.6	9.1	12.1
	Hard seltzer	175	9.1	7.7	10.5
	Energy drinks with alcohol	82	3.6	2.8	4.4
	Wine coolers	84	3.8	2.9	4.8
	Wine	138	6.3	5.2	7.4
	Liquor	466	22.5	20.5	24.5
	Other	135	6.1	5.0	7.3
	Total	2129	100.0	.	.

ALCOHOL USE
Source of alcohol - Where (Q26)

<i>Grade</i>	<i>Where alcohol was obtained</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	I bought it in a store	4	2.6	0.0	5.1
	I gave someone money to buy for me	7	8.1	1.0	15.2
	I took it from a store	4	3.9	0.0	8.3
	Someone gave it to me at a party	18	17.6	8.7	26.4
	Someone gave it to me someplace else	8	7.4	1.1	13.8
	I took it from a family member	39	34.3	23.6	45.0
	I got it some other way	31	26.1	16.5	35.7
	Total	111	100.0	.	.
7th	I bought it in a store	6	2.0	0.3	3.6
	I gave someone money to buy for me	9	3.6	0.7	6.5
	I took it from a store	2	1.6	0.0	4.1
	Someone gave it to me at a party	57	19.9	15.0	24.9
	Someone gave it to me someplace else	32	11.3	7.5	15.2
	I took it from a family member	86	31.1	25.1	37.0
	I got it some other way	85	30.5	24.6	36.4
	Total	277	100.0	.	.
8th	I bought it in a store	14	7.1	3.5	10.7
	I gave someone money to buy for me	5	2.6	0.3	4.8
	I took it from a store	7	4.0	0.9	7.1
	Someone gave it to me at a party	39	19.5	13.9	25.2
	Someone gave it to me someplace else	21	10.5	6.2	14.8
	I took it from a family member	51	25.9	19.7	32.1
	I got it some other way	58	30.4	23.7	37.1
	Total	195	100.0	.	.
9th	I bought it in a store	13	4.0	1.7	6.2
	I gave someone money to buy for me	28	9.3	5.9	12.6
	I took it from a store	12	3.6	1.6	5.7
	Someone gave it to me at a party	77	23.6	18.8	28.4
	Someone gave it to me someplace else	36	9.7	6.5	12.8
	I took it from a family member	80	24.8	19.9	29.6
	I got it some other way	84	25.2	20.3	30.0
	Total	330	100.0	.	.
10th	I bought it in a store	28	8.8	5.6	12.1
	I gave someone money to buy for me	27	8.7	5.4	12.0
	I took it from a store	9	2.8	0.9	4.7
	Someone gave it to me at a party	76	23.7	18.9	28.5

ALCOHOL USE
Source of alcohol - Where (Q26)

<i>Grade</i>	<i>Where alcohol was obtained</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	Someone gave it to me someplace else	29	8.6	5.5	11.7
	I took it from a family member	57	16.5	12.4	20.7
	I got it some other way	103	30.8	25.5	36.0
	Total	329	100.0	.	.
11th	I bought it in a store	55	15.1	11.3	18.9
	I gave someone money to buy for me	42	11.3	7.9	14.6
	I took it from a store	4	1.2	0.0	2.3
	Someone gave it to me at a party	90	26.4	21.6	31.2
	Someone gave it to me someplace else	30	9.2	6.0	12.5
	I took it from a family member	41	11.5	8.1	15.0
	I got it some other way	94	25.2	20.6	29.8
	Total	356	100.0	.	.
12th	I bought it in a store	51	15.3	10.9	19.7
	I gave someone money to buy for me	42	13.4	9.1	17.6
	I took it from a store	9	2.4	0.8	4.1
	Someone gave it to me at a party	95	28.8	23.3	34.3
	Someone gave it to me someplace else	19	6.4	3.2	9.7
	I took it from a family member	41	13.5	9.1	17.8
	I got it some other way	60	20.2	15.0	25.4
	Total	317	100.0	.	.
Total	I bought it in a store	171	9.7	8.2	11.2
	I gave someone money to buy for me	162	9.4	7.9	11.0
	I took it from a store	47	2.5	1.8	3.3
	Someone gave it to me at a party	453	24.3	22.2	26.5
	Someone gave it to me someplace else	175	8.7	7.3	10.1
	I took it from a family member	397	19.2	17.3	21.2
	I got it some other way	519	26.0	23.9	28.2
	Total	1924	100.0	.	.

ALCOHOL USE
Source of alcohol - Who (Q27)

<i>Grade</i>	<i>From whom alcohol was obtained</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Nobody got it for me	73	59.3	48.8	69.7
	My parent	15	9.6	4.3	14.8
	Parent of friend	7	9.9	2.0	17.8
	Friend or family member older than 25	12	6.6	2.8	10.3
	Friend or family member age 21-25	4	4.3	0.0	9.5
	Friend or family member under age 21	7	5.2	0.9	9.5
	Some other adult	8	5.3	1.4	9.2
	Total	126	100.0	.	.
7th	Nobody got it for me	146	48.5	42.3	54.7
	My parent	44	15.3	11.0	19.6
	Parent of friend	15	6.1	2.7	9.4
	Friend or family member older than 25	33	10.1	6.6	13.5
	Friend or family member age 21-25	20	7.6	4.1	11.1
	Friend or family member under age 21	16	6.1	2.7	9.5
	Some other adult	19	6.4	3.1	9.7
	Total	293	100.0	.	.
8th	Nobody got it for me	100	49.4	42.4	56.5
	My parent	31	15.6	10.5	20.8
	Parent of friend	7	3.0	0.8	5.3
	Friend or family member older than 25	14	7.3	3.4	11.1
	Friend or family member age 21-25	14	6.5	3.2	9.8
	Friend or family member under age 21	17	7.9	4.3	11.5
	Some other adult	21	10.3	6.0	14.6
	Total	204	100.0	.	.
9th	Nobody got it for me	174	51.6	46.1	57.2
	My parent	33	10.2	6.8	13.6
	Parent of friend	13	3.6	1.6	5.6
	Friend or family member older than 25	31	9.1	5.9	12.3
	Friend or family member age 21-25	24	6.5	3.8	9.2
	Friend or family member under age 21	32	10.2	6.8	13.7
	Some other adult	30	8.8	5.7	11.9
	Total	337	100.0	.	.
10th	Nobody got it for me	167	47.4	41.9	52.9
	My parent	28	8.3	5.2	11.4
	Parent of friend	17	5.4	2.8	8.0
	Friend or family member older than 25	24	6.3	3.7	8.9

ALCOHOL USE
Source of alcohol - Who (Q27)

<i>Grade</i>	<i>From whom alcohol was obtained</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	Friend or family member age 21-25	28	8.1	5.1	11.1
	Friend or family member under age 21	52	16.7	12.5	20.9
	Some other adult	30	7.8	4.9	10.7
	Total	346	100.0	.	.
11th	Nobody got it for me	146	40.1	34.9	45.3
	My parent	29	7.3	4.6	9.9
	Parent of friend	9	2.2	0.7	3.7
	Friend or family member older than 25	36	9.5	6.4	12.6
	Friend or family member age 21-25	39	11.3	7.8	14.8
	Friend or family member under age 21	75	21.0	16.7	25.4
	Some other adult	34	8.5	5.7	11.4
	Total	368	100.0	.	.
12th	Nobody got it for me	141	43.2	37.0	49.4
	My parent	32	10.2	6.4	14.1
	Parent of friend	12	4.7	1.9	7.5
	Friend or family member older than 25	16	5.6	2.5	8.7
	Friend or family member age 21-25	41	13.5	9.1	17.9
	Friend or family member under age 21	45	13.4	9.4	17.3
	Some other adult	32	9.5	5.9	13.1
	Total	319	100.0	.	.
Total	Nobody got it for me	952	46.7	44.2	49.1
	My parent	212	10.2	8.7	11.6
	Parent of friend	80	4.4	3.4	5.5
	Friend or family member older than 25	167	7.7	6.4	9.0
	Friend or family member age 21-25	171	9.4	7.8	10.9
	Friend or family member under age 21	244	13.3	11.6	14.9
	Some other adult	175	8.4	7.1	9.7
	Total	2001	100.0	.	.

ALCOHOL USE
Past month drinking and driving (Q28)

<i>Grade</i>	<i>Past month drinking and driving</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3635	99.0	98.5	99.5
	Yes	25	1.0	0.5	1.5
	Total	3660	100.0	.	.
7th	No	6405	99.3	99.1	99.5
	Yes	48	0.7	0.5	0.9
	Total	6453	100.0	.	.
8th	No	4043	99.0	98.7	99.3
	Yes	40	1.0	0.7	1.3
	Total	4083	100.0	.	.
9th	No	5580	99.0	98.8	99.3
	Yes	51	1.0	0.7	1.2
	Total	5631	100.0	.	.
10th	No	4478	99.1	98.8	99.4
	Yes	41	0.9	0.6	1.2
	Total	4519	100.0	.	.
11th	No	3805	98.5	98.1	98.9
	Yes	59	1.5	1.1	1.9
	Total	3864	100.0	.	.
12th	No	2392	97.9	97.2	98.6
	Yes	44	2.1	1.4	2.8
	Total	2436	100.0	.	.
Total	No	30453	98.8	98.7	99.0
	Yes	312	1.2	1.0	1.3
	Total	30765	100.0	.	.

ALCOHOL USE
Past month rode with a drinking driver (Q29)

<i>Grade</i>	<i>Past month riding with drinking driver</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3083	85.0	83.6	86.4
	Yes	535	15.0	13.6	16.4
	Total	3618	100.0	.	.
7th	No	5506	85.3	84.3	86.2
	Yes	947	14.7	13.8	15.7
	Total	6453	100.0	.	.
8th	No	3547	86.5	85.4	87.5
	Yes	554	13.5	12.5	14.6
	Total	4101	100.0	.	.
9th	No	5059	89.3	88.5	90.2
	Yes	605	10.7	9.8	11.5
	Total	5664	100.0	.	.
10th	No	4143	90.7	89.8	91.6
	Yes	434	9.3	8.4	10.2
	Total	4577	100.0	.	.
11th	No	3544	91.2	90.3	92.2
	Yes	342	8.8	7.8	9.7
	Total	3886	100.0	.	.
12th	No	2252	92.6	91.4	93.7
	Yes	197	7.4	6.3	8.6
	Total	2449	100.0	.	.
Total	No	27231	88.8	88.4	89.1
	Yes	3636	11.2	10.9	11.6
	Total	30867	100.0	.	.

MARIJUANA USE
Lifetime marijuana use (Q30)

<i>Grade</i>	<i>Lifetime marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3531	96.8	96.1	97.6
	Yes	102	3.2	2.4	3.9
	Total	3633	100.0	.	.
7th	No	6109	94.5	93.9	95.1
	Yes	356	5.5	4.9	6.1
	Total	6465	100.0	.	.
8th	No	3794	93.0	92.2	93.8
	Yes	293	7.0	6.2	7.8
	Total	4087	100.0	.	.
9th	No	5122	90.8	90.0	91.6
	Yes	511	9.2	8.4	10.0
	Total	5633	100.0	.	.
10th	No	3996	87.9	86.9	88.9
	Yes	564	12.1	11.1	13.1
	Total	4560	100.0	.	.
11th	No	3318	85.4	84.2	86.6
	Yes	568	14.6	13.4	15.8
	Total	3886	100.0	.	.
12th	No	1994	81.9	80.1	83.6
	Yes	448	18.1	16.4	19.9
	Total	2442	100.0	.	.
Total	No	27974	89.9	89.6	90.3
	Yes	2853	10.1	9.7	10.4
	Total	30827	100.0	.	.

MARIJUANA USE
Age of first marijuana use (Q31)

<i>Grade</i>	<i>Age of first marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Never have OR 13 or older	3541	97.2	96.4	97.9
	12 or younger	87	2.8	2.1	3.6
	Total	3628	100.0	.	.
7th	Never have OR 13 or older	6193	96.1	95.6	96.6
	12 or younger	259	3.9	3.4	4.4
	Total	6452	100.0	.	.
8th	Never have OR 13 or older	3947	96.8	96.2	97.3
	12 or younger	134	3.2	2.7	3.8
	Total	4081	100.0	.	.
9th	Never have OR 13 or older	5495	97.8	97.4	98.2
	12 or younger	121	2.2	1.8	2.6
	Total	5616	100.0	.	.
10th	Never have OR 13 or older	4444	97.6	97.2	98.1
	12 or younger	115	2.4	1.9	2.8
	Total	4559	100.0	.	.
11th	Never have OR 13 or older	3810	98.6	98.2	98.9
	12 or younger	61	1.4	1.1	1.8
	Total	3871	100.0	.	.
12th	Never have OR 13 or older	2396	98.6	98.2	99.0
	12 or younger	41	1.4	1.0	1.8
	Total	2437	100.0	.	.
Total	Never have OR 13 or older	29943	97.5	97.3	97.7
	12 or younger	821	2.5	2.3	2.7
	Total	30764	100.0	.	.

MARIJUANA USE
Current marijuana use (Q32)

<i>Grade</i>	<i>Current marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3607	98.6	98.1	99.1
	Yes	42	1.4	0.9	1.9
	Total	3649	100.0	.	.
7th	No	6325	97.7	97.3	98.1
	Yes	157	2.3	1.9	2.7
	Total	6482	100.0	.	.
8th	No	3947	96.3	95.7	96.9
	Yes	150	3.7	3.1	4.3
	Total	4097	100.0	.	.
9th	No	5401	95.5	95.0	96.1
	Yes	247	4.5	3.9	5.0
	Total	5648	100.0	.	.
10th	No	4314	94.6	93.9	95.2
	Yes	255	5.4	4.8	6.1
	Total	4569	100.0	.	.
11th	No	3599	92.5	91.6	93.4
	Yes	285	7.5	6.6	8.4
	Total	3884	100.0	.	.
12th	No	2212	90.8	89.5	92.0
	Yes	236	9.2	8.0	10.5
	Total	2448	100.0	.	.
Total	No	29520	95.1	94.8	95.4
	Yes	1379	4.9	4.6	5.2
	Total	30899	100.0	.	.

MARIJUANA USE
Source of marijuana (Q33)

<i>Grade</i>	<i>Source of marijuana</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	I bought it from a friend	9	22.1	7.1	37.0
	I bought it from someone else	4	10.7	0.0	23.2
	I gave someone else money to buy it for me	4	9.2	0.0	19.5
	Someone gave it to me at a party or social gathering	7	13.0	2.4	23.6
	Someone gave it to me someplace else	7	12.9	2.4	23.5
	I bought it on the internet	0	.	.	.
	I got it some other way	15	32.1	15.6	48.6
	Total	46	100.0	.	.
7th	I bought it from a friend	19	11.5	5.6	17.4
	I bought it from someone else	17	11.5	5.5	17.5
	I gave someone else money to buy it for me	9	4.9	1.5	8.2
	Someone gave it to me at a party or social gathering	18	10.9	5.7	16.0
	Someone gave it to me someplace else	25	17.5	10.5	24.4
	I bought it on the internet	8	6.1	1.0	11.2
	I got it some other way	60	37.7	29.2	46.2
	Total	156	100.0	.	.
8th	I bought it from a friend	25	16.6	10.5	22.8
	I bought it from someone else	21	15.9	9.4	22.4
	I gave someone else money to buy it for me	7	6.0	1.3	10.6
	Someone gave it to me at a party or social gathering	16	9.9	5.2	14.5
	Someone gave it to me someplace else	23	15.3	9.4	21.3
	I bought it on the internet	3	2.0	0.0	4.3
	I got it some other way	53	34.3	26.5	42.0
	Total	148	100.0	.	.
9th	I bought it from a friend	42	16.5	11.5	21.4
	I bought it from someone else	31	13.5	9.0	18.1
	I gave someone else money to buy it for me	15	6.6	3.3	9.9
	Someone gave it to me at a party or social gathering	25	9.1	5.6	12.7
	Someone gave it to me someplace else	33	13.1	8.7	17.5
	I bought it on the internet	6	2.5	0.5	4.5
	I got it some other way	97	38.7	32.3	45.1
	Total	249	100.0	.	.
10th	I bought it from a friend	36	13.8	9.4	18.1
	I bought it from someone else	46	17.9	13.0	22.8
	I gave someone else money to buy it for me	9	3.8	1.2	6.4
	Someone gave it to me at a party or social gathering	30	12.6	8.2	17.0

MARIJUANA USE
Source of marijuana (Q33)

<i>Grade</i>	<i>Source of marijuana</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Someone gave it to me someplace else	32	12.5	8.3	16.7
	I bought it on the internet	6	2.3	0.4	4.3
	I got it some other way	94	37.1	30.9	43.3
	Total	253	100.0	.	.
11th	I bought it from a friend	49	16.2	11.9	20.6
	I bought it from someone else	46	16.1	11.7	20.6
	I gave someone else money to buy it for me	22	7.5	4.4	10.6
	Someone gave it to me at a party or social gathering	34	11.4	7.7	15.1
	Someone gave it to me someplace else	22	8.3	4.8	11.8
	I bought it on the internet	5	1.9	0.2	3.6
	I got it some other way	107	38.6	32.6	44.6
	Total	285	100.0	.	.
12th	I bought it from a friend	38	16.4	10.9	21.8
	I bought it from someone else	43	17.1	11.9	22.4
	I gave someone else money to buy it for me	11	5.8	1.9	9.6
	Someone gave it to me at a party or social gathering	30	13.0	8.2	17.7
	Someone gave it to me someplace else	15	6.0	2.6	9.4
	I bought it on the internet	7	2.5	0.6	4.3
	I got it some other way	97	39.3	32.4	46.3
	Total	241	100.0	.	.
Total	I bought it from a friend	219	15.8	13.6	17.9
	I bought it from someone else	209	15.7	13.6	17.8
	I gave someone else money to buy it for me	78	6.0	4.6	7.5
	Someone gave it to me at a party or social gathering	161	11.5	9.6	13.3
	Someone gave it to me someplace else	158	10.7	9.0	12.5
	I bought it on the internet	35	2.5	1.6	3.3
	I got it some other way	524	37.8	35.0	40.6
	Total	1384	100.0	.	.

MARIJUANA USE
Past month marijuana use and driving (Q34)

<i>Grade</i>	<i>Past month marijuana use and driving</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3639	99.2	98.8	99.6
	Yes	25	0.8	0.4	1.2
	Total	3664	100.0	.	.
7th	No	6437	99.1	98.8	99.3
	Yes	58	0.9	0.7	1.2
	Total	6495	100.0	.	.
8th	No	4054	98.6	98.2	99.0
	Yes	57	1.4	1.0	1.8
	Total	4111	100.0	.	.
9th	No	5582	98.5	98.1	98.8
	Yes	82	1.5	1.2	1.9
	Total	5664	100.0	.	.
10th	No	4491	98.3	97.9	98.6
	Yes	85	1.7	1.4	2.1
	Total	4576	100.0	.	.
11th	No	3788	97.5	97.0	98.0
	Yes	94	2.5	2.0	3.0
	Total	3882	100.0	.	.
12th	No	2370	96.9	96.2	97.7
	Yes	79	3.1	2.3	3.8
	Total	2449	100.0	.	.
Total	No	30478	98.3	98.1	98.5
	Yes	485	1.7	1.5	1.9
	Total	30963	100.0	.	.

MARIJUANA
Past month rode with driver using marijuana (Q35)

<i>Grade</i>	<i>Past month rode with driver who used marijuana</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3322	90.4	89.1	91.6
	Yes	298	9.6	8.4	10.9
	Total	3620	100.0	.	.
7th	No	5864	91.0	90.2	91.8
	Yes	578	9.0	8.2	9.8
	Total	6442	100.0	.	.
8th	No	3698	91.2	90.3	92.1
	Yes	360	8.8	7.9	9.7
	Total	4058	100.0	.	.
9th	No	5115	91.3	90.5	92.0
	Yes	499	8.7	8.0	9.5
	Total	5614	100.0	.	.
10th	No	4123	91.0	90.1	91.8
	Yes	419	9.0	8.2	9.9
	Total	4542	100.0	.	.
11th	No	3492	90.9	89.9	91.8
	Yes	359	9.1	8.2	10.1
	Total	3851	100.0	.	.
12th	No	2181	91.0	89.8	92.2
	Yes	239	9.0	7.8	10.2
	Total	2420	100.0	.	.
Total	No	27899	91.0	90.6	91.3
	Yes	2766	9.0	8.7	9.4
	Total	30665	100.0	.	.

HEMP PRODUCT USE
Lifetime hemp product use (Q36)

<i>Grade</i>	<i>Lifetime hemp product use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3541	98.1	97.5	98.6
	Yes	64	1.9	1.4	2.5
	Total	3605	100.0	.	.
7th	No	6298	97.9	97.5	98.3
	Yes	133	2.1	1.7	2.5
	Total	6431	100.0	.	.
8th	No	3922	97.2	96.6	97.7
	Yes	107	2.8	2.3	3.4
	Total	4029	100.0	.	.
9th	No	5361	95.8	95.2	96.3
	Yes	237	4.2	3.7	4.8
	Total	5598	100.0	.	.
10th	No	4260	94.0	93.2	94.7
	Yes	271	6.0	5.3	6.8
	Total	4531	100.0	.	.
11th	No	3560	92.4	91.5	93.2
	Yes	296	7.6	6.8	8.5
	Total	3856	100.0	.	.
12th	No	2168	89.4	88.0	90.8
	Yes	253	10.6	9.2	12.0
	Total	2421	100.0	.	.
Total	No	29224	94.9	94.7	95.2
	Yes	1365	5.1	4.8	5.3
	Total	30589	100.0	.	.

HEMP PRODUCT USE
Age of first hemp product use (Q37)

<i>Grade</i>	<i>Age of first hemp product use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Never have OR 13 or older	3556	98.5	98.0	98.9
	12 or younger	54	1.5	1.1	2.0
	Total	3610	100.0	.	.
7th	Never have OR 13 or older	6341	98.5	98.2	98.9
	12 or younger	95	1.5	1.1	1.8
	Total	6436	100.0	.	.
8th	Never have OR 13 or older	3990	98.8	98.5	99.2
	12 or younger	43	1.2	0.8	1.5
	Total	4033	100.0	.	.
9th	Never have OR 13 or older	5542	98.9	98.6	99.2
	12 or younger	65	1.1	0.8	1.4
	Total	5607	100.0	.	.
10th	Never have OR 13 or older	4490	99.2	98.9	99.4
	12 or younger	39	0.8	0.6	1.1
	Total	4529	100.0	.	.
11th	Never have OR 13 or older	3822	99.3	99.1	99.6
	12 or younger	27	0.7	0.4	0.9
	Total	3849	100.0	.	.
12th	Never have OR 13 or older	2404	99.4	99.0	99.7
	12 or younger	17	0.6	0.3	1.0
	Total	2421	100.0	.	.
Total	Never have OR 13 or older	30262	98.9	98.8	99.1
	12 or younger	342	1.1	0.9	1.2
	Total	30604	100.0	.	.

HEMP PRODUCT USE
Current hemp product use (Q38)

<i>Grade</i>	<i>Current hemp product use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3596	98.8	98.3	99.3
	Yes	35	1.2	0.7	1.7
	Total	3631	100.0	.	.
7th	No	6393	98.9	98.6	99.2
	Yes	67	1.1	0.8	1.4
	Total	6460	100.0	.	.
8th	No	4002	98.6	98.2	99.0
	Yes	53	1.4	1.0	1.8
	Total	4055	100.0	.	.
9th	No	5509	97.9	97.5	98.3
	Yes	115	2.1	1.7	2.5
	Total	5624	100.0	.	.
10th	No	4408	97.0	96.4	97.5
	Yes	140	3.0	2.5	3.6
	Total	4548	100.0	.	.
11th	No	3707	96.1	95.5	96.7
	Yes	152	3.9	3.3	4.5
	Total	3859	100.0	.	.
12th	No	2296	94.7	93.7	95.7
	Yes	130	5.3	4.3	6.3
	Total	2426	100.0	.	.
Total	No	30027	97.4	97.2	97.6
	Yes	695	2.6	2.4	2.8
	Total	30722	100.0	.	.

HEMP PRODUCT USE
Source of hemp products (Q39)

<i>Grade</i>	<i>Source of hemp products</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	I bought it from a friend	6	10.6	1.9	19.4
	I bought it from someone else	4	10.7	0.0	22.6
	I gave someone else money to buy it for me	1	1.7	0.0	5.0
	Someone gave it to me at a party or social gathering	8	20.5	4.1	36.9
	Someone gave it to me someplace else	5	18.9	1.2	36.6
	I bought it on the internet	1	6.2	0.0	18.0
	I got it some other way	10	31.3	11.8	50.8
	Total	35	100.0	.	.
7th	I bought it from a friend	7	9.6	2.3	17.0
	I bought it from someone else	8	17.5	5.0	30.0
	I gave someone else money to buy it for me	7	8.8	2.2	15.5
	Someone gave it to me at a party or social gathering	11	13.9	5.7	22.2
	Someone gave it to me someplace else	8	14.4	3.8	24.9
	I bought it on the internet	2	1.9	0.0	4.6
	I got it some other way	25	33.9	21.2	46.5
	Total	68	100.0	.	.
8th	I bought it from a friend	7	15.0	4.1	25.9
	I bought it from someone else	9	17.6	6.7	28.6
	I gave someone else money to buy it for me	5	7.4	1.0	13.8
	Someone gave it to me at a party or social gathering	8	12.6	4.2	21.0
	Someone gave it to me someplace else	5	9.9	1.0	18.7
	I bought it on the internet	6	12.3	2.5	22.1
	I got it some other way	15	25.2	13.4	37.0
	Total	55	100.0	.	.
9th	I bought it from a friend	15	11.4	5.8	17.0
	I bought it from someone else	21	17.0	10.2	23.8
	I gave someone else money to buy it for me	8	7.9	2.5	13.3
	Someone gave it to me at a party or social gathering	9	8.1	2.8	13.5
	Someone gave it to me someplace else	12	9.9	4.4	15.5
	I bought it on the internet	9	7.8	2.8	12.8
	I got it some other way	46	37.8	28.8	46.7
	Total	120	100.0	.	.
10th	I bought it from a friend	20	14.0	8.1	20.0
	I bought it from someone else	22	16.5	9.9	23.1
	I gave someone else money to buy it for me	9	5.9	1.9	9.9
	Someone gave it to me at a party or social gathering	12	7.9	3.4	12.4

HEMP PRODUCT USE
Source of hemp products (Q39)

<i>Grade</i>	<i>Source of hemp products</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
	Someone gave it to me someplace else	19	12.8	7.2	18.3
	I bought it on the internet	8	6.3	1.9	10.6
	I got it some other way	51	36.6	28.3	44.9
	Total	141	100.0	.	.
11th	I bought it from a friend	23	14.4	8.7	20.0
	I bought it from someone else	19	13.2	7.5	18.8
	I gave someone else money to buy it for me	10	8.2	2.9	13.4
	Someone gave it to me at a party or social gathering	18	11.1	6.1	16.2
	Someone gave it to me someplace else	14	8.1	3.8	12.5
	I bought it on the internet	14	9.7	4.8	14.5
	I got it some other way	54	35.4	27.4	43.4
	Total	152	100.0	.	.
12th	I bought it from a friend	21	16.8	9.6	24.0
	I bought it from someone else	17	14.8	7.5	22.0
	I gave someone else money to buy it for me	14	11.1	4.9	17.3
	Someone gave it to me at a party or social gathering	12	9.7	4.0	15.3
	Someone gave it to me someplace else	8	4.8	1.4	8.1
	I bought it on the internet	11	7.1	2.9	11.3
	I got it some other way	51	35.8	26.8	44.9
	Total	134	100.0	.	.
Total	I bought it from a friend	100	14.0	11.2	16.9
	I bought it from someone else	100	15.2	12.2	18.3
	I gave someone else money to buy it for me	54	8.1	5.8	10.5
	Someone gave it to me at a party or social gathering	79	10.5	8.1	13.0
	Someone gave it to me someplace else	72	9.6	7.3	11.9
	I bought it on the internet	51	7.5	5.4	9.6
	I got it some other way	252	35.0	31.1	38.9
	Total	708	100.0	.	.

HEMP PRODUCT USE
Past month hemp product use and driving (Q40)

<i>Grade</i>	<i>Past month use of hemp products and driving</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3621	99.1	98.7	99.6
	Yes	23	0.9	0.4	1.3
	Total	3644	100.0	.	.
7th	No	6440	99.4	99.2	99.7
	Yes	31	0.6	0.3	0.8
	Total	6471	100.0	.	.
8th	No	4039	99.2	99.0	99.5
	Yes	28	0.8	0.5	1.0
	Total	4067	100.0	.	.
9th	No	5595	99.3	99.1	99.5
	Yes	37	0.7	0.5	0.9
	Total	5632	100.0	.	.
10th	No	4507	99.0	98.7	99.3
	Yes	47	1.0	0.7	1.3
	Total	4554	100.0	.	.
11th	No	3804	98.5	98.1	98.9
	Yes	59	1.5	1.1	1.9
	Total	3863	100.0	.	.
12th	No	2373	97.6	96.9	98.3
	Yes	57	2.4	1.7	3.1
	Total	2430	100.0	.	.
Total	No	30496	98.9	98.8	99.0
	Yes	286	1.1	1.0	1.2
	Total	30782	100.0	.	.

HEMP PRODUCT USE
Past month rode with driver using hemp products (Q41)

Grade	Past month rode with driver who used hemp products	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
6th	No	3503	96.8	96.0	97.6
	Yes	93	3.2	2.4	4.0
	Total	3596	100.0	.	.
7th	No	6254	97.3	96.9	97.8
	Yes	167	2.7	2.2	3.1
	Total	6421	100.0	.	.
8th	No	3934	97.3	96.8	97.9
	Yes	102	2.7	2.1	3.2
	Total	4036	100.0	.	.
9th	No	5499	97.6	97.2	98.1
	Yes	128	2.4	1.9	2.8
	Total	5627	100.0	.	.
10th	No	4404	97.1	96.6	97.6
	Yes	134	2.9	2.4	3.4
	Total	4538	100.0	.	.
11th	No	3702	96.5	95.9	97.1
	Yes	138	3.5	2.9	4.1
	Total	3840	100.0	.	.
12th	No	2319	95.5	94.5	96.5
	Yes	107	4.5	3.5	5.5
	Total	2426	100.0	.	.
Total	No	29728	96.9	96.7	97.2
	Yes	874	3.1	2.8	3.3
	Total	30602	100.0	.	.

RX DRUG MISUSE
Lifetime Rx drug misuse(Q42)

<i>Grade</i>	<i>Lifetime Rx drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3335	92.2	91.1	93.2
	Yes	285	7.8	6.8	8.9
	Total	3620	100.0	.	.
7th	No	5915	91.9	91.2	92.6
	Yes	509	8.1	7.4	8.8
	Total	6424	100.0	.	.
8th	No	3772	92.7	91.8	93.5
	Yes	298	7.3	6.5	8.2
	Total	4070	100.0	.	.
9th	No	5222	93.2	92.5	93.9
	Yes	400	6.8	6.1	7.5
	Total	5622	100.0	.	.
10th	No	4255	93.2	92.4	93.9
	Yes	329	6.8	6.1	7.6
	Total	4584	100.0	.	.
11th	No	3614	93.7	92.9	94.4
	Yes	257	6.3	5.6	7.1
	Total	3871	100.0	.	.
12th	No	2239	92.6	91.4	93.8
	Yes	182	7.4	6.2	8.6
	Total	2421	100.0	.	.
Total	No	28463	92.8	92.5	93.1
	Yes	2271	7.2	6.9	7.5
	Total	30734	100.0	.	.

RX DRUG MISUSE
Age of first Rx drug misuse (Q43)

<i>Grade</i>	<i>Age of first Rx drug misuse</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Never have OR 13 or older	3345	93.0	92.0	94.0
	12 or younger	256	7.0	6.0	8.0
	Total	3601	100.0	.	.
7th	Never have OR 13 or older	5965	93.0	92.3	93.6
	12 or younger	445	7.0	6.4	7.7
	Total	6410	100.0	.	.
8th	Never have OR 13 or older	3854	94.8	94.1	95.5
	12 or younger	207	5.2	4.5	5.9
	Total	4061	100.0	.	.
9th	Never have OR 13 or older	5399	96.2	95.7	96.7
	12 or younger	222	3.8	3.3	4.3
	Total	5621	100.0	.	.
10th	Never have OR 13 or older	4438	97.2	96.7	97.7
	12 or younger	131	2.8	2.3	3.3
	Total	4569	100.0	.	.
11th	Never have OR 13 or older	3796	98.2	97.8	98.6
	12 or younger	70	1.8	1.4	2.2
	Total	3866	100.0	.	.
12th	Never have OR 13 or older	2373	98.1	97.5	98.7
	12 or younger	46	1.9	1.3	2.5
	Total	2419	100.0	.	.
Total	Never have OR 13 or older	29285	95.9	95.6	96.1
	12 or younger	1383	4.1	3.9	4.4
	Total	30668	100.0	.	.

RX DRUG MISUSE
Current Rx drug misuse (Q44)

<i>Grade</i>	<i>Current Rx drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3557	97.9	97.4	98.4
	Yes	80	2.1	1.6	2.6
	Total	3637	100.0	.	.
7th	No	6289	97.6	97.2	98.0
	Yes	156	2.4	2.0	2.8
	Total	6445	100.0	.	.
8th	No	3996	97.6	97.1	98.1
	Yes	95	2.4	1.9	2.9
	Total	4091	100.0	.	.
9th	No	5520	98.0	97.6	98.3
	Yes	118	2.0	1.7	2.4
	Total	5638	100.0	.	.
10th	No	4480	97.8	97.3	98.2
	Yes	104	2.2	1.8	2.7
	Total	4584	100.0	.	.
11th	No	3799	98.0	97.6	98.5
	Yes	80	2.0	1.5	2.4
	Total	3879	100.0	.	.
12th	No	2386	97.9	97.3	98.6
	Yes	49	2.1	1.4	2.7
	Total	2435	100.0	.	.
Total	No	30143	97.8	97.6	98.0
	Yes	687	2.2	2.0	2.4
	Total	30830	100.0	.	.

RX DRUG MISUSE
Source of Rx drugs (Q45)

<i>Grade</i>	<i>Rx drug source</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	I took them from a friend without asking	4	4.2	0.1	8.4
	I took them from a family member without asking	3	5.7	0.0	13.1
	I bought them from a friend	5	7.2	0.1	14.4
	I bought them from a family member	2	4.6	0.0	11.8
	I got them from a friend for free (they gave them to me)	5	5.3	0.7	9.9
	I got them from a family member for free (they gave them to me)	28	31.6	20.3	43.0
	I bought them from someone else	1	1.0	0.0	3.1
	I got them from more than one doctor and used them for non-medical reasons	3	5.2	0.0	11.9
	I got them from just one doctor and used them for non-medical reasons	3	3.2	0.0	6.8
	I wrote fake prescriptions	1	1.0	0.0	2.8
	I stole them from a doctor's office, clinic, hospital, or pharmacy	5	8.7	0.0	18.0
	I bought them on the Internet	0	.	.	.
	I got them some other way	17	22.2	11.3	33.0
	Total	77	100.0	.	.
7th	I took them from a friend without asking	7	5.7	0.9	10.5
	I took them from a family member without asking	21	12.8	7.4	18.1
	I bought them from a friend	2	1.3	0.0	3.1
	I bought them from a family member	3	1.6	0.0	3.5
	I got them from a friend for free (they gave them to me)	9	4.7	1.5	7.8
	I got them from a family member for free (they gave them to me)	49	27.6	20.6	34.7
	I bought them from someone else	2	1.3	0.0	3.1
	I got them from more than one doctor and used them for non-medical reasons	5	3.2	0.3	6.0
	I got them from just one doctor and used them for non-medical reasons	3	2.1	0.0	4.4
	I wrote fake prescriptions	4	3.7	0.0	8.0
	I stole them from a doctor's office, clinic, hospital, or pharmacy	4	2.3	0.1	4.6
	I bought them on the Internet	4	2.8	0.1	5.5
	I got them some other way	50	31.0	23.2	38.7
	Total	163	100.0	.	.
8th	I took them from a friend without asking	5	4.8	0.6	8.9
	I took them from a family member without asking	10	9.9	4.0	15.8
	I bought them from a friend	3	2.9	0.0	6.1
	I bought them from a family member	1	2.2	0.0	6.4
	I got them from a friend for free (they gave them to me)	4	5.1	0.0	10.4
	I got them from a family member for free (they gave them to me)	36	37.8	27.7	48.0
	I bought them from someone else	0	.	.	.
	I got them from more than one doctor and used them for non-medical reasons	3	3.7	0.0	7.8

RX DRUG MISUSE
Source of Rx drugs (Q45)

<i>Grade</i>	<i>Rx drug source</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	I got them from just one doctor and used them for non-medical reasons	7	8.8	2.3	15.4
	I wrote fake prescriptions	0	.	.	.
	I stole them from a doctor's office, clinic, hospital, or pharmacy	2	2.0	0.0	4.7
	I bought them on the Internet	4	4.5	0.0	8.9
	I got them some other way	19	18.4	10.7	26.1
	Total	94	100.0	.	.
9th	I took them from a friend without asking	0	.	.	.
	I took them from a family member without asking	13	11.1	5.3	17.0
	I bought them from a friend	2	2.6	0.0	6.2
	I bought them from a family member	8	7.7	2.5	12.9
	I got them from a friend for free (they gave them to me)	7	6.3	1.7	10.9
	I got them from a family member for free (they gave them to me)	44	37.4	28.1	46.7
	I bought them from someone else	2	1.5	0.0	3.6
	I got them from more than one doctor and used them for non-medical reasons	3	2.4	0.0	5.2
	I got them from just one doctor and used them for non-medical reasons	3	2.7	0.0	5.8
	I wrote fake prescriptions	1	1.7	0.0	5.1
	I stole them from a doctor's office, clinic, hospital, or pharmacy	5	3.8	0.4	7.2
	I bought them on the Internet	6	5.3	1.1	9.6
	I got them some other way	23	17.4	10.5	24.3
	Total	117	100.0	.	.
10th	I took them from a friend without asking	8	7.1	2.1	12.0
	I took them from a family member without asking	5	5.8	0.7	10.9
	I bought them from a friend	3	2.9	0.0	6.2
	I bought them from a family member	4	4.1	0.0	8.4
	I got them from a friend for free (they gave them to me)	5	4.9	0.6	9.3
	I got them from a family member for free (they gave them to me)	45	43.1	33.1	53.1
	I bought them from someone else	4	2.7	0.1	5.4
	I got them from more than one doctor and used them for non-medical reasons	2	1.7	0.0	4.2
	I got them from just one doctor and used them for non-medical reasons	2	1.7	0.0	4.1
	I wrote fake prescriptions	3	4.4	0.0	9.4
	I stole them from a doctor's office, clinic, hospital, or pharmacy	1	1.2	0.0	3.7
	I bought them on the Internet	3	3.4	0.0	7.3
	I got them some other way	19	17.0	9.7	24.2
	Total	104	100.0	.	.
11th	I took them from a friend without asking	1	1.5	0.0	4.4
	I took them from a family member without asking	10	13.1	5.3	20.8

RX DRUG MISUSE
Source of Rx drugs (Q45)

<i>Grade</i>	<i>Rx drug source</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	I bought them from a friend	6	6.6	1.3	11.8
	I bought them from a family member	8	10.9	3.7	18.2
	I got them from a friend for free (they gave them to me)	9	10.0	3.5	16.6
	I got them from a family member for free (they gave them to me)	17	21.6	12.1	31.0
	I bought them from someone else	1	1.5	0.0	4.4
	I got them from more than one doctor and used them for non-medical reasons	3	4.0	0.0	8.6
	I got them from just one doctor and used them for non-medical reasons	3	4.0	0.0	8.5
	I wrote fake prescriptions	3	4.0	0.0	8.6
	I stole them from a doctor's office, clinic, hospital, or pharmacy	3	3.9	0.0	8.4
	I bought them on the Internet	0	.	.	.
	I got them some other way	15	18.9	9.9	27.8
	Total	79	100.0	.	.
12th	I took them from a friend without asking	3	5.0	0.0	10.6
	I took them from a family member without asking	11	17.5	7.3	27.7
	I bought them from a friend	1	1.7	0.0	5.1
	I bought them from a family member	4	8.7	0.0	17.5
	I got them from a friend for free (they gave them to me)	4	11.2	0.0	22.4
	I got them from a family member for free (they gave them to me)	15	26.1	13.0	39.2
	I bought them from someone else	0	.	.	.
	I got them from more than one doctor and used them for non-medical reasons	3	4.6	0.0	9.8
	I got them from just one doctor and used them for non-medical reasons	2	2.8	0.0	6.8
	I wrote fake prescriptions	1	1.7	0.0	5.1
	I stole them from a doctor's office, clinic, hospital, or pharmacy	1	1.2	0.0	3.5
	I bought them on the Internet	1	5.0	0.0	14.5
	I got them some other way	7	14.5	2.9	26.0
	Total	53	100.0	.	.
Total	I took them from a friend without asking	28	4.0	2.4	5.6
	I took them from a family member without asking	73	10.9	8.3	13.4
	I bought them from a friend	22	3.3	1.8	4.7
	I bought them from a family member	30	5.5	3.4	7.6
	I got them from a friend for free (they gave them to me)	43	6.6	4.4	8.8
	I got them from a family member for free (they gave them to me)	234	32.3	28.5	36.1
	I bought them from someone else	10	1.2	0.4	2.0
	I got them from more than one doctor and used them for non-medical reasons	24	3.6	2.1	5.1
	I got them from just one doctor and used them for non-medical reasons	24	3.5	2.0	4.9
	I wrote fake prescriptions	13	2.5	1.0	4.0

RX DRUG MISUSE
Source of Rx drugs (Q45)

<i>Grade</i>	<i>Rx drug source</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	I stole them from a doctor's office, clinic, hospital, or pharmacy	21	3.1	1.6	4.5
	I bought them on the Internet	18	3.2	1.4	4.9
	I got them some other way	151	20.4	17.1	23.6
	Total	691	100.0	.	.

RX DRUG MISUSE
Lifetime Rx pain reliever misuse (Q46)

<i>Grade</i>	<i>Lifetime Rx pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3541	97.4	96.8	98.0
	Yes	101	2.6	2.0	3.2
	Total	3642	100.0	.	.
7th	No	6259	97.0	96.6	97.4
	Yes	197	3.0	2.6	3.4
	Total	6456	100.0	.	.
8th	No	3981	97.3	96.8	97.8
	Yes	110	2.7	2.2	3.2
	Total	4091	100.0	.	.
9th	No	5502	97.6	97.2	98.0
	Yes	143	2.4	2.0	2.8
	Total	5645	100.0	.	.
10th	No	4483	97.8	97.3	98.2
	Yes	111	2.2	1.8	2.7
	Total	4594	100.0	.	.
11th	No	3788	97.9	97.4	98.3
	Yes	86	2.1	1.7	2.6
	Total	3874	100.0	.	.
12th	No	2372	97.0	96.2	97.8
	Yes	65	3.0	2.2	3.8
	Total	2437	100.0	.	.
Total	No	30042	97.4	97.2	97.6
	Yes	819	2.6	2.4	2.8
	Total	30861	100.0	.	.

RX DRUG MISUSE
Age of first Rx pain reliever misuse (Q47)

<i>Grade</i>	<i>Age of first prescription pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Never have OR 13 or older	3547	97.7	97.1	98.2
	12 or younger	95	2.3	1.8	2.9
	Total	3642	100.0	.	.
7th	Never have OR 13 or older	6273	97.4	97.0	97.9
	12 or younger	170	2.6	2.1	3.0
	Total	6443	100.0	.	.
8th	Never have OR 13 or older	4011	98.2	97.7	98.6
	12 or younger	72	1.8	1.4	2.3
	Total	4083	100.0	.	.
9th	Never have OR 13 or older	5579	98.9	98.7	99.2
	12 or younger	61	1.1	0.8	1.3
	Total	5640	100.0	.	.
10th	Never have OR 13 or older	4547	99.2	98.9	99.5
	12 or younger	39	0.8	0.5	1.1
	Total	4586	100.0	.	.
11th	Never have OR 13 or older	3860	99.6	99.4	99.8
	12 or younger	16	0.4	0.2	0.6
	Total	3876	100.0	.	.
12th	Never have OR 13 or older	2424	99.4	99.0	99.8
	12 or younger	14	0.6	0.2	1.0
	Total	2438	100.0	.	.
Total	Never have OR 13 or older	30360	98.7	98.5	98.8
	12 or younger	469	1.3	1.2	1.5
	Total	30829	100.0	.	.

RX DRUG MISUSE
Current Rx pain reliever misuse (Q48)

<i>Grade</i>	<i>Current prescription pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3599	98.7	98.2	99.1
	Yes	46	1.3	0.9	1.8
	Total	3645	100.0	.	.
7th	No	6360	98.7	98.4	99.0
	Yes	89	1.3	1.0	1.6
	Total	6449	100.0	.	.
8th	No	4043	98.8	98.4	99.1
	Yes	49	1.2	0.9	1.6
	Total	4092	100.0	.	.
9th	No	5584	98.9	98.6	99.2
	Yes	63	1.1	0.8	1.4
	Total	5647	100.0	.	.
10th	No	4543	99.0	98.7	99.3
	Yes	49	1.0	0.7	1.3
	Total	4592	100.0	.	.
11th	No	3844	99.2	98.9	99.4
	Yes	36	0.8	0.6	1.1
	Total	3880	100.0	.	.
12th	No	2410	98.6	98.0	99.2
	Yes	29	1.4	0.8	2.0
	Total	2439	100.0	.	.
Total	No	30501	98.8	98.7	99.0
	Yes	366	1.2	1.0	1.3
	Total	30867	100.0	.	.

RX DRUG MISUSE
Source of Rx pain relievers (Q49)

<i>Grade</i>	<i>Source of prescription pain relievers</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	I took them from a friend without asking	3	5.3	0.0	11.3
	I took them from a family member without asking	4	6.8	0.2	13.4
	I bought them from a friend	2	3.2	0.0	7.6
	I bought them from a family member	0	.	.	.
	I got them from a friend for free (they gave them to me)	2	7.5	0.0	18.8
	I got them from a family member for free (they gave them to me)	20	33.6	19.3	47.8
	I bought them from someone else	0	.	.	.
	I got them from more than one doctor and used them for non-medical reasons	0	.	.	.
	I got them from just one doctor and used them for non-medical reasons	3	8.5	0.0	19.2
	I wrote fake prescriptions	0	.	.	.
	I stole them from a doctor's office, clinic, hospital, or pharmacy	3	5.1	0.0	10.9
	I bought them on the Internet	1	7.6	0.0	21.6
	I got them some other way	9	22.6	7.4	37.8
	Total	47	100.0	.	.
7th	I took them from a friend without asking	1	1.2	0.0	3.7
	I took them from a family member without asking	14	15.9	7.9	23.8
	I bought them from a friend	4	6.7	0.0	14.7
	I bought them from a family member	2	2.6	0.0	6.3
	I got them from a friend for free (they gave them to me)	5	4.5	0.4	8.7
	I got them from a family member for free (they gave them to me)	24	25.5	16.0	35.0
	I bought them from someone else	1	1.4	0.0	4.1
	I got them from more than one doctor and used them for non-medical reasons	6	6.5	1.1	11.8
	I got them from just one doctor and used them for non-medical reasons	2	2.6	0.0	6.2
	I wrote fake prescriptions	0	.	.	.
	I stole them from a doctor's office, clinic, hospital, or pharmacy	3	3.8	0.0	8.1
	I bought them on the Internet	1	4.0	0.0	11.5
	I got them some other way	23	25.2	15.7	34.8
	Total	86	100.0	.	.
8th	I took them from a friend without asking	2	6.0	0.0	14.7
	I took them from a family member without asking	7	14.0	4.2	23.7
	I bought them from a friend	3	6.0	0.0	12.7
	I bought them from a family member	4	7.4	0.3	14.5
	I got them from a friend for free (they gave them to me)	0	.	.	.
	I got them from a family member for free (they gave them to me)	14	28.7	15.3	42.2
	I bought them from someone else	3	6.2	0.0	13.1
	I got them from more than one doctor and used them for non-medical reasons	1	2.0	0.0	6.0

RX DRUG MISUSE
Source of Rx pain relievers (Q49)

<i>Grade</i>	<i>Source of prescription pain relievers</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	I got them from just one doctor and used them for non-medical reasons	1	1.7	0.0	5.1
	I wrote fake prescriptions	2	4.7	0.0	11.5
	I stole them from a doctor's office, clinic, hospital, or pharmacy	2	6.4	0.0	15.5
	I bought them on the Internet	1	1.6	0.0	4.7
	I got them some other way	8	15.2	5.2	25.1
	Total	48	100.0	.	.
9th	I took them from a friend without asking	1	1.8	0.0	5.4
	I took them from a family member without asking	6	9.3	2.1	16.4
	I bought them from a friend	3	4.6	0.0	9.9
	I bought them from a family member	2	2.9	0.0	6.9
	I got them from a friend for free (they gave them to me)	4	4.7	0.0	9.5
	I got them from a family member for free (they gave them to me)	22	32.3	20.4	44.2
	I bought them from someone else	1	1.6	0.0	4.7
	I got them from more than one doctor and used them for non-medical reasons	5	6.4	0.7	12.0
	I got them from just one doctor and used them for non-medical reasons	5	7.2	0.8	13.6
	I wrote fake prescriptions	2	2.5	0.0	6.1
	I stole them from a doctor's office, clinic, hospital, or pharmacy	4	6.5	0.3	12.6
	I bought them on the Internet	0	.	.	.
	I got them some other way	14	20.2	10.2	30.3
	Total	69	100.0	.	.
10th	I took them from a friend without asking	0	.	.	.
	I took them from a family member without asking	3	7.0	0.0	15.2
	I bought them from a friend	4	7.7	0.1	15.4
	I bought them from a family member	1	3.5	0.0	10.2
	I got them from a friend for free (they gave them to me)	3	6.4	0.0	14.0
	I got them from a family member for free (they gave them to me)	10	18.5	7.6	29.4
	I bought them from someone else	2	2.7	0.0	6.5
	I got them from more than one doctor and used them for non-medical reasons	1	1.5	0.0	4.4
	I got them from just one doctor and used them for non-medical reasons	5	9.8	1.3	18.3
	I wrote fake prescriptions	0	.	.	.
	I stole them from a doctor's office, clinic, hospital, or pharmacy	3	4.1	0.0	8.7
	I bought them on the Internet	4	9.2	0.3	18.2
	I got them some other way	16	29.5	16.7	42.3
	Total	52	100.0	.	.
11th	I took them from a friend without asking	4	11.3	0.5	22.1
	I took them from a family member without asking	7	16.6	4.6	28.7

RX DRUG MISUSE
Source of Rx pain relievers (Q49)

<i>Grade</i>	<i>Source of prescription pain relievers</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	I bought them from a friend	5	13.1	2.0	24.2
	I bought them from a family member	3	8.8	0.0	18.5
	I got them from a friend for free (they gave them to me)	2	6.7	0.0	15.7
	I got them from a family member for free (they gave them to me)	6	12.8	2.4	23.3
	I bought them from someone else	4	11.5	0.6	22.3
	I got them from more than one doctor and used them for non-medical reasons	2	6.7	0.0	15.7
	I got them from just one doctor and used them for non-medical reasons	0	.	.	.
	I wrote fake prescriptions	1	2.2	0.0	6.6
	I stole them from a doctor's office, clinic, hospital, or pharmacy	2	6.5	0.0	15.3
	I bought them on the Internet	0	.	.	.
	I got them some other way	1	3.6	0.0	10.6
	Total	37	100.0	.	.
12th	I took them from a friend without asking	3	7.3	0.0	15.9
	I took them from a family member without asking	4	7.3	0.0	14.7
	I bought them from a friend	4	14.6	0.0	29.9
	I bought them from a family member	3	9.1	0.0	19.1
	I got them from a friend for free (they gave them to me)	4	12.5	0.0	25.3
	I got them from a family member for free (they gave them to me)	5	17.6	1.5	33.8
	I bought them from someone else	1	2.6	0.0	7.8
	I got them from more than one doctor and used them for non-medical reasons	0	.	.	.
	I got them from just one doctor and used them for non-medical reasons	1	2.7	0.0	8.0
	I wrote fake prescriptions	2	6.4	0.0	15.2
	I stole them from a doctor's office, clinic, hospital, or pharmacy	1	2.6	0.0	7.8
	I bought them on the Internet	0	.	.	.
	I got them some other way	5	17.3	1.4	33.2
	Total	33	100.0	.	.
Total	I took them from a friend without asking	14	4.1	1.9	6.4
	I took them from a family member without asking	46	11.0	7.8	14.1
	I bought them from a friend	27	8.2	4.7	11.8
	I bought them from a family member	15	4.6	2.2	7.1
	I got them from a friend for free (they gave them to me)	20	6.0	3.0	9.0
	I got them from a family member for free (they gave them to me)	103	24.7	19.9	29.5
	I bought them from someone else	12	3.2	1.4	5.1
	I got them from more than one doctor and used them for non-medical reasons	15	3.4	1.6	5.3
	I got them from just one doctor and used them for non-medical reasons	18	5.0	2.6	7.4
	I wrote fake prescriptions	7	2.2	0.4	4.0

RX DRUG MISUSE
Source of Rx pain relievers (Q49)

<i>Grade</i>	<i>Source of prescription pain relievers</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
	I stole them from a doctor's office, clinic, hospital, or pharmacy	18	4.8	2.5	7.1
	I bought them on the Internet	7	3.0	0.5	5.6
	I got them some other way	76	19.6	15.1	24.2
	Total	378	100.0	.	.

OTHER DRUG USE
Lifetime cocaine use (Q50)

<i>Grade</i>	<i>Lifetime cocaine use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3552	98.5	98.0	99.1
	Yes	46	1.5	0.9	2.0
	Total	3598	100.0	.	.
7th	No	6368	98.9	98.6	99.2
	Yes	66	1.1	0.8	1.4
	Total	6434	100.0	.	.
8th	No	4010	98.9	98.6	99.3
	Yes	42	1.1	0.7	1.4
	Total	4052	100.0	.	.
9th	No	5567	99.1	98.8	99.3
	Yes	56	0.9	0.7	1.2
	Total	5623	100.0	.	.
10th	No	4484	98.9	98.5	99.2
	Yes	53	1.1	0.8	1.5
	Total	4537	100.0	.	.
11th	No	3773	98.4	97.9	98.8
	Yes	66	1.6	1.2	2.1
	Total	3839	100.0	.	.
12th	No	2403	98.3	97.7	98.9
	Yes	41	1.7	1.1	2.3
	Total	2444	100.0	.	.
Total	No	30269	98.7	98.6	98.9
	Yes	377	1.3	1.1	1.4
	Total	30646	100.0	.	.

OTHER DRUG USE
Lifetime heroin use (Q51)

<i>Grade</i>	<i>Lifetime heroin use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3548	98.8	98.4	99.3
	Yes	36	1.2	0.7	1.6
	Total	3584	100.0	.	.
7th	No	6354	99.0	98.7	99.3
	Yes	64	1.0	0.7	1.3
	Total	6418	100.0	.	.
8th	No	3968	98.9	98.6	99.2
	Yes	43	1.1	0.8	1.4
	Total	4011	100.0	.	.
9th	No	5536	99.2	99.0	99.4
	Yes	48	0.8	0.6	1.0
	Total	5584	100.0	.	.
10th	No	4444	98.7	98.4	99.1
	Yes	57	1.3	0.9	1.6
	Total	4501	100.0	.	.
11th	No	3751	98.4	97.9	98.8
	Yes	62	1.6	1.2	2.1
	Total	3813	100.0	.	.
12th	No	2387	98.4	97.8	98.9
	Yes	38	1.6	1.1	2.2
	Total	2425	100.0	.	.
Total	No	30100	98.8	98.6	98.9
	Yes	353	1.2	1.1	1.4
	Total	30453	100.0	.	.

OTHER DRUG USE
Age of first heroin use (Q52)

<i>Grade</i>	<i>Age of first heroin use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Never have OR 13 or older	3555	99.0	98.6	99.4
	12 or younger	34	1.0	0.6	1.4
	Total	3589	100.0	.	.
7th	Never have OR 13 or older	6377	99.3	99.1	99.5
	12 or younger	46	0.7	0.5	0.9
	Total	6423	100.0	.	.
8th	Never have OR 13 or older	3986	99.3	99.1	99.6
	12 or younger	24	0.7	0.4	0.9
	Total	4010	100.0	.	.
9th	Never have OR 13 or older	5560	99.5	99.3	99.7
	12 or younger	31	0.5	0.3	0.7
	Total	5591	100.0	.	.
10th	Never have OR 13 or older	4470	99.3	99.0	99.5
	12 or younger	34	0.7	0.5	1.0
	Total	4504	100.0	.	.
11th	Never have OR 13 or older	3786	99.4	99.1	99.6
	12 or younger	25	0.6	0.4	0.9
	Total	3811	100.0	.	.
12th	Never have OR 13 or older	2404	99.2	98.8	99.6
	12 or younger	20	0.8	0.4	1.2
	Total	2424	100.0	.	.
Total	Never have OR 13 or older	30257	99.3	99.2	99.4
	12 or younger	214	0.7	0.6	0.8
	Total	30471	100.0	.	.

OTHER DRUG USE
Current heroin use (Q53)

<i>Grade</i>	<i>Current heroin use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3586	99.3	98.9	99.7
	Yes	20	0.7	0.3	1.1
	Total	3606	100.0	.	.
7th	No	6403	99.3	99.0	99.5
	Yes	43	0.7	0.5	1.0
	Total	6446	100.0	.	.
8th	No	4011	99.4	99.1	99.7
	Yes	23	0.6	0.3	0.9
	Total	4034	100.0	.	.
9th	No	5575	99.5	99.3	99.7
	Yes	31	0.5	0.3	0.7
	Total	5606	100.0	.	.
10th	No	4475	99.1	98.8	99.4
	Yes	40	0.9	0.6	1.2
	Total	4515	100.0	.	.
11th	No	3787	98.9	98.6	99.3
	Yes	42	1.1	0.7	1.4
	Total	3829	100.0	.	.
12th	No	2408	98.8	98.3	99.3
	Yes	27	1.2	0.7	1.7
	Total	2435	100.0	.	.
Total	No	30358	99.2	99.1	99.3
	Yes	231	0.8	0.7	0.9
	Total	30589	100.0	.	.

OTHER DRUG BEHAVIORS
Sold drugs in past year (Q54)

<i>Grade</i>	<i>Sold illegal drugs in the past year</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3423	98.9	98.4	99.3
	Yes	34	1.1	0.7	1.6
	Total	3457	100.0	.	.
7th	No	6146	98.5	98.1	98.9
	Yes	86	1.5	1.1	1.9
	Total	6232	100.0	.	.
8th	No	3843	98.4	98.0	98.8
	Yes	60	1.6	1.2	2.0
	Total	3903	100.0	.	.
9th	No	5341	98.4	98.0	98.7
	Yes	92	1.6	1.3	2.0
	Total	5433	100.0	.	.
10th	No	4277	97.9	97.4	98.3
	Yes	96	2.1	1.7	2.6
	Total	4373	100.0	.	.
11th	No	3622	97.5	97.0	98.0
	Yes	96	2.5	2.0	3.0
	Total	3718	100.0	.	.
12th	No	2295	97.8	97.2	98.5
	Yes	53	2.2	1.5	2.8
	Total	2348	100.0	.	.
Total	No	29052	98.1	98.0	98.3
	Yes	526	1.9	1.7	2.0
	Total	29578	100.0	.	.

OTHER DRUG BEHAVIORS
Attacked someone due to drugs or alcohol in past year (Q55)

<i>Grade</i>	<i>Attacked someone in past year due to alcohol or drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3386	98.4	97.9	98.9
	Yes	54	1.6	1.1	2.1
	Total	3440	100.0	.	.
7th	No	6110	98.5	98.2	98.8
	Yes	91	1.5	1.2	1.8
	Total	6201	100.0	.	.
8th	No	3832	98.5	98.1	98.9
	Yes	54	1.5	1.1	1.9
	Total	3886	100.0	.	.
9th	No	5325	98.8	98.5	99.1
	Yes	66	1.2	0.9	1.5
	Total	5391	100.0	.	.
10th	No	4285	98.6	98.2	98.9
	Yes	66	1.4	1.1	1.8
	Total	4351	100.0	.	.
11th	No	3640	98.4	98.0	98.8
	Yes	62	1.6	1.2	2.0
	Total	3702	100.0	.	.
12th	No	2299	98.3	97.7	98.9
	Yes	38	1.7	1.1	2.3
	Total	2337	100.0	.	.
Total	No	28978	98.5	98.3	98.7
	Yes	437	1.5	1.3	1.7
	Total	29415	100.0	.	.

OTHER DRUG BEHAVIORS
Been drunk or high at school in past year (Q56)

<i>Grade</i>	<i>Been drunk or high at school in past year</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No	3378	98.1	97.5	98.7
	Yes	58	1.9	1.3	2.5
	Total	3436	100.0	.	.
7th	No	6010	97.0	96.5	97.5
	Yes	190	3.0	2.5	3.5
	Total	6200	100.0	.	.
8th	No	3746	96.3	95.7	96.9
	Yes	142	3.7	3.1	4.3
	Total	3888	100.0	.	.
9th	No	5145	95.5	94.9	96.1
	Yes	241	4.5	3.9	5.1
	Total	5386	100.0	.	.
10th	No	4135	94.9	94.2	95.5
	Yes	227	5.1	4.5	5.8
	Total	4362	100.0	.	.
11th	No	3507	94.9	94.2	95.7
	Yes	195	5.1	4.3	5.8
	Total	3702	100.0	.	.
12th	No	2194	93.9	92.8	95.0
	Yes	139	6.1	5.0	7.2
	Total	2333	100.0	.	.
Total	No	28214	95.7	95.4	96.0
	Yes	1201	4.3	4.0	4.6
	Total	29415	100.0	.	.

OTHER DRUG BEHAVIORS
Extent to which alcohol is central to school social life (Q57)

<i>Grade</i>	<i>Drinking is central part of social life among students</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Very little or none OR Some	3326	98.1	97.5	98.7
	Quite a lot OR A great deal	60	1.9	1.3	2.5
	Total	3386	100.0	.	.
7th	Very little or none OR Some	5903	96.2	95.7	96.7
	Quite a lot OR A great deal	237	3.8	3.3	4.3
	Total	6140	100.0	.	.
8th	Very little or none OR Some	3626	93.8	93.0	94.6
	Quite a lot OR A great deal	241	6.2	5.4	7.0
	Total	3867	100.0	.	.
9th	Very little or none OR Some	4835	90.1	89.3	90.9
	Quite a lot OR A great deal	526	9.9	9.1	10.7
	Total	5361	100.0	.	.
10th	Very little or none OR Some	3830	88.5	87.5	89.5
	Quite a lot OR A great deal	499	11.5	10.5	12.5
	Total	4329	100.0	.	.
11th	Very little or none OR Some	3189	87.2	86.1	88.3
	Quite a lot OR A great deal	482	12.8	11.7	13.9
	Total	3671	100.0	.	.
12th	Very little or none OR Some	1970	85.4	83.8	87.1
	Quite a lot OR A great deal	340	14.6	12.9	16.2
	Total	2310	100.0	.	.
Total	Very little or none OR Some	26781	91.1	90.7	91.5
	Quite a lot OR A great deal	2390	8.9	8.5	9.3
	Total	29171	100.0	.	.

OTHER DRUG BEHAVIORS
Extent to which alcohol is used at school sport events (Q58)

<i>Grade</i>	<i>Extent to which students use alcohol at school events</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Very little or none OR Some	3352	98.1	97.5	98.8
	Quite a lot OR A great deal	48	1.9	1.2	2.5
	Total	3400	100.0	.	.
7th	Very little or none OR Some	5983	97.3	96.9	97.8
	Quite a lot OR A great deal	172	2.7	2.2	3.1
	Total	6155	100.0	.	.
8th	Very little or none OR Some	3706	96.0	95.3	96.6
	Quite a lot OR A great deal	155	4.0	3.4	4.7
	Total	3861	100.0	.	.
9th	Very little or none OR Some	4917	91.7	91.0	92.5
	Quite a lot OR A great deal	449	8.3	7.5	9.0
	Total	5366	100.0	.	.
10th	Very little or none OR Some	3953	90.6	89.7	91.5
	Quite a lot OR A great deal	409	9.4	8.5	10.3
	Total	4362	100.0	.	.
11th	Very little or none OR Some	3268	88.8	87.7	89.9
	Quite a lot OR A great deal	418	11.2	10.1	12.3
	Total	3686	100.0	.	.
12th	Very little or none OR Some	2030	88.4	86.9	89.8
	Quite a lot OR A great deal	289	11.6	10.2	13.1
	Total	2319	100.0	.	.
Total	Very little or none OR Some	27307	92.8	92.4	93.1
	Quite a lot OR A great deal	1947	7.2	6.9	7.6
	Total	29254	100.0	.	.

OTHER DRUG BEHAVIORS
Extent of alcohol use on school property (Q59)

<i>Grade</i>	<i>Extent to which students use alcohol on school property</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Very little or none OR Some	3350	98.2	97.6	98.8
	Quite a lot OR A great deal	50	1.8	1.2	2.4
	Total	3400	100.0	.	.
7th	Very little or none OR Some	5901	96.0	95.5	96.6
	Quite a lot OR A great deal	250	4.0	3.4	4.5
	Total	6151	100.0	.	.
8th	Very little or none OR Some	3647	94.8	94.1	95.5
	Quite a lot OR A great deal	204	5.2	4.5	5.9
	Total	3851	100.0	.	.
9th	Very little or none OR Some	4927	91.9	91.2	92.7
	Quite a lot OR A great deal	428	8.1	7.3	8.8
	Total	5355	100.0	.	.
10th	Very little or none OR Some	4012	92.6	91.8	93.4
	Quite a lot OR A great deal	326	7.4	6.6	8.2
	Total	4338	100.0	.	.
11th	Very little or none OR Some	3416	93.0	92.1	93.9
	Quite a lot OR A great deal	253	7.0	6.1	7.9
	Total	3669	100.0	.	.
12th	Very little or none OR Some	2144	93.3	92.2	94.5
	Quite a lot OR A great deal	158	6.7	5.5	7.8
	Total	2302	100.0	.	.
Total	Very little or none OR Some	27498	94.0	93.7	94.3
	Quite a lot OR A great deal	1673	6.0	5.7	6.3
	Total	29171	100.0	.	.

SELF DISAPPROVAL OF USE
Self disapproval of alcohol use (Q60)

<i>Grade</i>	<i>Self disapproval of alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	402	12.6	11.2	14.0
	Wrong OR Very wrong	3038	87.4	86.0	88.8
	Total	3440	100.0	.	.
7th	Not wrong at all OR A little bit wrong	1010	16.2	15.2	17.2
	Wrong OR Very wrong	5144	83.8	82.8	84.8
	Total	6154	100.0	.	.
8th	Not wrong at all OR A little bit wrong	841	21.5	20.2	22.9
	Wrong OR Very wrong	3016	78.5	77.1	79.8
	Total	3857	100.0	.	.
9th	Not wrong at all OR A little bit wrong	1510	28.6	27.3	29.9
	Wrong OR Very wrong	3837	71.4	70.1	72.7
	Total	5347	100.0	.	.
10th	Not wrong at all OR A little bit wrong	1526	35.4	33.9	36.9
	Wrong OR Very wrong	2799	64.6	63.1	66.1
	Total	4325	100.0	.	.
11th	Not wrong at all OR A little bit wrong	1460	40.0	38.4	41.7
	Wrong OR Very wrong	2190	60.0	58.3	61.6
	Total	3650	100.0	.	.
12th	Not wrong at all OR A little bit wrong	1095	47.3	44.9	49.6
	Wrong OR Very wrong	1198	52.7	50.4	55.1
	Total	2293	100.0	.	.
Total	Not wrong at all OR A little bit wrong	7870	29.1	28.6	29.7
	Wrong OR Very wrong	21299	70.9	70.3	71.4
	Total	29169	100.0	.	.

SELF DISAPPROVAL OF USE
Self disapproval of cigarette use (Q61)

<i>Grade</i>	<i>Self disapproval of cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	226	7.2	6.1	8.3
	Wrong OR Very wrong	3210	92.8	91.7	93.9
	Total	3436	100.0	.	.
7th	Not wrong at all OR A little bit wrong	530	8.6	7.8	9.3
	Wrong OR Very wrong	5666	91.4	90.7	92.2
	Total	6196	100.0	.	.
8th	Not wrong at all OR A little bit wrong	402	10.5	9.5	11.5
	Wrong OR Very wrong	3454	89.5	88.5	90.5
	Total	3856	100.0	.	.
9th	Not wrong at all OR A little bit wrong	751	14.1	13.1	15.1
	Wrong OR Very wrong	4594	85.9	84.9	86.9
	Total	5345	100.0	.	.
10th	Not wrong at all OR A little bit wrong	717	16.7	15.5	17.8
	Wrong OR Very wrong	3611	83.3	82.2	84.5
	Total	4328	100.0	.	.
11th	Not wrong at all OR A little bit wrong	755	20.7	19.3	22.0
	Wrong OR Very wrong	2896	79.3	78.0	80.7
	Total	3651	100.0	.	.
12th	Not wrong at all OR A little bit wrong	569	23.7	21.8	25.7
	Wrong OR Very wrong	1718	76.3	74.3	78.2
	Total	2287	100.0	.	.
Total	Not wrong at all OR A little bit wrong	3962	14.6	14.1	15.0
	Wrong OR Very wrong	25242	85.4	85.0	85.9
	Total	29204	100.0	.	.

SELF DISAPPROVAL OF USE
Self disapproval of vaping (Q62)

<i>Grade</i>	<i>Self disapproval of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	354	11.1	9.8	12.5
	Wrong OR Very wrong	3094	88.9	87.5	90.2
	Total	3448	100.0	.	.
7th	Not wrong at all OR A little bit wrong	883	14.0	13.1	15.0
	Wrong OR Very wrong	5288	86.0	85.0	86.9
	Total	6171	100.0	.	.
8th	Not wrong at all OR A little bit wrong	665	17.2	16.0	18.5
	Wrong OR Very wrong	3195	82.8	81.5	84.0
	Total	3860	100.0	.	.
9th	Not wrong at all OR A little bit wrong	1108	20.7	19.6	21.8
	Wrong OR Very wrong	4244	79.3	78.2	80.4
	Total	5352	100.0	.	.
10th	Not wrong at all OR A little bit wrong	1028	23.7	22.4	25.0
	Wrong OR Very wrong	3295	76.3	75.0	77.6
	Total	4323	100.0	.	.
11th	Not wrong at all OR A little bit wrong	1032	28.2	26.7	29.7
	Wrong OR Very wrong	2608	71.8	70.3	73.3
	Total	3640	100.0	.	.
12th	Not wrong at all OR A little bit wrong	760	31.9	29.8	34.1
	Wrong OR Very wrong	1529	68.1	65.9	70.2
	Total	2289	100.0	.	.
Total	Not wrong at all OR A little bit wrong	5850	21.1	20.6	21.7
	Wrong OR Very wrong	23338	78.9	78.3	79.4
	Total	29188	100.0	.	.

SELF DISAPPROVAL OF USE
Self disapproval of marijuana use (Q63)

<i>Grade</i>	<i>Self disapproval of marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	213	6.9	5.8	8.0
	Wrong OR Very wrong	3221	93.1	92.0	94.2
	Total	3434	100.0	.	.
7th	Not wrong at all OR A little bit wrong	608	9.8	9.0	10.6
	Wrong OR Very wrong	5562	90.2	89.4	91.0
	Total	6170	100.0	.	.
8th	Not wrong at all OR A little bit wrong	585	15.2	14.1	16.4
	Wrong OR Very wrong	3272	84.8	83.6	85.9
	Total	3857	100.0	.	.
9th	Not wrong at all OR A little bit wrong	1177	22.3	21.2	23.5
	Wrong OR Very wrong	4177	77.7	76.5	78.8
	Total	5354	100.0	.	.
10th	Not wrong at all OR A little bit wrong	1245	29.0	27.6	30.5
	Wrong OR Very wrong	3066	71.0	69.5	72.4
	Total	4311	100.0	.	.
11th	Not wrong at all OR A little bit wrong	1323	36.3	34.7	38.0
	Wrong OR Very wrong	2330	63.7	62.0	65.3
	Total	3653	100.0	.	.
12th	Not wrong at all OR A little bit wrong	992	41.9	39.6	44.3
	Wrong OR Very wrong	1293	58.1	55.7	60.4
	Total	2285	100.0	.	.
Total	Not wrong at all OR A little bit wrong	6158	23.3	22.8	23.9
	Wrong OR Very wrong	23012	76.7	76.1	77.2
	Total	29170	100.0	.	.

SELF DISAPPROVAL OF USE
Self isapproval of prescription drug misuse (Q64)

<i>Grade</i>	<i>Self disapproval of Rx drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	366	11.1	9.8	12.4
	Wrong OR Very wrong	3054	88.9	87.6	90.2
	Total	3420	100.0	.	.
7th	Not wrong at all OR A little bit wrong	775	12.6	11.7	13.5
	Wrong OR Very wrong	5385	87.4	86.5	88.3
	Total	6160	100.0	.	.
8th	Not wrong at all OR A little bit wrong	546	14.1	13.0	15.3
	Wrong OR Very wrong	3307	85.9	84.7	87.0
	Total	3853	100.0	.	.
9th	Not wrong at all OR A little bit wrong	778	14.9	13.9	15.9
	Wrong OR Very wrong	4573	85.1	84.1	86.1
	Total	5351	100.0	.	.
10th	Not wrong at all OR A little bit wrong	646	14.8	13.7	15.9
	Wrong OR Very wrong	3668	85.2	84.1	86.3
	Total	4314	100.0	.	.
11th	Not wrong at all OR A little bit wrong	611	16.6	15.3	17.9
	Wrong OR Very wrong	3037	83.4	82.1	84.7
	Total	3648	100.0	.	.
12th	Not wrong at all OR A little bit wrong	370	15.8	14.1	17.4
	Wrong OR Very wrong	1914	84.2	82.6	85.9
	Total	2284	100.0	.	.
Total	Not wrong at all OR A little bit wrong	4101	14.3	13.9	14.8
	Wrong OR Very wrong	25033	85.7	85.2	86.1
	Total	29134	100.0	.	.

SELF DISAPPROVAL OF USE
Self disapproval of prescription pain reliever misuse (Q65)

<i>Grade</i>	<i>Self disapproval of Rx pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	433	12.8	11.4	14.1
	Wrong OR Very wrong	2970	87.2	85.9	88.6
	Total	3403	100.0	.	.
7th	Not wrong at all OR A little bit wrong	938	15.4	14.5	16.4
	Wrong OR Very wrong	5213	84.6	83.6	85.5
	Total	6151	100.0	.	.
8th	Not wrong at all OR A little bit wrong	589	15.4	14.2	16.6
	Wrong OR Very wrong	3244	84.6	83.4	85.8
	Total	3833	100.0	.	.
9th	Not wrong at all OR A little bit wrong	842	16.0	15.0	17.1
	Wrong OR Very wrong	4499	84.0	82.9	85.0
	Total	5341	100.0	.	.
10th	Not wrong at all OR A little bit wrong	686	16.0	14.8	17.1
	Wrong OR Very wrong	3628	84.0	82.9	85.2
	Total	4314	100.0	.	.
11th	Not wrong at all OR A little bit wrong	577	15.9	14.7	17.2
	Wrong OR Very wrong	3064	84.1	82.8	85.3
	Total	3641	100.0	.	.
12th	Not wrong at all OR A little bit wrong	356	15.6	13.9	17.3
	Wrong OR Very wrong	1936	84.4	82.7	86.1
	Total	2292	100.0	.	.
Total	Not wrong at all OR A little bit wrong	4438	15.4	15.0	15.9
	Wrong OR Very wrong	24639	84.6	84.1	85.0
	Total	29077	100.0	.	.

SELF DISAPPROVAL OF USE
Self isapproval of other illicit drug use (Q66)

<i>Grade</i>	<i>Self disapproval of other drug use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	144	4.7	3.8	5.7
	Wrong OR Very wrong	3264	95.3	94.3	96.2
	Total	3408	100.0	.	.
7th	Not wrong at all OR A little bit wrong	308	5.1	4.5	5.8
	Wrong OR Very wrong	5854	94.9	94.2	95.5
	Total	6162	100.0	.	.
8th	Not wrong at all OR A little bit wrong	244	6.4	5.6	7.2
	Wrong OR Very wrong	3601	93.6	92.8	94.4
	Total	3845	100.0	.	.
9th	Not wrong at all OR A little bit wrong	398	7.7	6.9	8.4
	Wrong OR Very wrong	4938	92.3	91.6	93.1
	Total	5336	100.0	.	.
10th	Not wrong at all OR A little bit wrong	338	8.1	7.2	8.9
	Wrong OR Very wrong	3970	91.9	91.1	92.8
	Total	4308	100.0	.	.
11th	Not wrong at all OR A little bit wrong	377	10.5	9.5	11.6
	Wrong OR Very wrong	3279	89.5	88.4	90.5
	Total	3656	100.0	.	.
12th	Not wrong at all OR A little bit wrong	265	11.0	9.6	12.4
	Wrong OR Very wrong	2018	89.0	87.6	90.4
	Total	2283	100.0	.	.
Total	Not wrong at all OR A little bit wrong	2080	7.7	7.4	8.1
	Wrong OR Very wrong	27021	92.3	91.9	92.6
	Total	29101	100.0	.	.

SELF DISAPPROVAL OF USE
Self disapproval of heroin or fentanyl use (Q67)

<i>Grade</i>	<i>Self disapproval of heroin use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	154	4.8	3.9	5.7
	Wrong OR Very wrong	3247	95.2	94.3	96.1
	Total	3401	100.0	.	.
7th	Not wrong at all OR A little bit wrong	327	5.6	4.9	6.2
	Wrong OR Very wrong	5816	94.4	93.8	95.1
	Total	6143	100.0	.	.
8th	Not wrong at all OR A little bit wrong	219	5.8	5.1	6.6
	Wrong OR Very wrong	3619	94.2	93.4	94.9
	Total	3838	100.0	.	.
9th	Not wrong at all OR A little bit wrong	369	7.1	6.4	7.8
	Wrong OR Very wrong	4981	92.9	92.2	93.6
	Total	5350	100.0	.	.
10th	Not wrong at all OR A little bit wrong	296	7.1	6.3	7.9
	Wrong OR Very wrong	3989	92.9	92.1	93.7
	Total	4285	100.0	.	.
11th	Not wrong at all OR A little bit wrong	322	9.0	8.0	10.0
	Wrong OR Very wrong	3327	91.0	90.0	92.0
	Total	3649	100.0	.	.
12th	Not wrong at all OR A little bit wrong	230	9.9	8.5	11.2
	Wrong OR Very wrong	2053	90.1	88.8	91.5
	Total	2283	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1923	7.1	6.7	7.4
	Wrong OR Very wrong	27132	92.9	92.6	93.3
	Total	29055	100.0	.	.

RISK OF HARM
Risk of harm cigarette use (Q68)

<i>Grade</i>	<i>Risk of cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No risk OR Slight risk	420	12.6	11.3	14.0
	Moderate risk OR Great risk	2978	87.4	86.0	88.7
	Total	3398	100.0	.	.
7th	No risk OR Slight risk	753	12.4	11.5	13.3
	Moderate risk OR Great risk	5389	87.6	86.7	88.5
	Total	6142	100.0	.	.
8th	No risk OR Slight risk	499	13.2	12.1	14.4
	Moderate risk OR Great risk	3326	86.8	85.6	87.9
	Total	3825	100.0	.	.
9th	No risk OR Slight risk	726	13.9	12.9	14.8
	Moderate risk OR Great risk	4608	86.1	85.2	87.1
	Total	5334	100.0	.	.
10th	No risk OR Slight risk	611	14.6	13.5	15.7
	Moderate risk OR Great risk	3667	85.4	84.3	86.5
	Total	4278	100.0	.	.
11th	No risk OR Slight risk	559	15.5	14.2	16.7
	Moderate risk OR Great risk	3068	84.5	83.3	85.8
	Total	3627	100.0	.	.
12th	No risk OR Slight risk	404	17.2	15.5	18.9
	Moderate risk OR Great risk	1865	82.8	81.1	84.5
	Total	2269	100.0	.	.
Total	No risk OR Slight risk	3991	14.2	13.8	14.7
	Moderate risk OR Great risk	24989	85.8	85.3	86.2
	Total	28980	100.0	.	.

RISK OF HARM
Risk of harm from vaping (Q69)

<i>Grade</i>	<i>Risk of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No risk OR Slight risk	531	16.1	14.6	17.7
	Moderate risk OR Great risk	2858	83.9	82.3	85.4
	Total	3389	100.0	.	.
7th	No risk OR Slight risk	1039	16.8	15.8	17.8
	Moderate risk OR Great risk	5088	83.2	82.2	84.2
	Total	6127	100.0	.	.
8th	No risk OR Slight risk	657	17.2	16.0	18.5
	Moderate risk OR Great risk	3169	82.8	81.5	84.0
	Total	3826	100.0	.	.
9th	No risk OR Slight risk	1032	19.4	18.3	20.5
	Moderate risk OR Great risk	4311	80.6	79.5	81.7
	Total	5343	100.0	.	.
10th	No risk OR Slight risk	852	20.1	18.9	21.4
	Moderate risk OR Great risk	3426	79.9	78.6	81.1
	Total	4278	100.0	.	.
11th	No risk OR Slight risk	766	20.8	19.4	22.2
	Moderate risk OR Great risk	2878	79.2	77.8	80.6
	Total	3644	100.0	.	.
12th	No risk OR Slight risk	548	23.3	21.3	25.3
	Moderate risk OR Great risk	1730	76.7	74.7	78.7
	Total	2278	100.0	.	.
Total	No risk OR Slight risk	5448	19.2	18.7	19.7
	Moderate risk OR Great risk	23544	80.8	80.3	81.3
	Total	28992	100.0	.	.

RISK OF HARM
Risk of harm from marijuana use (Q70)

<i>Grade</i>	<i>Risk of marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No risk OR Slight risk	530	17.2	15.6	18.9
	Moderate risk OR Great risk	2836	82.8	81.1	84.4
	Total	3366	100.0	.	.
7th	No risk OR Slight risk	1132	18.4	17.4	19.4
	Moderate risk OR Great risk	4996	81.6	80.6	82.6
	Total	6128	100.0	.	.
8th	No risk OR Slight risk	853	22.5	21.1	23.9
	Moderate risk OR Great risk	2965	77.5	76.1	78.9
	Total	3818	100.0	.	.
9th	No risk OR Slight risk	1538	29.1	27.8	30.4
	Moderate risk OR Great risk	3790	70.9	69.6	72.2
	Total	5328	100.0	.	.
10th	No risk OR Slight risk	1421	33.1	31.6	34.6
	Moderate risk OR Great risk	2872	66.9	65.4	68.4
	Total	4293	100.0	.	.
11th	No risk OR Slight risk	1378	37.7	36.1	39.4
	Moderate risk OR Great risk	2258	62.3	60.6	63.9
	Total	3636	100.0	.	.
12th	No risk OR Slight risk	993	43.2	40.9	45.5
	Moderate risk OR Great risk	1280	56.8	54.5	59.1
	Total	2273	100.0	.	.
Total	No risk OR Slight risk	7875	29.0	28.4	29.6
	Moderate risk OR Great risk	21073	71.0	70.4	71.6
	Total	28948	100.0	.	.

RISK OF HARM
Risk of harm from hemp product use (Q71)

<i>Grade</i>	<i>Risk of hemp product use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
Total	No risk OR Slight risk	5332	19.7	19.2	20.3
	Moderate risk OR Great risk	23453	80.3	79.7	80.8
	Total	28785	100.0	.	.

RISK OF HARM
Risk of harm from binge alcohol use (Q72)

<i>Grade</i>	<i>Risk of binge alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No risk OR Slight risk	571	16.9	15.4	18.5
	Moderate risk OR Great risk	2802	83.1	81.5	84.6
	Total	3373	100.0	.	.
7th	No risk OR Slight risk	1107	18.4	17.3	19.5
	Moderate risk OR Great risk	5016	81.6	80.5	82.7
	Total	6123	100.0	.	.
8th	No risk OR Slight risk	718	19.1	17.8	20.4
	Moderate risk OR Great risk	3095	80.9	79.6	82.2
	Total	3813	100.0	.	.
9th	No risk OR Slight risk	1052	19.9	18.8	21.0
	Moderate risk OR Great risk	4249	80.1	79.0	81.2
	Total	5301	100.0	.	.
10th	No risk OR Slight risk	882	21.0	19.7	22.3
	Moderate risk OR Great risk	3389	79.0	77.7	80.3
	Total	4271	100.0	.	.
11th	No risk OR Slight risk	832	22.7	21.3	24.1
	Moderate risk OR Great risk	2806	77.3	75.9	78.7
	Total	3638	100.0	.	.
12th	No risk OR Slight risk	573	24.9	22.9	26.9
	Moderate risk OR Great risk	1693	75.1	73.1	77.1
	Total	2266	100.0	.	.
Total	No risk OR Slight risk	5754	20.4	19.9	21.0
	Moderate risk OR Great risk	23135	79.6	79.0	80.1
	Total	28889	100.0	.	.

RISK OF HARM
Risk of harm from prescription drug misuse (Q73)

<i>Grade</i>	<i>Risk of prescription drug misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No risk OR Slight risk	561	17.1	15.6	18.7
	Moderate risk OR Great risk	2790	82.9	81.3	84.4
	Total	3351	100.0	.	.
7th	No risk OR Slight risk	942	15.6	14.6	16.6
	Moderate risk OR Great risk	5161	84.4	83.4	85.4
	Total	6103	100.0	.	.
8th	No risk OR Slight risk	608	16.2	15.0	17.4
	Moderate risk OR Great risk	3208	83.8	82.6	85.0
	Total	3816	100.0	.	.
9th	No risk OR Slight risk	852	16.5	15.4	17.5
	Moderate risk OR Great risk	4457	83.5	82.5	84.6
	Total	5309	100.0	.	.
10th	No risk OR Slight risk	710	16.8	15.6	18.0
	Moderate risk OR Great risk	3552	83.2	82.0	84.4
	Total	4262	100.0	.	.
11th	No risk OR Slight risk	628	17.4	16.1	18.7
	Moderate risk OR Great risk	2998	82.6	81.3	83.9
	Total	3626	100.0	.	.
12th	No risk OR Slight risk	393	17.0	15.2	18.7
	Moderate risk OR Great risk	1871	83.0	81.3	84.8
	Total	2264	100.0	.	.
Total	No risk OR Slight risk	4715	16.6	16.1	17.1
	Moderate risk OR Great risk	24120	83.4	82.9	83.9
	Total	28835	100.0	.	.

RISK OF HARM
Risk of harm from prescription pain reliever misuse (Q74)

<i>Grade</i>	<i>Risk of prescription pain reliever misuse</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	No risk OR Slight risk	514	15.6	14.1	17.1
	Moderate risk OR Great risk	2837	84.4	82.9	85.9
	Total	3351	100.0	.	.
7th	No risk OR Slight risk	954	15.9	14.9	16.9
	Moderate risk OR Great risk	5153	84.1	83.1	85.1
	Total	6107	100.0	.	.
8th	No risk OR Slight risk	591	15.8	14.6	17.0
	Moderate risk OR Great risk	3215	84.2	83.0	85.4
	Total	3806	100.0	.	.
9th	No risk OR Slight risk	850	16.3	15.3	17.4
	Moderate risk OR Great risk	4450	83.7	82.6	84.7
	Total	5300	100.0	.	.
10th	No risk OR Slight risk	668	16.1	14.9	17.2
	Moderate risk OR Great risk	3591	83.9	82.8	85.1
	Total	4259	100.0	.	.
11th	No risk OR Slight risk	593	16.4	15.1	17.7
	Moderate risk OR Great risk	3021	83.6	82.3	84.9
	Total	3614	100.0	.	.
12th	No risk OR Slight risk	360	15.8	14.1	17.5
	Moderate risk OR Great risk	1896	84.2	82.5	85.9
	Total	2256	100.0	.	.
Total	No risk OR Slight risk	4551	16.0	15.6	16.5
	Moderate risk OR Great risk	24247	84.0	83.5	84.4
	Total	28798	100.0	.	.

EASE OF ACCESS
Ease of access to cigarettes (Q75)

<i>Grade</i>	<i>Ease of access to cigarettes</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Very easy OR Sort of easy	524	16.6	15.1	18.2
	Sort of hard OR Very hard	2716	83.4	81.8	84.9
	Total	3240	100.0	.	.
7th	Very easy OR Sort of easy	1376	23.0	21.9	24.1
	Sort of hard OR Very hard	4616	77.0	75.9	78.1
	Total	5992	100.0	.	.
8th	Very easy OR Sort of easy	1014	26.9	25.5	28.4
	Sort of hard OR Very hard	2743	73.1	71.6	74.5
	Total	3757	100.0	.	.
9th	Very easy OR Sort of easy	1686	32.7	31.4	34.0
	Sort of hard OR Very hard	3586	67.3	66.0	68.6
	Total	5272	100.0	.	.
10th	Very easy OR Sort of easy	1512	35.6	34.1	37.1
	Sort of hard OR Very hard	2722	64.4	62.9	65.9
	Total	4234	100.0	.	.
11th	Very easy OR Sort of easy	1351	37.6	35.9	39.3
	Sort of hard OR Very hard	2234	62.4	60.7	64.1
	Total	3585	100.0	.	.
12th	Very easy OR Sort of easy	1037	46.5	44.2	48.9
	Sort of hard OR Very hard	1212	53.5	51.1	55.8
	Total	2249	100.0	.	.
Total	Very easy OR Sort of easy	8529	31.7	31.1	32.3
	Sort of hard OR Very hard	19898	68.3	67.7	68.9
	Total	28427	100.0	.	.

EASE OF ACCESS
Ease of access to vaping products (Q76)

<i>Grade</i>	<i>Ease of access to vaping products</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Very easy OR Sort of easy	622	20.2	18.5	21.9
	Sort of hard OR Very hard	2638	79.8	78.1	81.5
	Total	3260	100.0	.	.
7th	Very easy OR Sort of easy	1891	31.5	30.2	32.7
	Sort of hard OR Very hard	4110	68.5	67.3	69.8
	Total	6001	100.0	.	.
8th	Very easy OR Sort of easy	1363	36.1	34.5	37.6
	Sort of hard OR Very hard	2402	63.9	62.4	65.5
	Total	3765	100.0	.	.
9th	Very easy OR Sort of easy	2281	44.0	42.6	45.4
	Sort of hard OR Very hard	2993	56.0	54.6	57.4
	Total	5274	100.0	.	.
10th	Very easy OR Sort of easy	1995	46.8	45.2	48.4
	Sort of hard OR Very hard	2246	53.2	51.6	54.8
	Total	4241	100.0	.	.
11th	Very easy OR Sort of easy	1722	47.7	46.0	49.4
	Sort of hard OR Very hard	1861	52.3	50.6	54.0
	Total	3583	100.0	.	.
12th	Very easy OR Sort of easy	1238	54.6	52.3	57.0
	Sort of hard OR Very hard	1019	45.4	43.0	47.7
	Total	2257	100.0	.	.
Total	Very easy OR Sort of easy	11145	40.9	40.2	41.5
	Sort of hard OR Very hard	17336	59.1	58.5	59.8
	Total	28481	100.0	.	.

EASE OF ACCESS
Ease of access to prescription drugs (Q77)

<i>Grade</i>	<i>Ease of access to Rx drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Very easy OR Sort of easy	416	13.3	11.8	14.7
	Sort of hard OR Very hard	2818	86.7	85.3	88.2
	Total	3234	100.0	.	.
7th	Very easy OR Sort of easy	1095	18.4	17.3	19.4
	Sort of hard OR Very hard	4891	81.6	80.6	82.7
	Total	5986	100.0	.	.
8th	Very easy OR Sort of easy	764	20.4	19.1	21.7
	Sort of hard OR Very hard	2982	79.6	78.3	80.9
	Total	3746	100.0	.	.
9th	Very easy OR Sort of easy	1238	24.0	22.8	25.3
	Sort of hard OR Very hard	4030	76.0	74.7	77.2
	Total	5268	100.0	.	.
10th	Very easy OR Sort of easy	1037	24.4	23.1	25.8
	Sort of hard OR Very hard	3181	75.6	74.2	76.9
	Total	4218	100.0	.	.
11th	Very easy OR Sort of easy	882	24.6	23.1	26.1
	Sort of hard OR Very hard	2707	75.4	73.9	76.9
	Total	3589	100.0	.	.
12th	Very easy OR Sort of easy	628	27.5	25.4	29.6
	Sort of hard OR Very hard	1622	72.5	70.4	74.6
	Total	2250	100.0	.	.
Total	Very easy OR Sort of easy	6078	22.2	21.6	22.7
	Sort of hard OR Very hard	22314	77.8	77.3	78.4
	Total	28392	100.0	.	.

EASE OF ACCESS
Ease of access to prescription pain relievers (Q78)

Grade	Ease of access to Rx pain relievers	Unweighted N	Percent	Lower 95%CL	Upper 95%CL
6th	Very easy OR Sort of easy	342	10.2	9.0	11.4
	Sort of hard OR Very hard	2883	89.8	88.6	91.0
	Total	3225	100.0	.	.
7th	Very easy OR Sort of easy	929	15.9	14.9	16.9
	Sort of hard OR Very hard	5043	84.1	83.1	85.1
	Total	5972	100.0	.	.
8th	Very easy OR Sort of easy	620	16.7	15.4	17.9
	Sort of hard OR Very hard	3125	83.3	82.1	84.6
	Total	3745	100.0	.	.
9th	Very easy OR Sort of easy	998	19.2	18.1	20.3
	Sort of hard OR Very hard	4260	80.8	79.7	81.9
	Total	5258	100.0	.	.
10th	Very easy OR Sort of easy	871	20.6	19.3	21.9
	Sort of hard OR Very hard	3369	79.4	78.1	80.7
	Total	4240	100.0	.	.
11th	Very easy OR Sort of easy	703	19.6	18.2	21.0
	Sort of hard OR Very hard	2872	80.4	79.0	81.8
	Total	3575	100.0	.	.
12th	Very easy OR Sort of easy	506	22.3	20.3	24.2
	Sort of hard OR Very hard	1749	77.7	75.8	79.7
	Total	2255	100.0	.	.
Total	Very easy OR Sort of easy	4984	18.1	17.6	18.6
	Sort of hard OR Very hard	23385	81.9	81.4	82.4
	Total	28369	100.0	.	.

EASE OF ACCESS
Ease of access to alcohol (Q79)

<i>Grade</i>	<i>Ease of access to alcohol</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Very easy OR Sort of easy	644	19.7	18.1	21.4
	Sort of hard OR Very hard	2597	80.3	78.6	81.9
	Total	3241	100.0	.	.
7th	Very easy OR Sort of easy	1789	30.1	28.9	31.4
	Sort of hard OR Very hard	4207	69.9	68.6	71.1
	Total	5996	100.0	.	.
8th	Very easy OR Sort of easy	1251	32.9	31.4	34.5
	Sort of hard OR Very hard	2512	67.1	65.5	68.6
	Total	3763	100.0	.	.
9th	Very easy OR Sort of easy	2005	38.5	37.1	39.9
	Sort of hard OR Very hard	3252	61.5	60.1	62.9
	Total	5257	100.0	.	.
10th	Very easy OR Sort of easy	1787	42.3	40.7	43.8
	Sort of hard OR Very hard	2453	57.7	56.2	59.3
	Total	4240	100.0	.	.
11th	Very easy OR Sort of easy	1565	43.6	41.8	45.3
	Sort of hard OR Very hard	2021	56.4	54.7	58.2
	Total	3586	100.0	.	.
12th	Very easy OR Sort of easy	1139	51.6	49.2	53.9
	Sort of hard OR Very hard	1116	48.4	46.1	50.8
	Total	2255	100.0	.	.
Total	Very easy OR Sort of easy	10208	37.5	36.9	38.1
	Sort of hard OR Very hard	18229	62.5	61.9	63.1
	Total	28437	100.0	.	.

EASE OF ACCESS
Ease of access to other illegal drugs (Q80)

<i>Grade</i>	<i>Ease of access to other illegal drugs</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Very easy OR Sort of easy	164	5.8	4.8	6.9
	Sort of hard OR Very hard	3080	94.2	93.1	95.2
	Total	3244	100.0	.	.
7th	Very easy OR Sort of easy	460	7.8	7.0	8.5
	Sort of hard OR Very hard	5514	92.2	91.5	93.0
	Total	5974	100.0	.	.
8th	Very easy OR Sort of easy	351	9.5	8.6	10.5
	Sort of hard OR Very hard	3392	90.5	89.5	91.4
	Total	3743	100.0	.	.
9th	Very easy OR Sort of easy	640	12.5	11.6	13.5
	Sort of hard OR Very hard	4630	87.5	86.5	88.4
	Total	5270	100.0	.	.
10th	Very easy OR Sort of easy	526	12.5	11.5	13.6
	Sort of hard OR Very hard	3702	87.5	86.4	88.5
	Total	4228	100.0	.	.
11th	Very easy OR Sort of easy	527	14.7	13.5	15.9
	Sort of hard OR Very hard	3056	85.3	84.1	86.5
	Total	3583	100.0	.	.
12th	Very easy OR Sort of easy	404	17.4	15.7	19.2
	Sort of hard OR Very hard	1850	82.6	80.8	84.3
	Total	2254	100.0	.	.
Total	Very easy OR Sort of easy	3080	11.6	11.2	12.1
	Sort of hard OR Very hard	25313	88.4	87.9	88.8
	Total	28393	100.0	.	.

EASE OF ACCESS
Ease of accessing marijuana (Q81)

<i>Grade</i>	<i>Ease of access to marijuana</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Very easy OR Sort of easy	264	8.6	7.4	9.8
	Sort of hard OR Very hard	2982	91.4	90.2	92.6
	Total	3246	100.0	.	.
7th	Very easy OR Sort of easy	893	14.9	14.0	15.9
	Sort of hard OR Very hard	5078	85.1	84.1	86.0
	Total	5971	100.0	.	.
8th	Very easy OR Sort of easy	771	20.8	19.5	22.2
	Sort of hard OR Very hard	2976	79.2	77.8	80.5
	Total	3747	100.0	.	.
9th	Very easy OR Sort of easy	1545	30.2	28.9	31.5
	Sort of hard OR Very hard	3703	69.8	68.5	71.1
	Total	5248	100.0	.	.
10th	Very easy OR Sort of easy	1551	36.9	35.3	38.4
	Sort of hard OR Very hard	2667	63.1	61.6	64.7
	Total	4218	100.0	.	.
11th	Very easy OR Sort of easy	1404	39.4	37.7	41.1
	Sort of hard OR Very hard	2158	60.6	58.9	62.3
	Total	3562	100.0	.	.
12th	Very easy OR Sort of easy	1042	46.1	43.7	48.4
	Sort of hard OR Very hard	1188	53.9	51.6	56.3
	Total	2230	100.0	.	.
Total	Very easy OR Sort of easy	7487	28.8	28.2	29.3
	Sort of hard OR Very hard	20833	71.2	70.7	71.8
	Total	28320	100.0	.	.

EASE OF ACCESS
Ease of access to heroin (Q82)

<i>Grade</i>	<i>Ease of access to heroin</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Very easy OR Sort of easy	181	5.9	4.9	7.0
	Sort of hard OR Very hard	3047	94.1	93.0	95.1
	Total	3228	100.0	.	.
7th	Very easy OR Sort of easy	424	7.2	6.5	7.9
	Sort of hard OR Very hard	5552	92.8	92.1	93.5
	Total	5976	100.0	.	.
8th	Very easy OR Sort of easy	325	8.8	7.9	9.8
	Sort of hard OR Very hard	3420	91.2	90.2	92.1
	Total	3745	100.0	.	.
9th	Very easy OR Sort of easy	591	11.7	10.8	12.6
	Sort of hard OR Very hard	4669	88.3	87.4	89.2
	Total	5260	100.0	.	.
10th	Very easy OR Sort of easy	504	12.1	11.1	13.1
	Sort of hard OR Very hard	3716	87.9	86.9	88.9
	Total	4220	100.0	.	.
11th	Very easy OR Sort of easy	459	12.8	11.6	14.0
	Sort of hard OR Very hard	3125	87.2	86.0	88.4
	Total	3584	100.0	.	.
12th	Very easy OR Sort of easy	331	14.1	12.5	15.7
	Sort of hard OR Very hard	1912	85.9	84.3	87.5
	Total	2243	100.0	.	.
Total	Very easy OR Sort of easy	2826	10.6	10.2	11.0
	Sort of hard OR Very hard	25528	89.4	89.0	89.8
	Total	28354	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of alcohol use (Q83)

<i>Grade</i>	<i>Parental disapproval of alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	141	4.4	3.5	5.3
	Wrong OR Very wrong	3235	95.6	94.7	96.5
	Total	3376	100.0	.	.
7th	Not wrong at all OR A little bit wrong	314	5.1	4.5	5.7
	Wrong OR Very wrong	5808	94.9	94.3	95.5
	Total	6122	100.0	.	.
8th	Not wrong at all OR A little bit wrong	227	6.0	5.2	6.8
	Wrong OR Very wrong	3571	94.0	93.2	94.8
	Total	3798	100.0	.	.
9th	Not wrong at all OR A little bit wrong	399	7.5	6.8	8.3
	Wrong OR Very wrong	4916	92.5	91.7	93.2
	Total	5315	100.0	.	.
10th	Not wrong at all OR A little bit wrong	370	8.6	7.8	9.5
	Wrong OR Very wrong	3865	91.4	90.5	92.2
	Total	4235	100.0	.	.
11th	Not wrong at all OR A little bit wrong	374	10.4	9.4	11.5
	Wrong OR Very wrong	3238	89.6	88.5	90.6
	Total	3612	100.0	.	.
12th	Not wrong at all OR A little bit wrong	323	14.7	13.0	16.4
	Wrong OR Very wrong	1922	85.3	83.6	87.0
	Total	2245	100.0	.	.
Total	Not wrong at all OR A little bit wrong	2156	8.1	7.7	8.5
	Wrong OR Very wrong	26648	91.9	91.5	92.3
	Total	28804	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of cigarette use (Q84)

<i>Grade</i>	<i>Parental disapproval of cigarette use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Not wrong at all OR A little bit wrong	101	3.3	2.5	4.1
	Wrong OR Very wrong	3274	96.7	95.9	97.5
	Total	3375	100.0	.	.
7th	Not wrong at all OR A little bit wrong	188	3.0	2.5	3.4
	Wrong OR Very wrong	5920	97.0	96.6	97.5
	Total	6108	100.0	.	.
8th	Not wrong at all OR A little bit wrong	133	3.6	3.0	4.3
	Wrong OR Very wrong	3663	96.4	95.7	97.0
	Total	3796	100.0	.	.
9th	Not wrong at all OR A little bit wrong	252	4.9	4.2	5.5
	Wrong OR Very wrong	5062	95.1	94.5	95.8
	Total	5314	100.0	.	.
10th	Not wrong at all OR A little bit wrong	230	5.5	4.8	6.2
	Wrong OR Very wrong	4024	94.5	93.8	95.2
	Total	4254	100.0	.	.
11th	Not wrong at all OR A little bit wrong	227	6.5	5.6	7.3
	Wrong OR Very wrong	3377	93.5	92.7	94.4
	Total	3604	100.0	.	.
12th	Not wrong at all OR A little bit wrong	185	8.0	6.7	9.2
	Wrong OR Very wrong	2064	92.0	90.8	93.3
	Total	2249	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1321	5.0	4.7	5.3
	Wrong OR Very wrong	27476	95.0	94.7	95.3
	Total	28797	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of vaping (Q85)

<i>Grade</i>	<i>Parental disapproval of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	135	4.4	3.5	5.3
	Wrong OR Very wrong	3241	95.6	94.7	96.5
	Total	3376	100.0	.	.
7th	Not wrong at all OR A little bit wrong	282	4.5	3.9	5.1
	Wrong OR Very wrong	5831	95.5	94.9	96.1
	Total	6113	100.0	.	.
8th	Not wrong at all OR A little bit wrong	201	5.4	4.7	6.2
	Wrong OR Very wrong	3589	94.6	93.8	95.3
	Total	3790	100.0	.	.
9th	Not wrong at all OR A little bit wrong	362	7.0	6.3	7.7
	Wrong OR Very wrong	4935	93.0	92.3	93.7
	Total	5297	100.0	.	.
10th	Not wrong at all OR A little bit wrong	330	7.8	6.9	8.6
	Wrong OR Very wrong	3907	92.2	91.4	93.1
	Total	4237	100.0	.	.
11th	Not wrong at all OR A little bit wrong	327	9.2	8.2	10.2
	Wrong OR Very wrong	3267	90.8	89.8	91.8
	Total	3594	100.0	.	.
12th	Not wrong at all OR A little bit wrong	271	11.7	10.2	13.2
	Wrong OR Very wrong	1965	88.3	86.8	89.8
	Total	2236	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1914	7.2	6.8	7.5
	Wrong OR Very wrong	26829	92.8	92.5	93.2
	Total	28743	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of marijuana use (Q86)

<i>Grade</i>	<i>Parental disapproval of marijuana use</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Not wrong at all OR A little bit wrong	109	3.5	2.8	4.3
	Wrong OR Very wrong	3256	96.5	95.7	97.2
	Total	3365	100.0	.	.
7th	Not wrong at all OR A little bit wrong	273	4.6	4.0	5.2
	Wrong OR Very wrong	5816	95.4	94.8	96.0
	Total	6089	100.0	.	.
8th	Not wrong at all OR A little bit wrong	197	5.3	4.5	6.0
	Wrong OR Very wrong	3607	94.7	94.0	95.5
	Total	3804	100.0	.	.
9th	Not wrong at all OR A little bit wrong	426	8.3	7.5	9.1
	Wrong OR Very wrong	4860	91.7	90.9	92.5
	Total	5286	100.0	.	.
10th	Not wrong at all OR A little bit wrong	463	11.1	10.1	12.1
	Wrong OR Very wrong	3769	88.9	87.9	89.9
	Total	4232	100.0	.	.
11th	Not wrong at all OR A little bit wrong	489	13.9	12.7	15.1
	Wrong OR Very wrong	3087	86.1	84.9	87.3
	Total	3576	100.0	.	.
12th	Not wrong at all OR A little bit wrong	404	17.6	15.9	19.4
	Wrong OR Very wrong	1835	82.4	80.6	84.1
	Total	2239	100.0	.	.
Total	Not wrong at all OR A little bit wrong	2368	9.3	8.9	9.6
	Wrong OR Very wrong	26323	90.7	90.4	91.1
	Total	28691	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of Rx drug misuse (Q87)

Grade	Parental disapproval of Rx drug misuse	Unweighted		Lower	Upper
		N	Percent	95%CL	95%CL
6th	Not wrong at all OR A little bit wrong	191	6.0	5.0	7.0
	Wrong OR Very wrong	3172	94.0	93.0	95.0
	Total	3363	100.0	.	.
7th	Not wrong at all OR A little bit wrong	356	6.1	5.4	6.8
	Wrong OR Very wrong	5744	93.9	93.2	94.6
	Total	6100	100.0	.	.
8th	Not wrong at all OR A little bit wrong	228	6.3	5.5	7.1
	Wrong OR Very wrong	3563	93.7	92.9	94.5
	Total	3791	100.0	.	.
9th	Not wrong at all OR A little bit wrong	348	6.7	6.0	7.5
	Wrong OR Very wrong	4946	93.3	92.5	94.0
	Total	5294	100.0	.	.
10th	Not wrong at all OR A little bit wrong	291	6.7	5.9	7.5
	Wrong OR Very wrong	3941	93.3	92.5	94.1
	Total	4232	100.0	.	.
11th	Not wrong at all OR A little bit wrong	301	8.4	7.4	9.3
	Wrong OR Very wrong	3282	91.6	90.7	92.6
	Total	3583	100.0	.	.
12th	Not wrong at all OR A little bit wrong	197	8.9	7.5	10.2
	Wrong OR Very wrong	2038	91.1	89.8	92.5
	Total	2235	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1920	7.0	6.7	7.3
	Wrong OR Very wrong	26779	93.0	92.7	93.3
	Total	28699	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of Rx pain reliever misuse (Q88)

Grade	Parental disapproval of Rx pain reliever misuse	Unweighted N	Percent	Lower 95%CL	Upper 95%CL
6th	Not wrong at all OR A little bit wrong	187	6.1	5.1	7.1
	Wrong OR Very wrong	3172	93.9	92.9	94.9
	Total	3359	100.0	.	.
7th	Not wrong at all OR A little bit wrong	354	6.0	5.3	6.6
	Wrong OR Very wrong	5744	94.0	93.4	94.7
	Total	6098	100.0	.	.
8th	Not wrong at all OR A little bit wrong	227	6.2	5.4	7.0
	Wrong OR Very wrong	3567	93.8	93.0	94.6
	Total	3794	100.0	.	.
9th	Not wrong at all OR A little bit wrong	332	6.5	5.8	7.2
	Wrong OR Very wrong	4968	93.5	92.8	94.2
	Total	5300	100.0	.	.
10th	Not wrong at all OR A little bit wrong	283	6.7	5.9	7.5
	Wrong OR Very wrong	3952	93.3	92.5	94.1
	Total	4235	100.0	.	.
11th	Not wrong at all OR A little bit wrong	249	6.9	6.0	7.8
	Wrong OR Very wrong	3340	93.1	92.2	94.0
	Total	3589	100.0	.	.
12th	Not wrong at all OR A little bit wrong	178	7.9	6.6	9.1
	Wrong OR Very wrong	2059	92.1	90.9	93.4
	Total	2237	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1818	6.6	6.3	6.9
	Wrong OR Very wrong	26896	93.4	93.1	93.7
	Total	28714	100.0	.	.

PARENTAL DISAPPROVAL
Parental disapproval of heroin use (Q89)

<i>Grade</i>	<i>Parental disapproval of heroin use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	94	3.3	2.5	4.2
	Wrong OR Very wrong	3254	96.7	95.8	97.5
	Total	3348	100.0	.	.
7th	Not wrong at all OR A little bit wrong	155	2.6	2.2	3.1
	Wrong OR Very wrong	5959	97.4	96.9	97.8
	Total	6114	100.0	.	.
8th	Not wrong at all OR A little bit wrong	124	3.5	2.9	4.1
	Wrong OR Very wrong	3666	96.5	95.9	97.1
	Total	3790	100.0	.	.
9th	Not wrong at all OR A little bit wrong	205	4.0	3.4	4.6
	Wrong OR Very wrong	5080	96.0	95.4	96.6
	Total	5285	100.0	.	.
10th	Not wrong at all OR A little bit wrong	192	4.6	4.0	5.3
	Wrong OR Very wrong	4048	95.4	94.7	96.0
	Total	4240	100.0	.	.
11th	Not wrong at all OR A little bit wrong	187	5.2	4.5	6.0
	Wrong OR Very wrong	3401	94.8	94.0	95.5
	Total	3588	100.0	.	.
12th	Not wrong at all OR A little bit wrong	133	5.8	4.7	6.8
	Wrong OR Very wrong	2102	94.2	93.2	95.3
	Total	2235	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1093	4.1	3.9	4.4
	Wrong OR Very wrong	27607	95.9	95.6	96.1
	Total	28700	100.0	.	.

FRIEND DISAPPROVAL
Friend disapproval of alcohol use (Q90)

<i>Grade</i>	<i>Friend disapproval of alcohol use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	287	9.1	7.8	10.3
	Wrong OR Very wrong	3068	90.9	89.7	92.2
	Total	3355	100.0	.	.
7th	Not wrong at all OR A little bit wrong	800	12.8	11.9	13.6
	Wrong OR Very wrong	5300	87.2	86.4	88.1
	Total	6100	100.0	.	.
8th	Not wrong at all OR A little bit wrong	542	14.3	13.1	15.4
	Wrong OR Very wrong	3253	85.7	84.6	86.9
	Total	3795	100.0	.	.
9th	Not wrong at all OR A little bit wrong	912	17.3	16.2	18.3
	Wrong OR Very wrong	4397	82.7	81.7	83.8
	Total	5309	100.0	.	.
10th	Not wrong at all OR A little bit wrong	824	19.1	17.9	20.3
	Wrong OR Very wrong	3438	80.9	79.7	82.1
	Total	4262	100.0	.	.
11th	Not wrong at all OR A little bit wrong	720	19.4	18.0	20.7
	Wrong OR Very wrong	2876	80.6	79.3	82.0
	Total	3596	100.0	.	.
12th	Not wrong at all OR A little bit wrong	543	24.0	22.0	26.0
	Wrong OR Very wrong	1703	76.0	74.0	78.0
	Total	2246	100.0	.	.
Total	Not wrong at all OR A little bit wrong	4641	16.7	16.2	17.2
	Wrong OR Very wrong	24122	83.3	82.8	83.8
	Total	28763	100.0	.	.

FRIEND DISAPPROVAL
Friend disapproval of cigarette use (Q91)

<i>Grade</i>	<i>Friend disapproval of cigarette use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	247	8.4	7.1	9.6
	Wrong OR Very wrong	3107	91.6	90.4	92.9
	Total	3354	100.0	.	.
7th	Not wrong at all OR A little bit wrong	701	11.3	10.5	12.2
	Wrong OR Very wrong	5406	88.7	87.8	89.5
	Total	6107	100.0	.	.
8th	Not wrong at all OR A little bit wrong	441	11.7	10.6	12.8
	Wrong OR Very wrong	3362	88.3	87.2	89.4
	Total	3803	100.0	.	.
9th	Not wrong at all OR A little bit wrong	686	13.0	12.0	13.9
	Wrong OR Very wrong	4615	87.0	86.1	88.0
	Total	5301	100.0	.	.
10th	Not wrong at all OR A little bit wrong	636	14.8	13.7	15.9
	Wrong OR Very wrong	3628	85.2	84.1	86.3
	Total	4264	100.0	.	.
11th	Not wrong at all OR A little bit wrong	562	15.2	14.0	16.4
	Wrong OR Very wrong	3023	84.8	83.6	86.0
	Total	3585	100.0	.	.
12th	Not wrong at all OR A little bit wrong	455	19.7	17.9	21.6
	Wrong OR Very wrong	1787	80.3	78.4	82.1
	Total	2242	100.0	.	.
Total	Not wrong at all OR A little bit wrong	3740	13.5	13.1	14.0
	Wrong OR Very wrong	25015	86.5	86.0	86.9
	Total	28755	100.0	.	.

FRIEND DISAPPROVAL
Friend disapproval of vaping (Q92)

<i>Grade</i>	<i>Friend disapproval of vaping</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	357	11.7	10.3	13.1
	Wrong OR Very wrong	2989	88.3	86.9	89.7
	Total	3346	100.0	.	.
7th	Not wrong at all OR A little bit wrong	1168	18.9	17.8	19.9
	Wrong OR Very wrong	4933	81.1	80.1	82.2
	Total	6101	100.0	.	.
8th	Not wrong at all OR A little bit wrong	749	19.8	18.5	21.2
	Wrong OR Very wrong	3025	80.2	78.8	81.5
	Total	3774	100.0	.	.
9th	Not wrong at all OR A little bit wrong	1291	24.3	23.1	25.5
	Wrong OR Very wrong	4010	75.7	74.5	76.9
	Total	5301	100.0	.	.
10th	Not wrong at all OR A little bit wrong	1089	25.3	23.9	26.6
	Wrong OR Very wrong	3131	74.7	73.4	76.1
	Total	4220	100.0	.	.
11th	Not wrong at all OR A little bit wrong	975	26.5	25.0	28.0
	Wrong OR Very wrong	2602	73.5	72.0	75.0
	Total	3577	100.0	.	.
12th	Not wrong at all OR A little bit wrong	714	30.9	28.7	33.1
	Wrong OR Very wrong	1516	69.1	66.9	71.3
	Total	2230	100.0	.	.
Total	Not wrong at all OR A little bit wrong	6359	22.8	22.3	23.4
	Wrong OR Very wrong	22289	77.2	76.6	77.7
	Total	28648	100.0	.	.

FRIEND DISAPPROVAL
Friend disapproval of marijuana use (Q93)

<i>Grade</i>	<i>Friend disapproval of marijuana use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	221	7.1	6.0	8.2
	Wrong OR Very wrong	3117	92.9	91.8	94.0
	Total	3338	100.0	.	.
7th	Not wrong at all OR A little bit wrong	766	12.5	11.6	13.4
	Wrong OR Very wrong	5337	87.5	86.6	88.4
	Total	6103	100.0	.	.
8th	Not wrong at all OR A little bit wrong	594	15.8	14.6	17.0
	Wrong OR Very wrong	3191	84.2	83.0	85.4
	Total	3785	100.0	.	.
9th	Not wrong at all OR A little bit wrong	1157	21.9	20.7	23.0
	Wrong OR Very wrong	4145	78.1	77.0	79.3
	Total	5302	100.0	.	.
10th	Not wrong at all OR A little bit wrong	1136	26.4	25.0	27.7
	Wrong OR Very wrong	3119	73.6	72.3	75.0
	Total	4255	100.0	.	.
11th	Not wrong at all OR A little bit wrong	1088	29.9	28.3	31.5
	Wrong OR Very wrong	2494	70.1	68.5	71.7
	Total	3582	100.0	.	.
12th	Not wrong at all OR A little bit wrong	801	34.9	32.6	37.1
	Wrong OR Very wrong	1444	65.1	62.9	67.4
	Total	2245	100.0	.	.
Total	Not wrong at all OR A little bit wrong	5776	21.6	21.0	22.1
	Wrong OR Very wrong	22936	78.4	77.9	79.0
	Total	28712	100.0	.	.

FRIEND DISAPPROVAL
Friend disapproval of Rx drug misuse (Q94)

<i>Grade</i>	<i>Friend disapproval of Rx drug misuse</i>	<i>Unweighted</i>		<i>Lower</i>	<i>Upper</i>
		<i>N</i>	<i>Percent</i>	<i>95%CL</i>	<i>95%CL</i>
6th	Not wrong at all OR A little bit wrong	422	12.7	11.3	14.0
	Wrong OR Very wrong	2884	87.3	86.0	88.7
	Total	3306	100.0	.	.
7th	Not wrong at all OR A little bit wrong	1020	16.8	15.8	17.8
	Wrong OR Very wrong	5040	83.2	82.2	84.2
	Total	6060	100.0	.	.
8th	Not wrong at all OR A little bit wrong	606	16.1	14.9	17.3
	Wrong OR Very wrong	3161	83.9	82.7	85.1
	Total	3767	100.0	.	.
9th	Not wrong at all OR A little bit wrong	885	17.0	15.9	18.0
	Wrong OR Very wrong	4404	83.0	82.0	84.1
	Total	5289	100.0	.	.
10th	Not wrong at all OR A little bit wrong	715	16.7	15.5	17.9
	Wrong OR Very wrong	3536	83.3	82.1	84.5
	Total	4251	100.0	.	.
11th	Not wrong at all OR A little bit wrong	614	16.6	15.4	17.9
	Wrong OR Very wrong	2970	83.4	82.1	84.6
	Total	3584	100.0	.	.
12th	Not wrong at all OR A little bit wrong	452	20.0	18.1	21.8
	Wrong OR Very wrong	1786	80.0	78.2	81.9
	Total	2238	100.0	.	.
Total	Not wrong at all OR A little bit wrong	4731	16.7	16.2	17.1
	Wrong OR Very wrong	23867	83.3	82.9	83.8
	Total	28598	100.0	.	.

FRIEND DISAPPROVAL
Friend disapproval of Rx pain reliever misuse (Q95)

Grade	Friend disapproval of Rx pain reliever misuse	Unweighted N	Percent	Lower 95%CL	Upper 95%CL
6th	Not wrong at all OR A little bit wrong	396	12.4	11.0	13.7
	Wrong OR Very wrong	2901	87.6	86.3	89.0
	Total	3297	100.0	.	.
7th	Not wrong at all OR A little bit wrong	972	15.9	14.9	16.9
	Wrong OR Very wrong	5094	84.1	83.1	85.1
	Total	6066	100.0	.	.
8th	Not wrong at all OR A little bit wrong	565	15.1	13.9	16.3
	Wrong OR Very wrong	3216	84.9	83.7	86.1
	Total	3781	100.0	.	.
9th	Not wrong at all OR A little bit wrong	816	15.6	14.6	16.6
	Wrong OR Very wrong	4465	84.4	83.4	85.4
	Total	5281	100.0	.	.
10th	Not wrong at all OR A little bit wrong	662	15.4	14.3	16.6
	Wrong OR Very wrong	3573	84.6	83.4	85.7
	Total	4235	100.0	.	.
11th	Not wrong at all OR A little bit wrong	558	15.4	14.1	16.6
	Wrong OR Very wrong	3017	84.6	83.4	85.9
	Total	3575	100.0	.	.
12th	Not wrong at all OR A little bit wrong	375	16.8	15.0	18.5
	Wrong OR Very wrong	1868	83.2	81.5	85.0
	Total	2243	100.0	.	.
Total	Not wrong at all OR A little bit wrong	4364	15.4	14.9	15.8
	Wrong OR Very wrong	24217	84.6	84.2	85.1
	Total	28581	100.0	.	.

FRIEND DISAPPROVAL
Friend disapproval of heroin use (Q96)

<i>Grade</i>	<i>Friend disapproval of heroin or fentanyl use</i>	<i>Unweighted N</i>	<i>Percent</i>	<i>Lower 95%CL</i>	<i>Upper 95%CL</i>
6th	Not wrong at all OR A little bit wrong	146	4.7	3.8	5.6
	Wrong OR Very wrong	3184	95.3	94.4	96.2
	Total	3330	100.0	.	.
7th	Not wrong at all OR A little bit wrong	375	6.1	5.5	6.8
	Wrong OR Very wrong	5729	93.9	93.2	94.5
	Total	6104	100.0	.	.
8th	Not wrong at all OR A little bit wrong	224	5.9	5.1	6.7
	Wrong OR Very wrong	3561	94.1	93.3	94.9
	Total	3785	100.0	.	.
9th	Not wrong at all OR A little bit wrong	330	6.4	5.7	7.1
	Wrong OR Very wrong	4961	93.6	92.9	94.3
	Total	5291	100.0	.	.
10th	Not wrong at all OR A little bit wrong	278	6.7	5.9	7.5
	Wrong OR Very wrong	3979	93.3	92.5	94.1
	Total	4257	100.0	.	.
11th	Not wrong at all OR A little bit wrong	266	7.4	6.5	8.3
	Wrong OR Very wrong	3331	92.6	91.7	93.5
	Total	3597	100.0	.	.
12th	Not wrong at all OR A little bit wrong	184	8.0	6.7	9.3
	Wrong OR Very wrong	2061	92.0	90.7	93.3
	Total	2245	100.0	.	.
Total	Not wrong at all OR A little bit wrong	1810	6.5	6.2	6.8
	Wrong OR Very wrong	26901	93.5	93.2	93.8
	Total	28711	100.0	.	.

**APPENDIX A –
CTC Survey Instrument**

South Carolina Communities That Care Survey

Thank you for agreeing to participate in this survey. The survey asks your opinion about a number of things in your life, including your friends, your family, your neighborhood and community. Your answers to these questions will be **confidential and anonymous**. This means your answers will stay secret. Your name will never be asked. Please **do not** write your name on this survey form.

This survey is completely voluntary. This means you do not have to take it. You may skip any question you don't want to answer.

Instructions

This is not a test, so there are no right or wrong answers.

Each question should be answered by marking only one of the answer spaces. If you don't find an answer that fits exactly, use one that comes closest. If any question does not apply to you, or you are not sure of what it means, just leave it blank.



Your answers will be read by a computer. Please follow the instructions carefully.

Make heavy marks inside the circles using a pencil.

Completely erase any answer you want to change.

Make no other marking or comments on the survey.

Shade Circles Like This--> 

Not Like This-->  

You will be provided with your schools 4 digit code. PLEASE BUBBLE THAT CODE IN BELOW.

<input type="radio"/> 0	<input type="radio"/> 0	<input type="radio"/> 0	<input type="radio"/> 0
<input type="radio"/> 1	<input type="radio"/> 1	<input type="radio"/> 1	<input type="radio"/> 1
<input type="radio"/> 2	<input type="radio"/> 2	<input type="radio"/> 2	<input type="radio"/> 2
<input type="radio"/> 3	<input type="radio"/> 3	<input type="radio"/> 3	<input type="radio"/> 3
<input type="radio"/> 4	<input type="radio"/> 4	<input type="radio"/> 4	<input type="radio"/> 4
<input type="radio"/> 5	<input type="radio"/> 5	<input type="radio"/> 5	<input type="radio"/> 5
<input type="radio"/> 6	<input type="radio"/> 6	<input type="radio"/> 6	<input type="radio"/> 6
<input type="radio"/> 7	<input type="radio"/> 7	<input type="radio"/> 7	<input type="radio"/> 7
<input type="radio"/> 8	<input type="radio"/> 8	<input type="radio"/> 8	<input type="radio"/> 8
<input type="radio"/> 9	<input type="radio"/> 9	<input type="radio"/> 9	<input type="radio"/> 9

These questions ask for some general information about you.

1. How old are you?

- 11 16
 12 17
 13 18
 14 19 or older
 15

2. What grade are you in?

- 6th 7th 8th 9th 10th 11th 12th

3. Are you? Female

Male

4. What is the language you use most often at home?

- English Spanish Another Language

5. What do you consider yourself to be? (Choose all that apply)

- White
 Black or African American
 American Indian/Native American, Eskimo or Aleut
 Spanish/Hispanic/Latino
 Asian or Pacific Islander
 Other

6. Putting them all together, what were your grades like last year?

- Mostly F's
 Mostly D's
 Mostly C's
 Mostly B's
 Mostly A's

7. Which of the following best describes your present school program?

- Advanced placement or honors
 College prep
 General
 Vocational, technical or commercial
 Other, or don't know

8. Which of the following do you plan to do after high school? (Choose all that apply)

- Attend a technical or vocational school
 Serve in the armed forces (Army, Navy, Air Force, etc.)
 Graduate from a two-year college
 Graduate from a four-year college
 Attend graduate or professional school after college
 None of the above

This next section asks about your experience with tobacco, alcohol and other drugs. It also asks some personal questions. Remember, your answers are CONFIDENTIAL. This means that your answers will stay secret.

9. Have you ever used chewing tobacco, snuff, dip, such as Levi Garrett, Beechnut, Copenhagen, Grizzly or Kodiak?

- Never (SKIP TO QUESTION 11)
- Once or Twice
- Once in a while but not regularly
- Regularly but in the past
- Regularly now

10. How frequently have you used chewing tobacco, snuff, dip, such as Levi Garrett, Beechnut, Copenhagen Grizzly or Kodiak in the PAST 30 DAYS?

- Never
- Once or Twice
- Once or twice per week
- About once a day
- More than once a day

11. Have you ever used e-cigarettes or vaping pens?

- Never (SKIP TO QUESTION 14)
- Once or Twice
- Once in a while but not regularly
- Regularly but in the past
- Regularly now

12. How frequently have you used e-cigarettes or vapes during the PAST 30 DAYS?

- Never (SKIP TO QUESTION 14)
- Once or Twice
- Once or twice per week
- About once a day
- More than once a day

13. During the PAST 30 DAYS, how did you usually get your own e-cigarettes or vaping pens? (Choose only one response)

- I bought them in a store such as a convenience store gas station or supermarket
- I gave someone else money to buy them for me
- I borrowed (or bummed) them from somebody else
- A person 18 years or older. gave them to me
- I took them from a store or family member
- I got them some other way

14. Have you ever smoked cigarettes?

- Never (SKIP TO QUESTION 18)
- Once or Twice
- Once in a while but not regularly
- Regularly but in the past
- Regularly now

15. How old were you when you first smoked a CIGARETTE, even just a puff?

- 10 or younger
- 11
- 12
- 13
- 14
- 15
- 16
- 17 or older

16. How frequently have you smoked cigarettes during the PAST 30 DAYS?

- Not at all (SKIP TO QUESTION 18)
- Less than 1 cigarette per day
- One to five cigarettes per day
- About one half pack per day
- About one pack per day
- About one and one half packs per day
- Two packs or more per day

17. During the PAST 30 DAYS, how did you usually get your own cigarettes (Choose only one response)?

- I bought them in a store such as a convenience store gas station or supermarket
- I bought them from a vending machine
- I gave someone else money to buy them for me
- I borrowed (or bummed) them from somebody else
- A person 18 years or older. gave them to me
- I took them from a store or family member
- I got them some other way

18. Have you ever tried smoking cigars, cigarillos, or little cigars, such as Black and Mild, Swisher Sweets, Dutch Masters, White Owl, or Phillies Blunts, even **one** puff?

- Never
- Once or Twice
- Once in a while but not regularly
- Regularly but in the past
- Regularly now

19. Which of the following tobacco products have you ever tried, even just one time? (Choose all that apply)

- Bidis
- Kreteks
- Hookah
- Zyn
- chewing tobacco
- Never tried any of the above

20. On how many occasions, if any, have you had alcoholic beverages (beer, wine, or hard liquor) - more than just a few sips - in your LIFETIME?

- 0 occasions (SKIP TO QUESTION 29)
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

21. How old were you when you first had more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)?

- 10 or younger
- 11
- 12
- 13
- 14
- 15
- 16
- 17 or older

22. Think back over the last two weeks. How many times have you had 5 or more alcoholic drinks in a row within a short period of time?

- None
- Once
- Twice
- 3-5 times
- 6-9 times
- 10 or more times

23. How old were you when you first began drinking alcoholic beverages regularly, that is, at least once or twice a month?

- Never have
- 10 or younger
- 11
- 12
- 13
- 14
- 15
- 16
- 17 or older

24. On how many occasions, if any, have you had alcoholic beverages (beer, wine, or hard liquor) - more than just a few sips - in the PAST 30 DAYS?

- 0 occasions (SKIP TO QUESTION 29)
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

25. During the past 30 days, what type of alcohol did you usually drink? (Choose only one response)

- I do not have a usual type
- Beer
- Malt beverages such as Mike's Hard Lemonade, Four Loko, Beatbox, Smirnoff Ice
- Hard Seltzer, such as High Noon, White Claw or Truly
- Alcohol mixed with an energy drink
- Wine coolers, such as Jack Daniels County Cocktails, Bartles and James, Seagram's Wine Coolers
- Wine
- Hard liquors, such as vodka, rum, scotch, or whiskey
- Some other type

26. During the PAST 30 DAYS, how did you usually get the alcohol you drank?(Choose only one response)

- I bought it myself from someplace like a store
- I gave someone else money to buy it for me
- I took it from a store
- Someone gave it to at a party or social gathering
- Someone gave it to me someplace else
- I took it from a family member
- I got it some other way

27. During the PAST 30 DAYS, who most often got alcohol for you, they either bought it for you or gave it to you?(Choose only one response)

- Nobody got alcohol for me
- My parent got it for me
- A friend's parent got it for me
- A friend or family member older than 25 got it for me
- A friend or family member age 21-25 got it for me
- A friend or family member under age 21 got it for me
- Some other adult got it for me

28. During the PAST 30 DAYS, how many times did you drive a car or other vehicle when YOU had been drinking alcohol?

- 0 times
- 1 time
- 2 or 3 times
- 4 or 5 times
- 6 or more times

29. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

- 0 times
- 1 time
- 2 or 3 times
- 4 or 5 times
- 6 or more times

30. On how many occasions, if any, have you used marijuana (weed, pot) or hashish (hash, hash oil) - in your LIFETIME?

- 0 occasions (SKIP TO QUESTION 35)
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

31. How old were you when you first used marijuana?

- 10 or younger
- 11
- 12
- 13
- 14
- 15
- 16
- 17 or older

32. On how many occasions, if any, have you used marijuana (weed, pot) or hashish (hash, hash oil) - in the PAST 30 DAYS?

- 0 occasions (SKIP TO QUESTION 35)
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

33. During the PAST 30 DAYS, how did you usually get the marijuana you used? (Choose only one response)

- I bought it from a friend
- I bought it from someone else
- I gave someone else money to buy it for me
- Someone gave it to me at a party or social gathering
- Someone gave it to me someplace else
- I brought it on the internet
- I got it some other way

34. During the past 30 days, how many times did you drive a car or other vehicle when YOU had been using marijuana or other impairing substances OTHER than alcohol?

- 0 times
- 1 time
- 2 or 3 times
- 4 or 5 times
- 6 or more times



63482

35. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana or other impairing substances OTHER than alcohol?

- 0 times
- 1 time
- 2 or 3 times
- 4 or 5 times
- 6 or more times

36. On how many occasions, if any, have you used Hemp-derived products, like Delta-8, Delta-10, Moon Rocks or TCHO – in your LIFETIME?

- 0 occasions (SKIP TO QUESTION 41)
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

37. How old were you when you first used Hemp-derived products, like Delta-8, Delta-10, Moon Rocks or TCHO?

- 10 or younger
- 11
- 12
- 13
- 14
- 15
- 16
- 17 or older

38. On how many occasions, if any, have you used Hemp-derived products, like Delta-8, Delta-10, Moon Rocks or TCHO – in the PAST 30 DAYS?

- 0 occasions (SKIP TO QUESTION 41)
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

39. During the PAST 30 DAYS, how did you usually get the Hemp-derived product, like Delta-8, Delta-10, Moon Rocks or TCHO you used? (Choose only one response)

- I bought it from a friend
- I bought it from someone else
- I gave someone else money to buy it for me
- Someone gave it to me at a party or social gathering
- Someone gave it to me someplace else
- I brought it on the internet
- I got it some other way

40. During the past 30 days, how many times did you drive a car or other vehicle when YOU had been using Hemp-derived products, like Delta-8, Delta-10, Moon Rocks or TCHO?

- 0 times
- 1 time
- 2 or 3 times
- 4 or 5 times
- 6 or more times

41. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using Hemp-derived products, like Delta-8, Delta-10, Moon Rocks or TCHO?

- 0 occasions
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions



63482

42. On how many occasions, if any, have you used a prescription drug without a doctor's prescription in your LIFETIME?

- 0 occasions (SKIP TO QUESTION 50)
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

43. How old were you when you first used prescription drugs that were not prescribed to you?

- 10 or younger
- 11
- 12
- 13
- 14
- 15
- 16
- 17 or older

44. On how many occasions, if any, have you used a prescription drug without a doctor's prescription in the PAST 30 DAYS?

- 0 occasions (SKIP TO QUESTION 46)
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

45. During the past 30 days, how did you usually get the prescription drugs you used that were not prescribed to you? (Choose only one response)

- I took them from a friend without asking
- I took them from a family member without asking
- I bought them from a friend
- I bought them from a family member
- I got them from a friend for free (they gave them to me)
- I got them from a family member for free (they gave them to me)
- I bought them from someone else
- I got them from more than one doctor and used them for non-medical reasons
- I got them from just one doctor and used them for non-medical reasons
- I wrote fake prescriptions
- I stole them from a doctor's office, clinic, hospital or pharmacy
- I bought them on the Internet
- I got them some other way

46. On how many occasions, if any, have you used prescription pain pills (i.e. Oxycontin, Vicodin, etc.) without a doctor's prescription in your LIFETIME?

- 0 occasions (SKIP TO QUESTION 50)
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

47. How old were you when you first used prescription pain pills (i.e. Oxycontin, Vicodin, etc.) that were not prescribed to you?

- 10 or younger
- 11
- 12
- 13
- 14
- 15
- 16
- 17 or older

48. On how many occasions, if any, have you used prescription pain pills (i.e. Oxycontin, Vicodin, etc.) without a doctor's prescription in the PAST 30 DAYS?

- 0 occasions (SKIP TO QUESTION 50)
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

49. During the past 30 days, how did you usually get the prescription pain pills (i.e. Oxycontin, Vicodin, etc.) you used that were not prescribed to you? (Choose only one response)

- I took them from a friend without asking
- I took them from a family member without asking
- I bought them from a friend
- I bought them from a family member
- I got them from a friend for free (they gave them to me)
- I got them from a family member for free (they gave them to me)
- I bought them from someone else
- I got them from more than one doctor and used them for non-medical reasons
- I got them from just one doctor and used them for non-medical reasons
- I wrote fake prescriptions
- I stole them from a doctor's office, clinic, hospital or pharmacy
- I bought them on the Internet
- I got them some other way

50. On how many occasions, if any, have you used cocaine in your LIFETIME?

- 0 occasions
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

51. On how many occasions, if any, have you used heroin or fentanyl in your LIFETIME?

- 0 occasions (SKIP TO QUESTION 54)
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

52. How old were you when you first used heroin or fentanyl?

- 10 or younger
- 11
- 12
- 13
- 14
- 15
- 16
- 17 or older

53. On how many occasions, if any, have you used heroin or fentanyl in the PAST 30 DAYS?

- 0 occasions
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

54. How many times in the past year (12 months) have you sold illegal drugs?

- 0 occasions
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions



63482

55. How many times in the past year (12 months) have you attacked someone with the intent to hurt them due to alcohol or drug use, possession of alcohol or drugs or sale of alcohol or drugs?

- 0 occasions
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

56. How many times in the past year (12 months) have you been drunk or high at school?

- 0 occasions
- 1 or 2 occasions
- 3 to 5 occasions
- 6 to 9 occasions
- 10 to 19 occasions
- 20 to 39 occasions
- 40 or more occasions

57. To what extent is drinking alcohol a central part in the social life of students at your school?

- Very little or none
- Some
- Quite a lot
- A great deal
- Don't know

58. To what extent do students at your school use alcohol in connection with school sporting events (such as tailgate parties, post-game celebrations)?

- Very little or none
- Some
- Quite a lot
- A great deal
- Don't know

59. To what extent do students at your school use alcohol on school property before, during, or after, school hours?

- Very little or none
- Some
- Quite a lot
- A great deal
- Don't know

60. How wrong do you think it is for someone your age to drink beer, wine, or hard liquor (for example: vodka, whiskey or gin)?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

61. How wrong do you think it is for someone your age to smoke cigarettes?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

62. How wrong do you think it is for someone your age to use e-cigarettes or vaping pens?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

63. How wrong do you think it is for someone your age to use marijuana?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

64. How wrong do you think it is for someone your age to use prescription drugs not prescribed to them?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

65. How wrong do you think it is for someone your age to use prescription pain pills (i.e. Oxycontin, Vicodin, etc.) not prescribed to them?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong



63482

66. How wrong do you think it is for someone your age to use LSD, cocaine, amphetamines, or another illegal drug?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

67. How wrong do you think it is for someone your age to use heroin or fentanyl?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

68. How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?

- No risk
- Slight risk
- Moderate risk
- Great risk

69. How much do you think people risk harming themselves physically or in other ways if they use e-cigarettes or vaping pens daily?

- No risk
- Slight risk
- Moderate risk
- Great risk

70. How much do you think people risk harming themselves physically or in other ways if they use marijuana once or twice per week?

- No risk
- Slight risk
- Moderate risk
- Great risk

71. How much do you think people risk harming themselves physically or in other ways if they use Hemp-derived products, like Delta-8, Delta-10, Moon Rocks or THCO regularly (once or twice per week)?

- No risk
- Slight risk
- Moderate risk
- Great risk

72. How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage within a short period of time once or twice a week?

- No risk
- Slight risk
- Moderate risk
- Great risk

73. How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?

- No risk
- Slight risk
- Moderate risk
- Great risk

74. How much do you think people risk harming themselves physically or in other ways if they use prescription pain pills (i.e. Oxycontin, Vicodin, etc.) that are not prescribed to them?

- No risk
- Slight risk
- Moderate risk
- Great risk

75. If you wanted to get some cigarettes, how easy would it be for you to get some?

- Very easy
- Sort of easy
- Sort of hard
- Very hard

76. If you wanted to get some e-cigarettes or vaping pens, how easy would it be for you to get some?

- Very easy
- Sort of easy
- Sort of hard
- Very hard

77. If you wanted to get prescription drugs that were not prescribed to you, how easy would it be for you to get some?

- Very easy
- Sort of easy
- Sort of hard
- Very hard



63482

78. If you wanted to get prescription pain pills (i.e. Oxycontin, Vicodin, etc.) that were not prescribed to you, how easy would it be for you to get some?

- Very easy
- Sort of easy
- Sort of hard
- Very hard

79. If you wanted to get some beer, wine, or hard liquor (for example vodka, whiskey or gin), how easy would it be for you to get some?

- Very easy
- Sort of easy
- Sort of hard
- Very hard

80. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

- Very easy
- Sort of easy
- Sort of hard
- Very hard

81. If you wanted to get some marijuana, how easy would it be for you to get some?

- Very easy
- Sort of easy
- Sort of hard
- Very hard

82. If you wanted to get some heroin or fentanyl, how easy would it be for you to get some?

- Very easy
- Sort of easy
- Sort of hard
- Very hard

83. How wrong do your parents feel it would be for YOU to have one or two drinks of an alcoholic beverage nearly every day?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

84. How wrong do your parents feel it would be for YOU to smoke cigarettes?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

85. How wrong do your parents feel it would be for YOU to use e-cigarettes or vaping pens?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

86. How wrong do your parents feel it would be for YOU to use marijuana?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

87. How wrong do your parents feel it would be for YOU to use prescription drugs not prescribed to you?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

88. How wrong do your parents feel it would be for YOU to use prescription pain pills (i.e. OxyContin, Vicodin, etc.) not prescribed to you?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

89. How wrong do your parents feel it would be for YOU to use heroin or fentanyl?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong



63482

90. How wrong do your friends feel it would be for YOU to have one or two drinks of an alcoholic beverage nearly every day?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

91. How wrong do your friends feel it would be for YOU to smoke cigarettes?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

92. How wrong do your friends feel it would be for YOU to smoke e-cigarettes or vaping pens?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

93. How wrong do your friends feel it would be for YOU to use marijuana?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

94. How wrong do your friends feel it would be for YOU to use prescription drugs not prescribed to you?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

95. How wrong do your friends feel it would be for YOU to use prescription pain pills (i.e. Oxycontin, Vicodin, etc.) not prescribed to you?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong

96. How wrong do your friends feel it would be for YOU to use heroin or fentanyl?

- Not wrong at all
- A little bit wrong
- Wrong
- Very wrong